

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Advanced Poly TI-1000	TR4500 Near Edge Premium Wax/Resin	WPL-18104285	4.50	1,968	114.3	600	OUT	12	20	No
Analog 20/20 & 8220	TR4085plus Resin Enhanced Wax	WPL-17153861	8.43	591	214.0	180	OUT	12	11	No
Auto Pack	TRX-50 General Purpose Wax/Resin	WPL-18105073	1.49	984	38.0	300	OUT	48	13	No
Auto-P PI-100	TR4085plus Resin Enhanced Wax	WPL-17154437	4.09	2,001	104.0	610	IN	24	34	No
Auto-P PI-100	TR4085plus Resin Enhanced Wax	WPL-PL11188	4.09	2,001	104.0	610	IN	24	34	No
Auto-P PI-100	TR4085plus Resin Enhanced Wax	WPL-18105613	4.25	2,001	108.0	610	IN	24	35	No
Auto-P PI-100	TR4085plus Resin Enhanced Wax	WPL-18105857	4.33	2,001	110.0	610	IN	24	35	No
Auto-P PI-4000	M260 Ultra Durable Wax/Resin	WPL-18106371	4.00	2,001	101.6	610	IN	24	30	No
Auto-P PI-4000	MP Wax	WPL-18107500	2.09	2,001	53.0	610	IN	36	28	No
Auto-P PI-4000	MP Wax	WPL-18107499	4.17	2,001	106.0	610	IN	24	37	No
Auto-P PI-4000	TR3022 Blue (286C) General Purpose Wax	WPL-18107098	4.00	2,001	101.6	610	IN	24	34	No
Auto-P PI-4000	TR4085plus Resin Enhanced Wax	WPL-18103916	2.08	2,001	53.0	610	IN	36	28	No
Auto-P PI-4000	TR4085plus Resin Enhanced Wax	WPL-18103817	3.00	2,001	76.2	610	IN	24	26	No
Auto-P PI-4000	TR4085plus Resin Enhanced Wax	WPL-18104876	3.00	2,001	76.2	610	IN	24	25	No
Auto-P PI-4000	TR4085plus Resin Enhanced Wax	WPL-18101726	3.14	2,001	80.0	610	IN	24	37	No
Auto-P PI-4000	TR4085plus Resin Enhanced Wax	WPL-18106864	3.14	2,001	80.0	610	IN	24	26	No
Auto-P PI-4000	TR4085plus Resin Enhanced Wax	WPL-18106263	3.50	2,001	89.0	610	IN	24	29	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Auto-P PI-4000	TR4085plus Resin Enhanced Wax	WPL-18103903	4.00	2,001	101.6	610	IN	24	34	No
Auto-P PI-4000	TR4085plus Resin Enhanced Wax	WPL-18104745	4.00	2,001	101.6	610	IN	24	34	No
Auto-P PI-4000	TR4085plus Resin Enhanced Wax	WPL-18103915	4.17	2,001	106.0	610	IN	24	35	No
Auto-P PI-4000	TR4085plus Resin Enhanced Wax	WPL-18105045	4.17	2,001	106.0	610	IN	24	34	No
Auto-P PI-4000	TR4085plus Resin Enhanced Wax	WPL-18100321	4.33	1,968	110.0	600	IN	24	36	No
Auto-P PI-4000	TRX-50 General Purpose Wax/Resin	WPL-18106415	4.25	2,001	108.0	610	IN	24	35	No
Auto-P PI-4000	TRX-50 General Purpose Wax/Resin	WPL-18107115	4.25	2,001	108.0	610	IN	24	35	No
Auto-P PI-4000	TRX-55 Premium Wax/Resin	WPL-18104886	4.00	2,001	101.6	610	IN	24	32	No
Avery	TR4500 Near Edge Premium Wax/Resin	WPL-18106703	1.49	1,968	38.0	600	IN	36	19	No
Avery	TR4500 Near Edge Premium Wax/Resin	WPL-18106966	4.33	3,280	110.0	1000	IN	6	15	No
Barcode Blaster BT24	Half Inch Wax	WPL-18107374	2.36	262	60.0	80	OUT	48	7	No
Barcode Blaster BT24	Half Inch Wax	WPL-18107374-12	2.36	262	60.0	80	OUT	12	2	No
Barcode Blaster BT24	M260 Ultra Durable Wax/Resin	WPL-18106216	2.36	262	60.0	80	OUT	80	12	No
Barcode Blaster BT24	R300 General Purpose Resin	WPL-18107113	2.36	262	60.0	80	OUT	24	3	Yes
Barcode Blaster BT24	R316 Specialty Resin	WPL-18105504	2.36	262	60.0	80	OUT	48	6	Yes
Barcode Blaster BT24	R510HF Ultra Durable Resin	WPL-18105735	2.36	262	60.0	80	OUT	48	6	Yes
Barcode Blaster BT24	TRX-50 General Purpose Wax/Resin	WPL-18103372	2.36	262	60.0	80	OUT	80	10	Yes

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Barcode Blaster BT24	TRX-50 General Purpose Wax/Resin	WPL-18103372-12	2.36	262	60.0	80	OUT	12	2	Yes
Barcode Blaster BT42	Half Inch Wax	WPL-18102365	4.21	262	107.0	80	OUT	60	15	No
Barcode Blaster BT42	Half Inch Wax	WPL-18102365-12	4.21	262	107.0	80	OUT	12	3	No
Barcode Blaster BT42	R300 General Purpose Resin	WPL-18107135-12	4.21	262	107.0	80	OUT	12	3	No
Barcode Blaster BT42	TRX-50 General Purpose Wax/Resin	WPL-18103536	2.36	262	60.0	80	OUT	48	6	No
Barcode Blaster BT42	TRX-50 General Purpose Wax/Resin	WPL-18103883	4.21	262	107.0	80	OUT	60	14	No
Barcode Blaster BT42	TRX-50 General Purpose Wax/Resin	WPL-18103883-12	4.21	262	107.0	80	OUT	12	3	No
CAB	R300 General Purpose Resin	WPL-18107938	3.27	1,181	83.0	360	OUT	12	7	No
CAB	R300 General Purpose Resin	WPL-18106900	4.33	1,181	110.0	360	IN	12	8	No
CAB	R300 General Purpose Resin	WPL-18106901	6.00	1,181	152.4	360	IN	12	11	No
CAB	R300 General Purpose Resin	WPL-18106902	6.50	1,181	165.1	360	IN	12	12	No
CAB	R395 Textile Resin	WPL-18107379	1.57	1,181	40.0	360	IN	24	8	No
CAB	R395 Textile Resin	WPL-18107478	2.00	1,181	50.8	360	IN	36	14	No
CAB	R395 Textile Resin	WPL-18107384	2.52	1,181	64.0	360	IN	24	12	No
CAB	R510C Red (185) Durable Resin	WPL-18106903	4.33	1,181	110.0	360	IN	12	11	No
CAB	R510C Red (185) Durable Resin	WPL-18106904	6.00	1,181	152.4	360	IN	12	16	No
CAB	R510C Red (185) Durable Resin	WPL-18106905	6.50	1,181	165.1	360	IN	12	17	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
CAB	TR3021 Red (1787C) General Purpose Wax	WPL-18107074	6.50	1,181	165.1	360	IN	12	19	No
CAB	TR3021 Red (1787C) General Purpose Wax	WPL-18107074-6	6.50	1,181	165.1	360	IN	6	9	No
CIM	TR4085plus Resin Enhanced Wax	WPL-18105294	4.33	1,312	110.0	400	OUT	24	24	Yes
CIM	TR4085plus Resin Enhanced Wax	WPL-18107887	6.00	1,312	152.4	400	OUT	24	36	Yes
Citizen CLP8301	TRX-55 Premium Wax/Resin	WPL-18106118	8.66	1,476	220.0	450	OUT	12	26	No
Cognitive CX2	Half Inch Wax	WPL-18108060	2.36	459	60.0	140	OUT	12	3	Yes
Cognitive CX2	MP Mid Wax/Resin	WPL-18107893	2.36	459	60.0	140	OUT	12	3	Yes
Cognitive CX2	R300 General Purpose Resin	WPL-18107824	2.36	459	60.0	140	OUT	24	4	Yes
Cognitive CX2	R510HF Ultra Durable Resin	WPL-18107138	2.36	459	60.0	140	OUT	24	5	Yes
Datacard	R510C Silver Durable Resin	WPL-18107205	2.13	1,476	54.0	450	IN	36	21	Yes
Datacard	R510HF Ultra Durable Resin	WPL-18102447	2.12	1,476	54.0	450	IN	36	20	Yes
Datamax	M260 Ultra Durable Wax/Resin	WPL-18106273	1.73	1,476	44.0	450	IN	24	10	No
Datamax	M260 Ultra Durable Wax/Resin	WPL-18105560	2.00	1,181	50.8	360	IN	36	14	No
Datamax	M260 Ultra Durable Wax/Resin	WPL-18105721	2.52	1,181	64.0	360	IN	36	18	No
Datamax	M260 Ultra Durable Wax/Resin	WPL-18105437	3.50	1,181	89.0	360	IN	24	19	No
Datamax	M260 Ultra Durable Wax/Resin	WPL-18105416	4.00	1,181	101.6	360	IN	24	19	No
Datamax	M260 Ultra Durable Wax/Resin	WPL-18105237	4.25	1,181	108.0	360	IN	24	20	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Datamax	M260 Ultra Durable Wax/Resin	WPL-18105506	4.33	1,181	110.0	360	IN	24	20	No
Datamax	M260 Ultra Durable Wax/Resin	WPL-18107169	4.33	1,968	110.0	600	IN	24	35	No
Datamax	MP Mid Wax/Resin	WPL-18107800	2.00	1,181	50.8	360	IN	36	16	No
Datamax	MP Mid Wax/Resin	WPL-18108095	2.36	1,181	60.0	360	IN	36	19	No
Datamax	MP Mid Wax/Resin	WPL-18107770	4.00	1,181	101.6	360	IN	24	22	No
Datamax	MP Mid Wax/Resin	WPL-18108053	4.50	1,181	114.3	360	IN	6	6	No
Datamax	MP Mid Wax/Resin	WPL-18107924	6.00	1,181	152.4	360	IN	12	16	No
Datamax	MP Wax	WPL-18107129	1.57	1,181	40.0	360	IN	24	8	No
Datamax	MP Wax	WPL-18107130	2.09	1,181	53.0	360	IN	24	11	No
Datamax	MP Wax	WPL-18106954	2.52	1,181	64.0	360	IN	24	14	No
Datamax	MP Wax	WPL-18106955	3.14	1,181	80.0	360	IN	24	17	No
Datamax	MP Wax	WPL-18107787	3.27	1,968	83.0	600	IN	24	28	No
Datamax	MP Wax	WPL-18106956	3.50	1,181	89.0	360	IN	24	19	No
Datamax	MP Wax	WPL-18106957	4.00	1,181	101.6	360	IN	24	21	No
Datamax	MP Wax	WPL-18106958	4.33	1,181	110.0	360	IN	24	23	No
Datamax	MP Wax	WPL-18106959	5.11	1,181	130.0	360	IN	24	28	No
Datamax	MP Wax	WPL-18106960	6.50	1,181	165.1	360	IN	12	18	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Datamax	R300 General Purpose Resin	WPL-17158109	1.50	1,181	38.0	360	IN	48	13	No
Datamax	R300 General Purpose Resin	WPL-18105246	1.57	1,181	40.0	360	IN	48	12	No
Datamax	R300 General Purpose Resin	WPL-18105246-12	1.57	1,181	40.0	360	IN	12	3	No
Datamax	R300 General Purpose Resin	WPL-18105246-6	1.57	1,181	40.0	360	IN	6	2	No
Datamax	R300 General Purpose Resin	WPL-18105374	2.00	1,181	50.8	360	IN	36	11	No
Datamax	R300 General Purpose Resin	WPL-18105374-6	2.00	1,181	50.8	360	IN	6	2	No
Datamax	R300 General Purpose Resin	WPL-18105380	2.08	1,181	53.0	360	IN	36	14	No
Datamax	R300 General Purpose Resin	WPL-18106198	2.16	1,476	55.0	450	IN	36	15	No
Datamax	R300 General Purpose Resin	WPL-18105702	2.52	1,181	64.0	360	IN	36	17	No
Datamax	R300 General Purpose Resin	WPL-18105702-12	2.52	1,181	64.0	360	IN	12	5	No
Datamax	R300 General Purpose Resin	WPL-18105702-6	2.52	1,181	64.0	360	IN	6	3	No
Datamax	R300 General Purpose Resin	WPL-18105370	3.00	1,181	76.2	360	IN	24	14	No
Datamax	R300 General Purpose Resin	WPL-18105370-6	3.00	1,181	76.2	360	IN	6	3	No
Datamax	R300 General Purpose Resin	WPL-18106806-12	3.27	1,181	83.0	360	IN	12	6	No
Datamax	R300 General Purpose Resin	WPL-18106806-6	3.27	1,181	83.0	360	IN	6	3	No
Datamax	R300 General Purpose Resin	WPL-18105703	3.50	1,181	89.0	360	IN	24	15	No
Datamax	R300 General Purpose Resin	WPL-18105227	4.00	1,181	101.6	360	IN	24	17	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Datamax	R300 General Purpose Resin	WPL-18105227-6	4.00	1,181	101.6	360	IN	6	5	No
Datamax	R300 General Purpose Resin	WPL-18106138	4.00	1,476	101.6	450	IN	24	21	No
Datamax	R300 General Purpose Resin	WPL-18105230	4.25	1,181	108.0	360	IN	24	19	No
Datamax	R300 General Purpose Resin	WPL-18105228	4.33	1,181	110.0	360	IN	24	16	No
Datamax	R300 General Purpose Resin	WPL-18105228-12	4.33	1,181	110.0	360	IN	12	10	No
Datamax	R300 General Purpose Resin	WPL-18105228-6	4.33	1,181	110.0	360	IN	6	5	No
Datamax	R300 General Purpose Resin	WPL-18105229	4.50	1,181	114.3	360	IN	24	17	No
Datamax	R316 Specialty Resin	WPL-18106222	1.49	1,181	38.0	360	IN	36	10	No
Datamax	R316 Specialty Resin	WPL-18105395	2.00	1,181	50.8	360	IN	36	13	No
Datamax	R316 Specialty Resin	WPL-18105388	2.52	1,181	64.0	360	IN	36	17	No
Datamax	R316 Specialty Resin	WPL-18105399	2.79	1,181	71.0	360	IN	36	18	No
Datamax	R316 Specialty Resin	WPL-18104645	3.50	1,181	89.0	360	IN	24	15	No
Datamax	R316 Specialty Resin	WPL-18105394	4.00	1,181	101.6	360	IN	24	18	No
Datamax	R316 Specialty Resin	WPL-18104630	4.33	1,181	110.0	360	IN	24	19	No
Datamax	R316 Specialty Resin	WPL-18104631	5.11	1,181	130.0	360	IN	24	23	No
Datamax	R395 Textile Resin	WPL-18107377	1.50	1,181	38.0	360	IN	48	14	No
Datamax	R395 Textile Resin	WPL-18107380	2.09	1,181	53.0	360	IN	36	15	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Datamax	R510C Blue (2935) Durable Resin	WPL-18106257	1.49	1,181	38.0	360	IN	48	16	No
Datamax	R510C Blue (2935) Durable Resin	WPL-18106218	2.52	1,181	64.0	360	IN	36	20	No
Datamax	R510C Blue (2935) Durable Resin	WPL-18106779	3.26	1,181	83.0	360	IN	24	17	No
Datamax	R510C Red (185) Durable Resin	WPL-18106314	2.36	1,181	60.0	360	IN	36	18	No
Datamax	R510C Red (185) Durable Resin	WPL-18106979	3.00	1,181	76.2	360	IN	24	15	No
Datamax	R510C Red (185) Durable Resin	WPL-18106880	4.00	1,181	101.6	360	IN	24	21	No
Datamax	R510C Red (185) Durable Resin	WPL-18106881	6.00	1,181	152.4	360	IN	12	16	No
Datamax	R510C Silver Durable Resin	WPL-18106244	2.16	1,476	55.0	450	IN	24	14	No
Datamax	R510HF Ultra Durable Resin	WPL-18105893	1.00	1,181	25.4	360	IN	72	14	No
Datamax	R510HF Ultra Durable Resin	WPL-18105302	1.29	1,181	33.0	360	IN	48	13	No
Datamax	R510HF Ultra Durable Resin	WPL-18106807-12	1.57	1,181	40.0	360	IN	12	4	No
Datamax	R510HF Ultra Durable Resin	WPL-18106807-6	1.57	1,181	40.0	360	IN	6	2	No
Datamax	R510HF Ultra Durable Resin	WPL-18105829	1.77	1,476	45.0	450	IN	36	15	No
Datamax	R510HF Ultra Durable Resin	WPL-18105299	2.00	1,181	50.8	360	IN	36	14	No
Datamax	R510HF Ultra Durable Resin	WPL-18106714	2.20	1,181	56.0	360	IN	24	10	No
Datamax	R510HF Ultra Durable Resin	WPL-18106809-12	2.52	1,181	64.0	360	IN	12	6	No
Datamax	R510HF Ultra Durable Resin	WPL-18106809-6	2.52	1,181	64.0	360	IN	6	3	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Datamax	R510HF Ultra Durable Resin	WPL-18101061	3.00	1,181	76.2	360	IN	24	14	No
Datamax	R510HF Ultra Durable Resin	WPL-18105301	3.00	1,181	76.2	360	IN	36	21	No
Datamax	R510HF Ultra Durable Resin	WPL-18106811-12	3.26	1,181	83.0	360	IN	12	7	No
Datamax	R510HF Ultra Durable Resin	WPL-18106811-6	3.26	1,181	83.0	360	IN	6	4	No
Datamax	R510HF Ultra Durable Resin	WPL-18105298	4.00	1,181	101.6	360	IN	24	19	No
Datamax	R510HF Ultra Durable Resin	WPL-18105300	4.25	1,181	108.0	360	IN	24	21	No
Datamax	R510HF Ultra Durable Resin	WPL-18105241	4.33	1,181	110.0	360	IN	24	21	No
Datamax	R510HF Ultra Durable Resin	WPL-18105241-12	4.33	1,181	110.0	360	IN	12	10	No
Datamax	R510HF Ultra Durable Resin	WPL-18105241-6	4.33	1,181	110.0	360	IN	6	5	No
Datamax	R510HF Ultra Durable Resin	WPL-18105611	4.50	1,181	114.3	360	IN	24	21	No
Datamax	R510HF Ultra Durable Resin	WPL-18105847	5.11	1,181	130.0	360	IN	24	23	No
Datamax	R510W White Durable Resin	WPL-18105805	2.00	1,181	50.8	360	IN	36	17	No
Datamax	R510W White Durable Resin	WPL-18105923	2.52	1,181	64.0	360	IN	36	21	No
Datamax	R510W White Durable Resin	WPL-18106765	3.00	1,181	76.2	360	IN	24	17	No
Datamax	R510W White Durable Resin	WPL-18105926	3.27	1,181	83.0	360	IN	24	18	No
Datamax	R510W White Durable Resin	WPL-18106255	4.50	1,181	114.3	360	IN	24	25	No
Datamax	R550 Extreme Durable Resin	WPL-18107983	2.52	1,181	64.0	360	IN	12	6	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Datamax	TR3021 Red (1787C) General Purpose Wax	WPL-17111535	2.00	1,181	50.8	360	IN	36	16	No
Datamax	TR3021 Red (1787C) General Purpose Wax	WPL-17111546	3.00	1,181	76.2	360	IN	24	16	No
Datamax	TR3021 Red (1787C) General Purpose Wax	WPL-17111546-6	3.00	1,181	76.2	360	IN	6	4	No
Datamax	TR3021 Red (1787C) General Purpose Wax	WPL-18106328	3.26	1,181	83.0	360	IN	24	18	No
Datamax	TR3021 Red (1787C) General Purpose Wax	WPL-17165006	3.50	1,181	89.0	360	IN	24	18	No
Datamax	TR3021 Red (1787C) General Purpose Wax	WPL-18100161	4.00	1,181	101.6	360	IN	24	22	No
Datamax	TR3021 Red (1787C) General Purpose Wax	WPL-18100161-6	4.00	1,181	101.6	360	IN	6	6	No
Datamax	TR3021 Red (1787C) General Purpose Wax	WPL-18103944	4.33	1,181	110.0	360	IN	24	24	No
Datamax	TR3021 Red (1787C) General Purpose Wax	WPL-18103944-6	4.33	1,181	110.0	360	IN	6	6	No
Datamax	TR3021 Red (1787C) General Purpose Wax	WPL-17111568	4.50	1,181	114.3	360	IN	24	23	No
Datamax	TR3021 Red (1787C) General Purpose Wax	WPL-17111568-6	4.50	1,181	114.3	360	IN	6	6	No
Datamax	TR3022 Blue (286C) General Purpose Wax	WPL-17111487-12	2.00	1,181	50.8	360	IN	12	5	No
Datamax	TR3022 Blue (286C) General Purpose Wax	WPL-17111498	3.00	1,181	76.2	360	IN	24	17	No
Datamax	TR3022 Blue (286C) General Purpose Wax	WPL-17111498-6	3.00	1,181	76.2	360	IN	6	4	No
Datamax	TR3022 Blue (286C) General Purpose Wax	WPL-18106329	3.26	1,181	83.0	360	IN	24	17	No
Datamax	TR3022 Blue (286C) General Purpose Wax	WPL-17132990	4.00	1,181	101.6	360	IN	24	22	No
Datamax	TR3022 Blue (286C) General Purpose Wax	WPL-17132990-6	4.00	1,181	101.6	360	IN	6	6	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Datamax	TR3022 Blue (286C) General Purpose Wax	WPL-PL10017	4.00	1,181	101.6	360	IN	6	6	No
Datamax	TR3022 Blue (286C) General Purpose Wax	WPL-17111513	4.25	1,181	108.0	360	IN	24	24	No
Datamax	TR3022 Blue (286C) General Purpose Wax	WPL-18103957	4.33	1,181	110.0	360	IN	24	23	No
Datamax	TR3022 Blue (286C) General Purpose Wax	WPL-18103957-6	4.33	1,181	110.0	360	IN	6	6	No
Datamax	TR3022 Blue (286C) General Purpose Wax	WPL-17111524	4.50	1,181	114.3	360	IN	24	23	No
Datamax	TR3022 Blue (286C) General Purpose Wax	WPL-17111524-6	4.50	1,181	114.3	360	IN	6	6	No
Datamax	TR3022 Blue (286C) General Purpose Wax	WPL-18103961	5.11	1,181	130.0	360	IN	24	27	No
Datamax	TR3022 Blue (286C) General Purpose Wax	WPL-18103961-6	5.11	1,181	130.0	360	IN	6	7	No
Datamax	TR3023 Green (3405C) General Purpose Wax	WPL-17111616-12	2.00	1,181	50.8	360	IN	12	5	No
Datamax	TR3023 Green (3405C) General Purpose Wax	WPL-17111627	3.00	1,181	76.2	360	IN	24	16	No
Datamax	TR3023 Green (3405C) General Purpose Wax	WPL-17111627-6	3.00	1,181	76.2	360	IN	6	4	No
Datamax	TR3023 Green (3405C) General Purpose Wax	WPL-18106330	3.26	1,181	83.0	360	IN	24	17	No
Datamax	TR3023 Green (3405C) General Purpose Wax	WPL-18100187	4.00	1,181	101.6	360	IN	24	21	No
Datamax	TR3023 Green (3405C) General Purpose Wax	WPL-18100187-6	4.00	1,181	101.6	360	IN	6	5	No
Datamax	TR3023 Green (3405C) General Purpose Wax	WPL-18103971	4.33	1,181	110.0	360	IN	24	23	No
Datamax	TR3023 Green (3405C) General Purpose Wax	WPL-18103971-6	4.33	1,181	110.0	360	IN	6	6	No
Datamax	TR3023 Green (3405C) General Purpose Wax	WPL-PL11514	4.33	1,181	110.0	360	IN	6	6	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Datamax	TR3023 Green (3405C) General Purpose Wax	WPL-17111649	4.50	1,181	114.3	360	IN	24	23	No
Datamax	TR3023 Green (3405C) General Purpose Wax	WPL-17111649-6	4.50	1,181	114.3	360	IN	6	6	No
Datamax	TR3370 High Opacity White Resin	WPL-17174293-12	2.00	1,181	50.8	360	IN	12	5	No
Datamax	TR3370 High Opacity White Resin	WPL-17174307-6	3.00	1,181	76.2	360	IN	6	4	No
Datamax	TR3370 High Opacity White Resin	WPL-17174318	4.00	1,181	101.6	360	IN	24	21	No
Datamax	TR3370 High Opacity White Resin	WPL-17174318-6	4.00	1,181	101.6	360	IN	6	5	No
Datamax	TR4070 Classic Resin	WPL-17163255	1.49	1,181	38.0	360	IN	48	13	No
Datamax	TR4070 Classic Resin	WPL-17154666	2.00	1,181	50.8	360	IN	36	13	No
Datamax	TR4070 Classic Resin	WPL-17154666-12	2.00	1,181	50.8	360	IN	12	5	No
Datamax	TR4070 Classic Resin	WPL-17172796	2.52	1,181	64.0	360	IN	36	16	No
Datamax	TR4070 Classic Resin	WPL-17154404	3.00	1,181	76.2	360	IN	24	13	No
Datamax	TR4070 Classic Resin	WPL-17154404-6	3.00	1,181	76.2	360	IN	6	3	No
Datamax	TR4070 Classic Resin	WPL-18102810	3.26	1,181	83.0	360	IN	24	14	No
Datamax	TR4070 Classic Resin	WPL-17164094	3.50	1,181	89.0	360	IN	24	16	No
Datamax	TR4070 Classic Resin	WPL-17153920	4.00	1,181	101.6	360	IN	24	19	No
Datamax	TR4070 Classic Resin	WPL-17153920-6	4.00	1,181	101.6	360	IN	6	5	No
Datamax	TR4070 Classic Resin	WPL-17162357	4.25	1,181	108.0	360	IN	24	20	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Datamax	TR4070 Classic Resin	WPL-17154415	4.50	1,181	114.3	360	IN	24	19	No
Datamax	TR4070 Classic Resin	WPL-17154415-6	4.50	1,181	114.3	360	IN	6	5	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18100357	1.00	1,181	25.4	360	IN	72	15	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18107922	1.30	1,181	33.0	360	IN	48	14	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-17176424	1.49	1,181	38.0	360	IN	48	15	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18105686	1.57	984	40.0	300	IN	36	10	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18103792	1.57	1,181	40.0	360	IN	48	18	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18100899	1.73	1,181	44.0	360	IN	48	17	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-17172671	2.00	1,181	50.8	360	IN	36	19	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-17172671-6	2.00	1,181	50.8	360	IN	6	3	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18103816	2.08	1,181	53.0	360	IN	36	16	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18100580	2.20	1,181	56.0	360	IN	36	19	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-PL10502	2.20	1,181	56.0	360	IN	36	19	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18103793	2.36	1,181	60.0	360	IN	36	18	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18103793-6	2.36	1,181	60.0	360	IN	6	3	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-17156912	2.52	1,181	64.0	360	IN	36	20	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-17156912-6	2.52	1,181	64.0	360	IN	6	4	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Datamax	TR4085plus Resin Enhanced Wax	WPL-17176435	3.00	1,181	76.2	360	IN	36	24	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-17176435-12	3.00	1,181	76.2	360	IN	12	8	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-17176435-6	3.00	1,181	76.2	360	IN	6	4	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18107781	3.00	1,181	76.2	360	IN	36	24	Yes
Datamax	TR4085plus Resin Enhanced Wax	WPL-18100582	3.14	1,181	80.0	360	IN	36	25	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18100582-6	3.15	1,181	80.0	360	IN	6	4	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-PL10097	3.14	1,181	80.0	360	IN	36	25	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18100557	3.27	1,181	83.0	360	IN	24	17	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18100557-6	3.26	1,181	83.0	360	IN	6	5	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18105902	3.50	656	89.0	200	IN	24	10	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-17172763	3.50	1,181	89.0	360	IN	24	18	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-17172763-6	3.50	1,181	89.0	360	IN	6	5	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18105814	4.00	1,033	101.6	315	IN	24	18	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-17154585	4.00	1,181	101.6	360	IN	24	21	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-17154585-6	4.00	1,181	101.6	360	IN	6	6	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18100923	4.17	1,181	106.0	360	IN	24	22	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18100923-6	4.17	1,181	106.0	360	IN	6	6	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Datamax	TR4085plus Resin Enhanced Wax	WPL-PL10721	4.17	1,181	106.0	360	IN	24	22	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-PL11034	4.17	1,181	106.0	360	IN	6	6	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-17156875	4.25	1,181	108.0	360	IN	24	23	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-PL10042	4.25	1,181	108.0	360	IN	24	23	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-17176217	4.33	1,181	110.0	360	IN	24	23	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-17176217-6	4.33	1,181	110.0	360	IN	6	6	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18107891	4.33	1,181	110.0	360	IN	24	23	Yes
Datamax	TR4085plus Resin Enhanced Wax	WPL-17154574	4.50	1,181	114.3	360	IN	24	24	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-17154574-6	4.50	1,181	114.3	360	IN	6	6	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18103794	5.11	1,181	130.0	360	IN	24	26	No
Datamax	TR4085plus Resin Enhanced Wax	WPL-18103794-6	5.11	1,181	130.0	360	IN	6	6	No
Datamax	TRX-50 General Purpose Wax/Resin	WPL-18104867	1.49	1,181	38.0	360	IN	48	15	No
Datamax	TRX-50 General Purpose Wax/Resin	WPL-18100233	2.00	1,181	50.8	360	IN	36	16	No
Datamax	TRX-50 General Purpose Wax/Resin	WPL-18104015	2.08	1,181	53.0	360	IN	36	17	No
Datamax	TRX-50 General Purpose Wax/Resin	WPL-18100447	2.52	1,181	64.0	360	IN	36	20	No
Datamax	TRX-50 General Purpose Wax/Resin	WPL-18100234	3.00	1,181	76.2	360	IN	36	22	No
Datamax	TRX-50 General Purpose Wax/Resin	WPL-18100235	3.50	1,181	89.0	360	IN	24	17	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Datamax	TRX-50 General Purpose Wax/Resin	WPL-18100236	4.00	1,181	101.6	360	IN	24	20	No
Datamax	TRX-50 General Purpose Wax/Resin	WPL-18100237	4.25	1,181	108.0	360	IN	24	21	No
Datamax	TRX-50 General Purpose Wax/Resin	WPL-18104868	4.33	1,181	110.0	360	IN	24	22	No
Datamax	TRX-50 General Purpose Wax/Resin	WPL-18100238	4.50	1,181	114.3	360	IN	24	22	No
Datamax	TRX-55 Premium Wax/Resin	WPL-18104693	1.49	1,181	38.0	360	IN	48	15	No
Datamax	TRX-55 Premium Wax/Resin	WPL-18104052	2.00	1,181	50.8	360	IN	36	15	No
Datamax	TRX-55 Premium Wax/Resin	WPL-18104052-6	2.00	1,181	50.8	360	IN	6	3	No
Datamax	TRX-55 Premium Wax/Resin	WPL-18104307	2.36	1,181	60.0	360	IN	36	17	No
Datamax	TRX-55 Premium Wax/Resin	WPL-18106759	2.52	984	64.0	300	IN	24	10	No
Datamax	TRX-55 Premium Wax/Resin	WPL-18104309	2.52	1,181	64.0	360	IN	36	18	No
Datamax	TRX-55 Premium Wax/Resin	WPL-18104053	3.00	1,181	76.2	360	IN	36	22	No
Datamax	TRX-55 Premium Wax/Resin	WPL-18104053-6	3.00	1,181	76.2	360	IN	6	5	No
Datamax	TRX-55 Premium Wax/Resin	WPL-18104164	3.50	1,181	89.0	360	IN	24	17	No
Datamax	TRX-55 Premium Wax/Resin	WPL-18104054	4.00	1,181	101.6	360	IN	24	22	No
Datamax	TRX-55 Premium Wax/Resin	WPL-18104054-6	4.00	1,181	101.6	360	IN	6	6	No
Datamax	TRX-55 Premium Wax/Resin	WPL-18106350	4.25	1,181	108.0	360	IN	24	21	No
Datamax	TRX-55 Premium Wax/Resin	WPL-18104055	4.33	1,181	110.0	360	IN	24	24	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Datamax	TRX-55 Premium Wax/Resin	WPL-18104055-6	4.33	1,181	110.0	360	IN	6	6	No
Datamax	TRX-55 Premium Wax/Resin	WPL-PL10976	4.33	1,181	110.0	360	IN	24	21	No
Datamax	TRX-55 Premium Wax/Resin	WPL-18104314	4.50	1,181	114.3	360	IN	24	22	No
Datamax	TRX-55 Premium Wax/Resin	WPL-18104242	5.51	1,181	140.0	360	IN	24	30	No
Datamax	V300 Versatility Defined Resin	WPL-18107981	3.00	1,476	76.2	450	IN	12	7	No
Datamax	V300 Versatility Defined Resin	WPL-18108069	3.50	1,181	89.0	360	IN	12	7	No
Datamax	V300 Versatility Defined Resin	WPL-18108110	4.00	1,181	101.6	360	IN	12	8	No
Datamax	V300 Versatility Defined Resin	WPL-18108014	4.33	1,181	110.0	360	IN	24	17	No
Datamax	V300 Versatility Defined Resin	WPL-18108014-6	4.33	1,181	110.0	360	IN	6	4	No
Datamax	VR301 Durable Metallic Gold Resin	WPL-18106786	1.49	1,181	38.0	360	IN	36	12	No
Datamax	VR301 Durable Metallic Gold Resin	WPL-18107042	4.00	1,181	101.6	360	IN	6	6	No
Datamax	VR301 Durable Metallic Gold Resin	WPL-18107149	4.33	1,181	110.0	360	IN	12	12	No
Datamax 600/800	M260 Ultra Durable Wax/Resin	WPL-18105779	6.50	1,476	165.1	450	IN	12	19	No
Datamax 600/800	M260 Ultra Durable Wax/Resin	WPL-18106145	7.50	1,476	190.5	450	IN	12	21	No
Datamax 600/800	MP Mid Wax/Resin	WPL-18107803	3.00	1,181	76.2	360	IN	6	4	No
Datamax 600/800	MP Mid Wax/Resin	WPL-18107806	3.50	1,181	89.0	360	IN	24	19	No
Datamax 600/800	MP Mid Wax/Resin	WPL-18107809	4.33	1,181	110.0	360	IN	24	23	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Datamax 600/800	MP Mid Wax/Resin	WPL-18107809-6	4.33	1,181	110.0	360	IN	6	6	No
Datamax 600/800	MP Mid Wax/Resin	WPL-18107861	4.33	1,476	110.0	450	IN	24	29	No
Datamax 600/800	MP Mid Wax/Resin	WPL-18107813	5.51	1,181	140.0	360	IN	24	30	No
Datamax 600/800	MP Mid Wax/Resin	WPL-18107815	6.50	1,181	165.1	360	IN	12	18	No
Datamax 600/800	MP Wax	WPL-18107479	3.15	1,476	80.0	450	IN	24	21	No
Datamax 600/800	MP Wax	WPL-18107409	4.33	1,476	110.0	450	IN	24	28	No
Datamax 600/800	MP Wax	WPL-18107186	4.50	1,181	114.3	360	IN	24	24	No
Datamax 600/800	MP Wax	WPL-18107610	6.00	1,181	152.4	360	IN	12	16	No
Datamax 600/800	MP Wax	WPL-18107375	8.66	1,181	220.0	360	IN	12	23	No
Datamax 600/800	R300 General Purpose Resin	WPL-18106701	4.33	1,181	110.0	360	IN	24	16	Yes
Datamax 600/800	R300 General Purpose Resin	WPL-18106196	4.33	1,476	110.0	450	IN	24	20	Yes
Datamax 600/800	R300 General Purpose Resin	WPL-18107889	4.33	1,476	110.0	450	IN	24	21	No
Datamax 600/800	R300 General Purpose Resin	WPL-18104371	6.00	1,181	152.4	360	IN	12	13	No
Datamax 600/800	R300 General Purpose Resin	WPL-18106705	6.50	1,181	165.1	360	IN	12	12	No
Datamax 600/800	R300 General Purpose Resin	WPL-18105882	6.50	1,476	165.1	450	IN	12	18	No
Datamax 600/800	R300 General Purpose Resin	WPL-18106827	6.73	1,181	171.0	360	IN	12	12	No
Datamax 600/800	R316 Specialty Resin	WPL-18105398	4.72	1,181	120.0	360	IN	24	21	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Datamax 600/800	R316 Specialty Resin	WPL-18105742	6.00	1,476	152.4	450	IN	12	16	No
Datamax 600/800	R316 Specialty Resin	WPL-18106123	6.50	1,181	165.1	360	IN	12	14	No
Datamax 600/800	R395 Textile Resin	WPL-18107945	1.18	1,181	30.0	360	IN	24	6	No
Datamax 600/800	R395 Textile Resin	WPL-18107595	2.80	1,181	71.0	360	IN	24	13	No
Datamax 600/800	R510C Blue (2935) Durable Resin	WPL-18108104	4.00	1,181	101.6	360	IN	6	5	No
Datamax 600/800	R510C Blue (2935) Durable Resin	WPL-18107749	4.33	1,181	110.0	360	IN	24	23	No
Datamax 600/800	R510C Green (347) Durable Resin	WPL-18108105	4.00	1,181	101.6	360	IN	6	5	No
Datamax 600/800	R510C Green (347) Durable Resin	WPL-18107750	4.33	1,181	110.0	360	IN	24	23	No
Datamax 600/800	R510C Green (347) Durable Resin	WPL-18107750-6	4.33	1,181	110.0	360	IN	6	6	No
Datamax 600/800	R510HF Ultra Durable Resin	WPL-18106413	4.33	1,476	110.0	450	IN	24	24	No
Datamax 600/800	R510HF Ultra Durable Resin	WPL-18105242	6.00	1,181	152.4	360	IN	12	14	No
Datamax 600/800	R510HF Ultra Durable Resin	WPL-18105573	6.50	1,476	165.1	450	IN	12	18	No
Datamax 600/800	R510W White Durable Resin	WPL-18107751	4.33	1,181	110.0	360	IN	24	26	No
Datamax 600/800	TR3021 Red (1787C) General Purpose Wax	WPL-18106483	6.00	1,181	152.4	360	IN	12	16	No
Datamax 600/800	TR3022 Blue (286C) General Purpose Wax	WPL-18106484	6.00	1,181	152.4	360	IN	12	16	No
Datamax 600/800	TR3022 Blue (286C) General Purpose Wax	WPL-18106147	6.50	1,181	165.1	360	IN	12	18	No
Datamax 600/800	TR3022 Blue (286C) General Purpose Wax	WPL-17176468	6.50	1,476	165.1	450	IN	12	21	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Datamax 600/800	TR3023 Green (3405C) General Purpose Wax	WPL-18103630	6.50	1,476	165.1	450	IN	12	21	No
Datamax 600/800	TR4070 Classic Resin	WPL-17165785	6.50	1,476	165.1	450	IN	12	17	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-18103796	1.57	1,476	40.0	450	IN	48	19	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-17165143	2.00	1,476	50.8	450	IN	36	18	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-18103797	2.36	1,476	60.0	450	IN	36	22	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-17165154	2.52	1,476	64.0	450	IN	36	23	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-17165165	3.00	1,476	76.2	450	IN	24	20	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-18103798	3.14	1,476	80.0	450	IN	24	19	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-18103799	3.26	1,476	83.0	450	IN	24	22	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-17165176	3.50	1,476	89.0	450	IN	24	22	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-17165187	4.00	1,476	101.6	450	IN	24	25	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-18103800	4.17	1,476	106.0	450	IN	24	27	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-PL10732	4.17	1,476	106.0	450	IN	24	27	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-18105699	4.25	1,476	108.0	450	IN	24	26	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-18103801	4.33	1,476	110.0	450	IN	24	28	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-18103801-6	4.33	1,476	110.0	450	IN	6	7	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-17165198	4.50	1,476	114.3	450	IN	24	29	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-17165202	5.00	1,476	127.0	450	IN	24	31	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-18103802	5.11	1,476	130.0	450	IN	24	31	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-18100257	6.00	1,181	152.4	360	IN	12	16	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-18100257-6	6.00	1,181	152.4	360	IN	6	7	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-17165224	6.00	1,476	152.4	450	IN	12	20	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-17165224-6	6.00	1,476	152.4	450	IN	6	9	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-17160388	6.50	1,181	165.1	360	IN	12	17	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-17160388-6	6.50	1,181	165.1	360	IN	6	9	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-17165235	6.50	1,476	165.1	450	IN	12	22	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-17165235-6	6.50	1,476	165.1	450	IN	6	11	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-18108017	6.73	1,476	171.0	450	IN	6	11	No
Datamax 600/800	TR4085plus Resin Enhanced Wax	WPL-18107655	7.00	1,181	177.8	360	IN	12	19	No
Datamax 600/800	TRX-50 General Purpose Wax/Resin	WPL-18108074	2.36	1,968	60.0	600	IN	24	21	No
Datamax 600/800	TRX-50 General Purpose Wax/Resin	WPL-18100068	4.00	1,476	101.6	450	IN	24	25	No
Datamax 600/800	TRX-50 General Purpose Wax/Resin	WPL-18107785	4.50	1,476	114.3	450	IN	24	30	No
Datamax 600/800	TRX-50 General Purpose Wax/Resin	WPL-18104869	5.00	1,181	127.0	360	IN	24	29	No
Datamax 600/800	TRX-50 General Purpose Wax/Resin	WPL-18101867	6.00	1,181	152.4	360	IN	12	15	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Datamax 600/800	TRX-50 General Purpose Wax/Resin	WPL-18100996	6.00	1,476	152.4	450	IN	12	20	No
Datamax 600/800	TRX-50 General Purpose Wax/Resin	WPL-18104870	6.50	1,181	165.1	360	IN	12	16	No
Datamax 600/800	TRX-50 General Purpose Wax/Resin	WPL-18100070	6.50	1,476	165.1	450	IN	12	21	No
Datamax 600/800	TRX-50 General Purpose Wax/Resin	WPL-PL11186	6.50	1,476	165.1	450	IN	12	21	No
Datamax 600/800	TRX-55 Premium Wax/Resin	WPL-18104308	2.36	1,476	60.0	450	IN	36	21	No
Datamax 600/800	TRX-55 Premium Wax/Resin	WPL-18104312	3.26	1,476	83.0	450	IN	24	20	No
Datamax 600/800	TRX-55 Premium Wax/Resin	WPL-18105800	4.17	1,476	106.0	450	IN	24	25	No
Datamax 600/800	TRX-55 Premium Wax/Resin	WPL-18104059	4.33	1,476	110.0	450	IN	24	29	No
Datamax 600/800	TRX-55 Premium Wax/Resin	WPL-18104315	4.50	1,476	114.3	450	IN	24	27	No
Datamax 600/800	TRX-55 Premium Wax/Resin	WPL-18104316	5.11	1,476	130.0	450	IN	24	31	No
Datamax 600/800	TRX-55 Premium Wax/Resin	WPL-18105200	6.00	1,181	152.4	360	IN	12	17	No
Datamax 600/800	TRX-55 Premium Wax/Resin	WPL-18104317	6.00	1,476	152.4	450	IN	12	21	No
Datamax 600/800	TRX-55 Premium Wax/Resin	WPL-18106265	6.50	1,181	165.1	360	IN	12	16	No
Datamax 600/800	TRX-55 Premium Wax/Resin	WPL-18104950	7.50	1,476	190.5	450	IN	12	22	No
Datamax 600/800	VR301 Durable Metallic Gold Resin	WPL-18107846	3.00	1,181	76.2	360	IN	1	1	No
Datamax 600/800	VR301 Durable Metallic Gold Resin	WPL-18107847	4.33	1,181	110.0	360	IN	1	1	No
Datamax 600/800	VR301 Durable Metallic Silver Resin	WPL-18107850	3.00	1,181	76.2	360	IN	1	1	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Datamax 600/800	VR301 Durable Metallic Silver Resin	WPL-18107851	4.33	1,181	110.0	360	IN	1	1	No
Datamax 800	M260 Ultra Durable Wax/Resin	WPL-18105418	8.66	1,476	220.0	450	IN	12	25	No
Datamax 800	R300 General Purpose Resin	WPL-18105375	8.50	1,476	216.0	450	IN	12	19	No
Datamax 800	R316 Specialty Resin	WPL-18105571	8.66	1,476	220.0	450	IN	12	23	No
Datamax 800	R510HF Ultra Durable Resin	WPL-18105907	8.66	1,476	220.0	450	IN	12	24	No
Datamax 800	TR3370 High Opacity White Resin	WPL-18107298	8.00	1,181	203.2	360	IN	12	23	No
Datamax 800	TR4070 Classic Resin	WPL-18100072	8.50	1,476	216.0	450	IN	12	22	No
Datamax 800	TR4085plus Resin Enhanced Wax	WPL-18104684	7.24	1,476	184.0	450	IN	12	24	No
Datamax 800	TR4085plus Resin Enhanced Wax	WPL-18102671	8.00	1,476	203.2	450	IN	12	25	No
Datamax 800	TR4085plus Resin Enhanced Wax	WPL-17168412	8.50	1,476	216.0	450	IN	12	27	No
Datamax 800	TR4085plus Resin Enhanced Wax	WPL-18103795	8.66	1,181	220.0	360	IN	12	23	No
Datamax 800	TR4085plus Resin Enhanced Wax	WPL-18102257	8.66	1,476	220.0	450	IN	12	27	No
Datamax 800	TRX-50 General Purpose Wax/Resin	WPL-18100071	8.50	1,476	216.0	450	IN	12	26	No
Datamax 800	TRX-55 Premium Wax/Resin	WPL-18104200	8.66	1,476	220.0	450	IN	12	26	No
DATAMAX E CLASS MARK	Half Inch Wax	WPL-18108071	2.52	361	64.0	110	IN	12	2	No
DATAMAX E CLASS MARK	M260 Ultra Durable Wax/Resin	WPL-18106529	2.79	984	71.0	300	IN	36	16	No
DATAMAX E CLASS MARK	MP Mid Wax/Resin	WPL-18107960	4.33	984	110.0	300	IN	24	20	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
DATAMAX E CLASS MARK	R300 General Purpose Resin	WPL-18106720	2.52	984	64.0	300	IN	36	12	No
DATAMAX E CLASS MARK	R300 General Purpose Resin	WPL-18107745	3.50	361	89.0	110	IN	24	5	No
DATAMAX E CLASS MARK	R300 General Purpose Resin	WPL-18107746	4.33	361	110.0	110	IN	24	6	No
DATAMAX E CLASS MARK	R300 General Purpose Resin	WPL-18106488	4.33	984	110.0	300	IN	24	18	No
DATAMAX E CLASS MARK	R510HF Ultra Durable Resin	WPL-18108100	2.52	984	64.0	300	IN	24	11	No
DATAMAX E CLASS MARK	R510W White Durable Resin	WPL-18108098	2.52	984	64.0	300	IN	24	13	No
DATAMAX E CLASS MARK	TR4085plus Resin Enhanced Wax	WPL-18107341	2.52	984	64.0	300	IN	24	11	No
DATAMAX E CLASS MARK	TR4085plus Resin Enhanced Wax	WPL-18106933	3.50	984	89.0	300	IN	24	15	No
DATAMAX E CLASS MARK	TR4085plus Resin Enhanced Wax	WPL-18106933-12	3.50	984	89.0	300	IN	12	8	No
DATAMAX E CLASS MARK	TR4085plus Resin Enhanced Wax	WPL-18106523	4.33	984	110.0	300	IN	24	20	No
DATAMAX E CLASS MARK	TR4085plus Resin Enhanced Wax	WPL-18106523-12	4.33	984	110.0	300	IN	12	10	No
DATAMAX E CLASS MARK	TRX-55 Premium Wax/Resin	WPL-18107760	2.52	984	64.0	300	IN	24	13	No
DATAMAX E CLASS MARK	TRX-55 Premium Wax/Resin	WPL-18106498	4.33	984	110.0	300	IN	24	18	No
DATAMAX H CLASS	M260 Ultra Durable Wax/Resin	WPL-18106726	5.11	1,968	130.0	600	OUT	12	19	No
DATAMAX H CLASS	R316 Specialty Resin	WPL-18105982	4.50	1,181	114.3	360	OUT	24	20	No
DATAMAX H CLASS	TR4085plus Resin Enhanced Wax	WPL-18105582	6.00	1,968	152.4	600	OUT	12	26	No
DATAMAX H CLASS	TR4085plus Resin Enhanced Wax	WPL-18105891	6.50	1,968	165.1	600	IN	12	26	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
DATAMAX H CLASS	TR4085plus Resin Enhanced Wax	WPL-18106999	8.66	1,968	220.0	600	IN	6	17	No
Datamax I Series	M260 Ultra Durable Wax/Resin	WPL-18106119	1.57	1,968	40.0	600	IN	36	18	No
Datamax I Series	MP Wax	WPL-18107762	2.09	1,968	53.0	600	IN	36	27	No
Datamax I Series	MP Wax	WPL-18108056	3.50	1,968	89.0	600	IN	24	31	No
Datamax I Series	MP Wax	WPL-18107476	4.00	1,968	101.6	600	IN	24	35	No
Datamax I Series	MP Wax	WPL-18108020	4.33	1,968	110.0	600	IN	24	38	No
Datamax I Series	MP Wax	WPL-18108057	4.72	1,968	120.0	600	IN	24	41	No
Datamax I Series	R300 General Purpose Resin	WPL-18106075	3.26	1,968	83.0	600	IN	24	19	No
Datamax I Series	R395 Textile Resin	WPL-18107737	3.50	1,181	89.0	360	IN	24	17	No
Datamax I Series	R510HF Ultra Durable Resin	WPL-18106324	1.57	1,968	40.0	600	IN	36	17	No
Datamax I Series	TR4085plus Resin Enhanced Wax	WPL-18106494	1.57	1,968	40.0	600	IN	36	19	No
Datamax I Series	TR4085plus Resin Enhanced Wax	WPL-18106531	1.73	1,968	44.0	600	IN	24	14	No
Datamax I Series	TR4085plus Resin Enhanced Wax	WPL-18105638	2.08	1,968	53.0	600	IN	36	27	No
Datamax I Series	TR4085plus Resin Enhanced Wax	WPL-18106323	3.00	1,968	76.2	600	IN	24	24	No
Datamax I Series	TR4085plus Resin Enhanced Wax	WPL-18104104	3.50	1,968	89.0	600	IN	24	28	No
Datamax I Series	TR4085plus Resin Enhanced Wax	WPL-18104000	4.00	1,968	101.6	600	IN	24	32	No
Datamax I Series	TR4085plus Resin Enhanced Wax	WPL-18103917	4.25	1,968	108.0	600	IN	24	38	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Datamax I Series	TR4085plus Resin Enhanced Wax	WPL-18102882	4.50	1,968	114.3	600	IN	12	19	No
Datamax I Series	TR4085plus Resin Enhanced Wax	WPL-18105909	4.72	1,968	120.0	600	IN	24	38	No
Datamax I Series	TRX-50 General Purpose Wax/Resin	WPL-18105412	1.49	1,968	38.0	600	IN	36	18	No
Datamax I Series	TRX-50 General Purpose Wax/Resin	WPL-18106480	2.00	1,968	50.8	600	IN	36	24	No
Datamax I Series	TRX-50 General Purpose Wax/Resin	WPL-18106481	4.00	1,968	101.6	600	IN	24	32	No
Datamax I Series	TRX-50 General Purpose Wax/Resin	WPL-18105042	4.17	1,968	106.0	600	IN	24	34	No
Datamax I Series	TRX-55 Premium Wax/Resin	WPL-18107492	1.57	1,968	40.0	600	IN	36	23	No
Datamax I Series	TRX-55 Premium Wax/Resin	WPL-18105104	3.26	1,968	83.0	600	IN	24	26	No
Datamax I Series	TRX-55 Premium Wax/Resin	WPL-18105716	4.00	1,968	101.6	600	IN	12	18	No
Datamax I Series	TRX-55 Premium Wax/Resin	WPL-18105022	4.33	1,968	110.0	600	IN	12	17	No
Datamax Ovation	Half Inch Wax	WPL-17176631	2.50	360	63.5	110	IN	48	9	No
Datamax Ovation	Half Inch Wax	WPL-17176631-12	2.50	360	63.5	110	IN	12	2	No
Datamax Ovation	Half Inch Wax	WPL-17176619	3.50	360	89.0	110	IN	24	6	No
Datamax Ovation	Half Inch Wax	WPL-17176619-12	3.50	360	89.0	110	IN	12	3	No
Datamax Ovation	Half Inch Wax	WPL-17176608	4.33	360	110.0	110	IN	24	7	No
Datamax Ovation	Half Inch Wax	WPL-17176608-12	4.33	360	110.0	110	IN	12	4	No
Datamax Ovation	M260 Ultra Durable Wax/Resin	WPL-18105444	2.50	360	63.5	110	IN	48	8	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Datamax Ovation	R300 General Purpose Resin	WPL-18105226	1.49	360	38.0	110	IN	72	6	No
Datamax Ovation	R300 General Purpose Resin	WPL-18105561	2.50	360	63.5	110	IN	48	7	No
Datamax Ovation	R300 General Purpose Resin	WPL-18105387	4.00	360	101.6	110	IN	24	6	No
Datamax Ovation	R300 General Purpose Resin	WPL-18106467	4.33	360	110.0	110	IN	24	6	No
Datamax Ovation	R510HF Ultra Durable Resin	WPL-18105307	1.49	360	38.0	110	IN	72	7	No
Datamax Ovation	R510HF Ultra Durable Resin	WPL-18105303	2.50	360	63.5	110	IN	48	8	No
Datamax Ovation	R510HF Ultra Durable Resin	WPL-18105603	3.50	360	89.0	110	IN	36	9	No
Datamax Ovation	R510HF Ultra Durable Resin	WPL-18105126	4.33	360	110.0	110	IN	24	7	No
Datamax Ovation	TR3021 Red (1787C) General Purpose Wax	WPL-18107490	4.33	361	110.0	110	IN	24	9	No
Datamax Ovation	TR4070 Classic Resin	WPL-17176583	2.50	360	63.5	110	IN	48	8	No
Datamax Ovation	TR4070 Classic Resin	WPL-18107744	3.50	361	89.0	110	IN	24	6	No
Datamax Ovation	TR4070 Classic Resin	WPL-17176561	4.33	360	110.0	110	IN	24	7	No
Datamax Ovation	TRX-55 Premium Wax/Resin	WPL-18105541	4.33	360	110.0	110	IN	24	8	No
Denniso	TR4085plus Resin Enhanced Wax	WPL-18105747	6.00	2,050	152.4	625	OUT	12	25	No
Denniso	TR4085plus Resin Enhanced Wax	WPL-18105566	8.66	1,476	220.0	450	OUT	12	27	No
DOMINO	M295C Bright White Specialty Near Edge Wax/Resin	WPL-18106982	1.29	2,132	33.0	650	IN	36	17	No
DOMINO	M295HD High Density Near Edge Wax/Resin	WPL-18107642	1.30	2,133	33.0	650	IN	36	15	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
DOMINO	M295HD High Density Near Edge Wax/Resin	WPL-18107644	2.17	1,476	55.0	450	IN	24	12	No
DOMINO	M295HD High Density Near Edge Wax/Resin	WPL-18107646	2.17	2,133	55.0	650	IN	24	17	No
DOMINO	M295HD High Density Near Edge Wax/Resin	WPL-18107837	4.33	1,476	110.0	450	IN	24	24	No
DOMINO	M295HD High Density Near Edge Wax/Resin	WPL-18107625	5.12	2,133	130.0	650	IN	12	20	No
DOMINO	R390 Near Edge Resin	WPL-18107176	1.30	1,968	33.0	600	IN	24	8	Yes
DOMINO	R396 High Speed Durable Near Edge Resin	WPL-18106518	1.00	2,132	25.4	650	IN	36	11	No
DOMINO	R396 High Speed Durable Near Edge Resin	WPL-18106519	1.29	2,132	33.0	650	IN	36	14	No
DOMINO	R396 High Speed Durable Near Edge Resin	WPL-18108103	1.30	2,526	33.0	770	IN	24	12	Yes
DOMINO	R396 High Speed Durable Near Edge Resin	WPL-18106521	2.17	2,132	55.0	650	IN	24	15	No
DOMINO	R396 High Speed Durable Near Edge Resin	WPL-18107712	2.17	2,133	55.0	650	IN	24	17	Yes
Domino M Series	M295HD High Density Near Edge Wax/Resin	WPL-18108111	6.00	1,968	152.4	600	OUT	12	22	Yes
Domino M Series	TR4085plus Resin Enhanced Wax	WPL-18106785	4.33	1,476	110.0	450	OUT	24	27	Yes
Domino M Series	TR4085plus Resin Enhanced Wax	WPL-18107150	6.50	1,476	165.1	450	OUT	12	22	No
DOMINO V320i	M295C Bright White Specialty Near Edge Wax/Resin	WPL-18106813	5.11	3,937	130.0	1200	IN	12	39	No
DOMINO V320i	M295HD High Density Near Edge Wax/Resin	WPL-18107637	2.17	4,593	55.0	1400	IN	12	18	No
DOMINO V320i	R396 High Speed Durable Near Edge Resin	WPL-18106524	1.18	4,593	30.0	1400	IN	24	18	No
DOMINO V320i	R396 High Speed Durable Near Edge Resin	WPL-18106526	2.17	4,593	55.0	1400	IN	12	16	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
DOMINO V320i	R396 High Speed Durable Near Edge Resin	WPL-18106528	5.11	4,593	130.0	1400	IN	12	38	No
Doranix Thermaprint 64 Series	TR4500 Near Edge Premium Wax/Resin	WPL-18106824	8.00	1,968	203.2	600	IN	6	17	No
Doranix Thermaprint 64 Series	TR4500 Near Edge Premium Wax/Resin	WPL-18106992	8.66	1,968	220.0	600	IN	6	19	No
EasyCoder E4 (301)	TRX-50 General Purpose Wax/Resin	WPL-18107611	4.17	751	106.0	229	IN	24	15	No
Euclid	MP Mid Wax/Resin	WPL-18108007	3.00	1,968	76.2	600	IN	24	26	No
Euclid	MP Mid Wax/Resin	WPL-18108009	4.00	1,968	101.6	600	IN	24	35	No
Euclid	V300 Versatility Defined Resin	WPL-18108010	2.00	1,968	50.8	600	IN	24	13	No
Fuji Printer	TR4085plus Resin Enhanced Wax	WPL-18105052	2.36	1,476	60.0	450	IN	24	15	No
Fuji Printer	TR4085plus Resin Enhanced Wax	WPL-18105053	5.11	1,476	130.0	450	IN	24	31	No
GODEX	Half Inch Wax	WPL-18107725	2.20	361	56.0	110	OUT	24	4	Yes
GODEX	M260 Ultra Durable Wax/Resin	WPL-18106492	2.20	360	56.0	110	OUT	36	6	Yes
Greydon	R396 High Speed Durable Near Edge Resin	WPL-18107576	5.11	1,968	130.0	600	OUT	24	39	No
Greydon	TR4500 Near Edge Premium Wax/Resin	WPL-18107172	3.25	1,640	82.5	500	OUT	24	23	No
Greydon	TR4500 Near Edge Premium Wax/Resin	WPL-18107173	4.00	1,640	101.6	500	OUT	24	28	No
Greydon	TR4500 Near Edge Premium Wax/Resin	WPL-18107717	4.21	1,640	107.0	500	OUT	24	32	No
Greydon	TR4500 Near Edge Premium Wax/Resin	WPL-18107714	4.33	1,640	110.0	500	OUT	24	32	No
Greydon	TR4500 Near Edge Premium Wax/Resin	WPL-18107757	5.12	1,640	130.0	500	OUT	24	38	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Imaje 2000	TR4085plus Resin Enhanced Wax	WPL-18108102	3.50	1,181	89.0	360	IN	24	19	No
Imaje 2000	TR4085plus Resin Enhanced Wax	WPL-18107666	4.09	1,837	104.0	560	IN	24	33	No
Imaje 2000	TR4085plus Resin Enhanced Wax	WPL-18107711	4.33	1,837	110.0	560	IN	24	35	No
Imaje 2000	TR4085plus Resin Enhanced Wax	WPL-18107918	6.14	1,837	156.0	560	IN	24	50	No
Intermec	R300 General Purpose Resin	WPL-18107330	2.09	502	53.0	153	OUT	36	6	No
Intermec	R510HF Ultra Durable Resin	WPL-18105863	2.08	501	53.0	153	OUT	36	7	No
Intermec	TR4085plus Resin Enhanced Wax	WPL-18106448	2.00	501	50.8	153	OUT	36	7	No
Intermec	VR301 Durable Metallic Silver Resin	WPL-18106289	2.08	501	53.0	153	OUT	32	6	No
Intermec 3240	M260 Ultra Durable Wax/Resin	WPL-18105972	2.52	501	64.0	153	OUT	36	10	No
Intermec 3240	R300 General Purpose Resin	WPL-18106139	2.52	501	64.0	153	OUT	36	7	No
Intermec 3240	R300 General Purpose Resin	WPL-18106991	2.80	502	71.0	153	OUT	36	7	No
Intermec 3240	R300 General Purpose Resin	WPL-18108127	2.80	502	71.0	153	OUT	36	8	Yes
Intermec 3240	R316 Specialty Resin	WPL-18107732	1.50	502	38.0	153	OUT	48	7	No
Intermec 3240	TR4070 Classic Resin	WPL-18100042	2.00	501	50.8	153	OUT	48	8	No
Intermec 3240	TR4085plus Resin Enhanced Wax	WPL-18106416	1.49	501	38.0	153	OUT	48	7	No
Intermec 3240	TR4085plus Resin Enhanced Wax	WPL-18108081	2.80	502	71.0	153	OUT	36	11	Yes
Intermec 3400	R510HF Ultra Durable Resin	WPL-18107963	4.09	509	104.0	155	OUT	24	10	Yes

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Intermec 3400	VR301 Durable Metallic Silver Resin	WPL-18107784	4.09	509	104.0	155	OUT	24	10	No
Intermec 3400 - 8646	TR4085plus Resin Enhanced Wax	WPL-PL10152	4.09	508	104.0	155	OUT	24	11	No
Intermec 3400 / 8646	M260 Ultra Durable Wax/Resin	WPL-18106010	3.00	501	76.2	153	OUT	24	7	No
Intermec 3400 / 8646	M260 Ultra Durable Wax/Resin	WPL-18105419	4.09	508	104.0	155	OUT	24	11	No
Intermec 3400 / 8646	MP Mid Wax/Resin	WPL-18107853	4.09	502	104.0	153	OUT	24	10	No
Intermec 3400 / 8646	MP Wax	WPL-18107370	4.09	502	104.0	153	OUT	24	10	No
Intermec 3400 / 8646	MP Wax	WPL-18107376	4.09	509	104.0	155	OUT	24	10	No
Intermec 3400 / 8646	R300 General Purpose Resin	WPL-18105384	2.08	508	53.0	155	OUT	36	6	No
Intermec 3400 / 8646	R300 General Purpose Resin	WPL-18105832	2.52	509	64.0	155	OUT	24	5	No
Intermec 3400 / 8646	R300 General Purpose Resin	WPL-18104449	3.00	509	76.2	155	OUT	36	8	No
Intermec 3400 / 8646	R300 General Purpose Resin	WPL-18105376	3.26	501	83.0	153	OUT	24	8	No
Intermec 3400 / 8646	R300 General Purpose Resin	WPL-18105366	4.09	509	104.0	155	OUT	24	9	No
Intermec 3400 / 8646	R300 General Purpose Resin	WPL-18108121	4.09	509	104.0	155	OUT	24	8	Yes
Intermec 3400 / 8646	R316 Specialty Resin	WPL-18107404	2.00	502	50.8	153	OUT	24	4	No
Intermec 3400 / 8646	R316 Specialty Resin	WPL-18106464	3.26	508	83.0	155	OUT	36	10	No
Intermec 3400 / 8646	R316 Specialty Resin	WPL-18105397	4.09	508	104.0	155	OUT	24	9	No
Intermec 3400 / 8646	R510HF Ultra Durable Resin	WPL-18103027	2.08	508	53.0	155	OUT	36	7	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Intermec 3400 / 8646	R510HF Ultra Durable Resin	WPL-18105296	2.75	501	70.0	153	OUT	36	9	No
Intermec 3400 / 8646	R510HF Ultra Durable Resin	WPL-18107870	3.00	502	76.2	153	OUT	36	10	No
Intermec 3400 / 8646	R510HF Ultra Durable Resin	WPL-18105295	4.09	508	104.0	155	OUT	24	10	No
Intermec 3400 / 8646	R510HF Ultra Durable Resin	WPL-18106493	4.09	508	104.0	155	OUT	24	9	No
Intermec 3400 / 8646	R510HF Ultra Durable Resin	WPL-PL11458	4.09	508	104.0	155	OUT	24	10	No
Intermec 3400 / 8646	R510W White Durable Resin	WPL-18105667	4.09	501	104.0	153	OUT	24	11	No
Intermec 3400 / 8646	TR3022 Blue (286C) General Purpose Wax	WPL-17110903	4.09	508	104.0	155	OUT	24	10	No
Intermec 3400 / 8646	TR3022 Blue (286C) General Purpose Wax	WPL-18106406	4.09	508	104.0	155	OUT	24	10	Yes
Intermec 3400 / 8646	TR3023 Green (3405C) General Purpose Wax	WPL-18100555	4.09	508	104.0	155	OUT	24	11	No
Intermec 3400 / 8646	TR3370 High Opacity White Resin	WPL-18107798	2.09	509	53.0	155	OUT	36	8	No
Intermec 3400 / 8646	TR4070 Classic Resin	WPL-17158073	4.09	501	104.0	153	OUT	24	8	No
Intermec 3400 / 8646	TR4070 Classic Resin	WPL-17164083	4.09	508	104.0	155	OUT	24	10	No
Intermec 3400 / 8646	TR4070 Classic Resin	WPL-PL10126	4.09	508	104.0	155	OUT	24	8	No
Intermec 3400 / 8646	TR4085plus Resin Enhanced Wax	WPL-18100583	2.08	508	53.0	155	OUT	36	11	Yes
Intermec 3400 / 8646	TR4085plus Resin Enhanced Wax	WPL-18103989	2.08	508	53.0	155	OUT	36	10	No
Intermec 3400 / 8646	TR4085plus Resin Enhanced Wax	WPL-18100566	3.00	508	76.2	155	OUT	36	11	No
Intermec 3400 / 8646	TR4085plus Resin Enhanced Wax	WPL-18100566-6	3.00	508	76.2	155	OUT	6	2	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Intermec 3400 / 8646	TR4085plus Resin Enhanced Wax	WPL-18100786	3.26	508	83.0	155	OUT	36	14	No
Intermec 3400 / 8646	TR4085plus Resin Enhanced Wax	WPL-18100284	4.09	509	104.0	155	OUT	24	11	Yes
Intermec 3400 / 8646	TR4085plus Resin Enhanced Wax	WPL-18100284-6	4.09	509	104.0	155	OUT	6	3	Yes
Intermec 3400 / 8646	TR4085plus Resin Enhanced Wax	WPL-18100585	4.09	509	104.0	155	OUT	24	11	No
Intermec 3400 / 8646	TR4085plus Resin Enhanced Wax	WPL-18100585-6	4.09	508	104.0	155	OUT	6	3	No
Intermec 3400 / 8646	TR4085plus Resin Enhanced Wax	WPL-18100845	4.09	508	104.0	155	OUT	24	13	No
Intermec 3400 / 8646	TR4085plus Resin Enhanced Wax	WPL-PL10168	4.09	509	104.0	155	OUT	24	10	Yes
Intermec 3400 / 8646	TR4085plus Resin Enhanced Wax	WPL-18105878	4.09	557	104.0	170	OUT	12	5	No
Intermec 3400 / 8646	TRX-50 General Purpose Wax/Resin	WPL-18106136	2.09	509	53.0	155	OUT	36	7	No
Intermec 3400 / 8646	TRX-50 General Purpose Wax/Resin	WPL-18102659	3.27	502	83.0	153	OUT	24	8	No
Intermec 3400 / 8646	TRX-50 General Purpose Wax/Resin	WPL-18100501	4.09	509	104.0	155	OUT	24	11	No
Intermec 3400 / 8646	TRX-55 Premium Wax/Resin	WPL-18106352	2.08	501	53.0	153	OUT	36	7	No
Intermec 3400 / 8646	TRX-55 Premium Wax/Resin	WPL-18104985	3.00	501	76.2	153	OUT	24	7	No
Intermec 3400 / 8646	TRX-55 Premium Wax/Resin	WPL-18104687	4.09	501	104.0	153	OUT	24	11	No
Intermec 3400 / 8646	TRX-55 Premium Wax/Resin	WPL-18104986	4.09	508	104.0	155	OUT	24	9	No
Intermec 3400 / 8646	TRX-55 Premium Wax/Resin	WPL-18104987	4.09	508	104.0	155	OUT	24	9	Yes
Intermec 3440	R316 Specialty Resin	WPL-18105400	1.57	508	40.0	155	OUT	48	7	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Intermec 3440	TR4070 Classic Resin	WPL-18100043	3.00	501	76.2	153	OUT	24	6	No
Intermec 3440	TR4085plus Resin Enhanced Wax	WPL-18103697	4.17	501	106.0	153	OUT	24	11	No
Intermec 3600	M260 Ultra Durable Wax/Resin	WPL-18105731	5.11	501	130.0	153	OUT	24	11	No
Intermec 3600	M260 Ultra Durable Wax/Resin	WPL-18105420	6.00	501	152.4	153	OUT	24	15	No
Intermec 3600	MP Mid Wax/Resin	WPL-18108087	5.51	502	140.0	153	OUT	12	7	No
Intermec 3600	MP Mid Wax/Resin	WPL-18107996	6.00	501	152.4	153	OUT	12	8	No
Intermec 3600	MP Wax	WPL-18107881	6.50	502	165.1	153	OUT	24	16	No
Intermec 3600	R316 Specialty Resin	WPL-18105772	5.51	501	140.0	153	OUT	24	11	No
Intermec 3600	R510HF Ultra Durable Resin	WPL-18104816	6.50	508	165.1	155	OUT	12	7	No
Intermec 3600	TR4085plus Resin Enhanced Wax	WPL-18103996	4.33	501	110.0	153	OUT	24	11	No
Intermec 3600	TR4085plus Resin Enhanced Wax	WPL-18102700	4.50	501	114.3	153	OUT	24	12	No
Intermec 3600	TR4085plus Resin Enhanced Wax	WPL-18100461	5.51	501	140.0	153	OUT	24	14	No
Intermec 3600	TR4085plus Resin Enhanced Wax	WPL-18107797	6.00	509	152.4	155	OUT	12	8	No
Intermec 3600	TR4085plus Resin Enhanced Wax	WPL-18100494	6.50	509	165.1	155	OUT	12	9	No
Intermec 3600	TR4085plus Resin Enhanced Wax	WPL-18101430	6.73	509	171.0	155	OUT	12	8	No
Intermec 3600	TRX-50 General Purpose Wax/Resin	WPL-18106692	4.33	501	110.0	153	OUT	24	10	No
Intermec 3600	TRX-50 General Purpose Wax/Resin	WPL-18102823	6.73	508	171.0	155	OUT	12	9	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Intermec 3600	TRX-55 Premium Wax/Resin	WPL-18104988	6.00	501	152.4	153	OUT	12	7	No
Intermec 4000 / 4100	MP Wax	WPL-18107498	4.09	1,001	104.0	305	IN	24	19	No
Intermec 4000 / 4100	R300 General Purpose Resin	WPL-18105385	3.26	1,000	83.0	305	IN	24	10	No
Intermec 4000 / 4100	TR4085plus Resin Enhanced Wax	WPL-17164131	4.09	1,000	104.0	305	IN	24	18	No
Intermec 4400	R300 General Purpose Resin	WPL-18105379	4.17	1,499	106.0	457	OUT	24	19	No
Intermec 4400	TR4085plus Resin Enhanced Wax	WPL-18100283	3.58	1,499	91.0	457	OUT	18	17	No
Intermec 4400	TR4085plus Resin Enhanced Wax	WPL-18100587	4.17	1,499	106.0	457	OUT	18	22	No
Intermec 4400	TR4085plus Resin Enhanced Wax	WPL-18100587-6	4.17	1,499	106.0	457	OUT	6	7	No
Intermec 4400	TR4085plus Resin Enhanced Wax	WPL-18105601	4.17	1,499	106.0	457	OUT	24	26	No
Intermec 4400	TR4085plus Resin Enhanced Wax	WPL-PL10959	4.17	1,499	106.0	457	OUT	6	7	No
Intermec 4400	TR4085plus Resin Enhanced Wax	WPL-18100588	4.50	1,499	114.3	457	OUT	18	21	No
Intermec 4400	TR4085plus Resin Enhanced Wax	WPL-18100588-6	4.50	1,499	114.3	457	OUT	6	7	No
Intermec 4400	TRX-50 General Purpose Wax/Resin	WPL-18100552	4.17	1,499	106.0	457	OUT	18	20	No
Intermec 4400	TRX-55 Premium Wax/Resin	WPL-18104256	4.17	1,499	106.0	457	OUT	18	19	No
Intermec 4420/4440	M260 Ultra Durable Wax/Resin	WPL-18105576	4.17	1,499	106.0	457	OUT	24	24	No
Intermec 4420/4440	M260 Ultra Durable Wax/Resin	WPL-18105576-12	4.17	1,499	106.0	457	OUT	12	13	No
Intermec 4420/4440	MP Wax	WPL-18107296	4.17	1,499	106.0	457	OUT	24	28	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Intermec 4420/4440	R300 General Purpose Resin	WPL-18105224	4.09	1,476	104.0	450	OUT	24	19	No
Intermec 4420/4440	R300 General Purpose Resin	WPL-18107590	4.50	1,476	114.3	450	OUT	24	22	No
Intermec 4420/4440	R316 Specialty Resin	WPL-18107403	4.09	1,499	104.0	457	OUT	24	24	No
Intermec 4420/4440	R316 Specialty Resin	WPL-18105057	4.17	1,499	106.0	457	OUT	24	23	No
Intermec 4420/4440	R510HF Ultra Durable Resin	WPL-18106419	4.09	1,502	104.0	458	OUT	24	23	Yes
Intermec 4420/4440	R550 Extreme Durable Resin	WPL-18108093	4.50	1,499	114.3	457	OUT	24	26	No
Intermec 4420/4440	TR4085plus Resin Enhanced Wax	WPL-18104127	3.00	1,499	76.2	457	OUT	24	19	No
Intermec 4420/4440	TR4085plus Resin Enhanced Wax	WPL-18105013	3.14	1,499	80.0	457	OUT	24	20	No
Intermec 4420/4440	TR4085plus Resin Enhanced Wax	WPL-18105810	3.50	1,499	89.0	457	OUT	24	22	No
Intermec 4420/4440	TR4085plus Resin Enhanced Wax	WPL-18105525	4.09	1,502	104.0	458	OUT	24	27	No
Intermec 4420/4440	TR4085plus Resin Enhanced Wax	WPL-18102594	4.17	1,499	106.0	457	OUT	24	27	No
Intermec 4420/4440	TR4085plus Resin Enhanced Wax	WPL-18105136	4.50	1,502	114.3	458	OUT	24	29	No
Intermec 4420/4440	TR4085plus Resin Enhanced Wax	WPL-18107567	6.50	1,503	165.1	458	OUT	12	22	No
Intermec 4420/4440	TRX-50 General Purpose Wax/Resin	WPL-18103688	2.52	1,499	64.0	457	OUT	24	16	No
Intermec 4420/4440	TRX-50 General Purpose Wax/Resin	WPL-18106442	3.50	1,499	89.0	457	OUT	24	22	No
Intermec 4420/4440	TRX-50 General Purpose Wax/Resin	WPL-18103319	4.17	1,499	106.0	457	OUT	24	28	No
Intermec 4420/4440	TRX-55 Premium Wax/Resin	WPL-18104690	2.52	1,499	64.0	457	OUT	24	15	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Intermec 4420/4440	TRX-55 Premium Wax/Resin	WPL-18107866	4.17	1,499	106.0	457	OUT	24	31	No
Intermec 4420/4440	TRX-55 Premium Wax/Resin	WPL-18105077	4.50	1,499	114.3	457	OUT	24	27	No
Intermec PF8	MP Wax	WPL-18107720	4.09	902	104.0	275	OUT	24	17	No
Intermec PF8	R300 General Purpose Resin	WPL-18106270	2.36	902	60.0	275	OUT	24	7	No
Intermec PF8	R300 General Purpose Resin	WPL-18105626	3.27	1,001	83.0	305	OUT	24	10	No
Intermec PF8	R300 General Purpose Resin	WPL-18106315	4.09	902	104.0	275	OUT	24	12	No
Intermec PF8	R510HF Ultra Durable Resin	WPL-18106411	4.09	902	104.0	275	OUT	24	15	No
Intermec PF8	TR4085plus Resin Enhanced Wax	WPL-18105903	2.36	902	60.0	275	OUT	36	14	No
Intermec PF8	TR4085plus Resin Enhanced Wax	WPL-18106741	4.00	902	101.6	275	OUT	24	16	No
Intermec PF8	TR4085plus Resin Enhanced Wax	WPL-18106763	4.09	902	104.0	275	OUT	24	16	No
Intermec PF8	TRX-50 General Purpose Wax/Resin	WPL-18107435	4.00	902	101.6	275	OUT	24	17	No
Intermec PF8	V300 Versatility Defined Resin	WPL-18108019	4.09	902	104.0	275	OUT	24	13	No
INTERMEC PM4I	M260 Ultra Durable Wax/Resin	WPL-18106479	3.26	1,502	83.0	458	OUT	24	19	No
INTERMEC PM4I	TR4085plus Resin Enhanced Wax	WPL-18105055	4.00	1,476	101.6	450	OUT	24	25	No
INTERMEC PM4I	TRX-50 General Purpose Wax/Resin	WPL-18107097	4.09	1,503	104.0	458	OUT	24	27	No
INTERMEC PM4I	TRX-55 Premium Wax/Resin	WPL-18106742	3.14	606	80.0	185	OUT	48	17	No
intermec PX4i	V300 Versatility Defined Resin	WPL-18108082	1.57	1,476	40.0	450	IN	24	8	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
intermec PX4i	V300 Versatility Defined Resin	WPL-18108083	2.52	1,476	64.0	450	IN	24	12	No
intermec PX4i	V300 Versatility Defined Resin	WPL-18108061	4.33	1,476	110.0	450	OUT	24	21	No
INTERMEC PX6i	MP Wax	WPL-18107969	3.00	1,499	76.2	457	IN	12	10	No
INTERMEC PX6i	MP Wax	WPL-18107970	5.12	1,499	130.0	457	IN	12	17	No
INTERMEC PX6i	R300 General Purpose Resin	WPL-18107968	4.09	1,499	104.0	457	IN	12	10	No
INTERMEC PX6i	R300 General Purpose Resin	WPL-18107967	5.12	1,499	130.0	457	IN	12	13	No
INTERMEC T2 SERIES	TRX-50 General Purpose Wax/Resin	WPL-18107643	2.50	299	63.5	91	OUT	24	4	Yes
Logopak	TR4085plus Resin Enhanced Wax	WPL-18106840	8.66	1,476	220.0	450	OUT	12	27	No
Logopak LPK8	MP Wax	WPL-18107673	6.00	1,968	152.4	600	OUT	12	26	Yes
Markem 18 series	M295C Bright White Specialty Near Edge Wax/Resin	WPL-18106682	1.29	1,476	33.0	450	OUT	24	8	No
Markem 18 series	M295C Silver Specialty Near Edge Wax/Resin	WPL-18106681	1.29	1,476	33.0	450	OUT	24	6	No
Markem 18 series	M295HD High Density Near Edge Wax/Resin	WPL-18107616	1.30	1,476	33.0	450	OUT	36	11	Yes
Markem 18 series	M295HD High Density Near Edge Wax/Resin	WPL-18107626	1.30	1,476	33.0	450	OUT	36	11	No
Markem 18 series	R396 High Speed Durable Near Edge Resin	WPL-18106100	1.29	1,476	33.0	450	OUT	36	10	No
Markem Smart Date 2	M295C Bright White Specialty Near Edge Wax/Resin	WPL-18105479	1.18	1,476	30.0	450	IN	24	7	No
Markem Smart Date 2	M295C Bright White Specialty Near Edge Wax/Resin	WPL-18105480	2.16	1,476	55.0	450	IN	24	13	No
Markem Smart Date 2	M295C Bright White Specialty Near Edge Wax/Resin	WPL-18105671	2.16	1,476	55.0	450	IN	24	13	Yes

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Markem Smart Date 2	M295C Bright White Specialty Near Edge Wax/Resin	WPL-18106771	4.33	1,476	110.0	450	IN	24	26	Yes
Markem Smart Date 2	M295C Silver Specialty Near Edge Wax/Resin	WPL-18105484	1.18	1,476	30.0	450	IN	24	6	Yes
Markem Smart Date 2	M295C Silver Specialty Near Edge Wax/Resin	WPL-18105489	1.18	1,476	30.0	450	IN	24	6	No
Markem Smart Date 2	M295C Silver Specialty Near Edge Wax/Resin	WPL-18105545	2.16	1,476	55.0	450	IN	24	10	No
Markem Smart Date 2	M295HD High Density Near Edge Wax/Resin	WPL-18108002	2.17	2,297	55.0	700	IN	24	18	Yes
Markem Smart Date 2	M295HD High Density Near Edge Wax/Resin	WPL-18108065	2.17	2,297	55.0	700	IN	24	18	No
Markem Smart Date 2	R390 Near Edge Resin	WPL-18107321	1.57	1,968	40.0	600	IN	12	5	No
Markem Smart Date 2	R390 Near Edge Resin	WPL-18105994	2.17	1,312	55.0	400	IN	24	9	No
Markem Smart Date 2	R390 Near Edge Resin	WPL-18107692	2.17	1,476	55.0	450	IN	24	11	No
Markem Smart Date 2	R396 High Speed Durable Near Edge Resin	WPL-18107688	4.33	1,476	110.0	450	IN	24	24	No
Markem Smart Date 2i	M295C Bright White Specialty Near Edge Wax/Resin	WPL-18105481	2.16	1,968	55.0	600	IN	24	17	No
Markem Smart Date 2i	M295C Silver Specialty Near Edge Wax/Resin	WPL-18105757	2.16	1,968	55.0	600	IN	24	14	Yes
Markem Smart Date 2i	M295HD High Density Near Edge Wax/Resin	WPL-18107447	2.17	1,968	55.0	600	IN	24	16	Yes
Markem Smart Date 2i	M295HD High Density Near Edge Wax/Resin	WPL-18107628	2.17	1,968	55.0	600	IN	24	16	No
Markem Smart Date 2i	R390 Near Edge Resin	WPL-18107972	1.57	1,476	40.0	450	IN	24	8	No
Markem Smart Date 2i	R396 High Speed Durable Near Edge Resin	WPL-18105639	2.17	1,968	55.0	600	IN	24	14	Yes
Markem Smart Date 2i	TR4500 Near Edge Premium Wax/Resin	WPL-18105792	1.57	1,476	40.0	450	IN	48	20	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Markem Smart Date 2i	TR4500 Near Edge Premium Wax/Resin	WPL-18102232	2.08	1,968	53.0	600	IN	36	26	No
Markem Smart Date 2i	TR4500 Near Edge Premium Wax/Resin	WPL-18104895	2.16	1,968	55.0	600	IN	24	18	No
Markem Smart Date 2i 100	M295HD High Density Near Edge Wax/Resin	WPL-18107934	4.33	1,476	110.0	450	IN	24	24	No
Markem Smart Date 2i 100	M295HD High Density Near Edge Wax/Resin	WPL-18108028	4.33	1,476	110.0	450	IN	24	24	Yes
Markem Smart Date 2i 100	TR4500 Near Edge Premium Wax/Resin	WPL-18104805	4.00	1,476	101.6	450	IN	24	25	No
Markem Smart Date 2i 100	TR4500 Near Edge Premium Wax/Resin	WPL-18104887	4.33	1,476	110.0	450	IN	24	27	No
Markem Smart Date 2i 100	TR4500 Near Edge Premium Wax/Resin	WPL-18104289	4.33	1,968	110.0	600	IN	24	36	No
Markem Smart Date 3	M295C Bright White Specialty Near Edge Wax/Resin	WPL-18105247	1.18	1,968	30.0	600	IN	24	9	No
Markem Smart Date 3	M295C Bright White Specialty Near Edge Wax/Resin	WPL-18106665	1.57	1,968	40.0	600	IN	24	12	No
Markem Smart Date 3	M295C Silver Specialty Near Edge Wax/Resin	WPL-18106237	1.18	1,968	30.0	600	IN	24	7	Yes
Markem Smart Date 3	M295HD High Density Near Edge Wax/Resin	WPL-18107651	1.57	1,968	40.0	600	IN	24	11	Yes
Markem Smart Date 3	TR4500 Near Edge Premium Wax/Resin	WPL-18105729	2.16	2,460	55.0	750	IN	18	17	Yes
Markem Smart Date 5	M295C Bright White Specialty Near Edge Wax/Resin	WPL-18107663	5.12	1,968	130.0	600	IN	24	44	No
Markem Smart Date 5	M295C Silver Specialty Near Edge Wax/Resin	WPL-18107636	2.17	3,609	55.0	1100	IN	24	26	No
Markem Smart Date 5	M295HD High Density Near Edge Wax/Resin	WPL-18107549	1.18	1,968	30.0	600	IN	24	9	No
Markem Smart Date 5	M295HD High Density Near Edge Wax/Resin	WPL-18107959	1.18	1,968	30.0	600	IN	24	9	Yes
Markem Smart Date 5	M295HD High Density Near Edge Wax/Resin	WPL-18107627	1.18	2,953	30.0	900	IN	12	6	Yes

Whitehouse Printing Labeling Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Markem Smart Date 5	M295HD High Density Near Edge Wax/Resin	WPL-18107662	1.18	2,953	30.0	900	IN	24	13	No
Markem Smart Date 5	M295HD High Density Near Edge Wax/Resin	WPL-18107650	1.57	2,953	40.0	900	IN	24	17	Yes
Markem Smart Date 5	M295HD High Density Near Edge Wax/Resin	WPL-18107894	1.77	2,297	45.0	700	IN	24	15	No
Markem Smart Date 5	M295HD High Density Near Edge Wax/Resin	WPL-18108079	1.77	2,297	45.0	700	IN	24	15	Yes
Markem Smart Date 5	M295HD High Density Near Edge Wax/Resin	WPL-18107446	2.17	2,953	55.0	900	IN	12	12	Yes
Markem Smart Date 5	M295HD High Density Near Edge Wax/Resin	WPL-18107614	2.17	2,953	55.0	900	IN	12	12	No
Markem Smart Date 5	M295HD High Density Near Edge Wax/Resin	WPL-18107615	5.12	1,968	130.0	600	IN	24	37	No
Markem Smart Date 5	M295HD High Density Near Edge Wax/Resin	WPL-18108059	5.12	1,968	130.0	600	IN	24	37	Yes
Markem Smart Date 5	M295HD High Density Near Edge Wax/Resin	WPL-18107731	5.12	2,953	130.0	900	IN	12	27	Yes
Markem Smart Date 5	R396 High Speed Durable Near Edge Resin	WPL-18105817	1.18	2,952	30.0	900	IN	12	6	Yes
Markem Smart Date 5	R396 High Speed Durable Near Edge Resin	WPL-18106064	1.18	2,952	30.0	900	IN	12	6	No
Markem Smart Date 5	R396 High Speed Durable Near Edge Resin	WPL-18107124	1.57	1,968	40.0	600	IN	12	6	No
Markem Smart Date 5	R396 High Speed Durable Near Edge Resin	WPL-18106313	2.17	2,953	55.0	900	IN	12	11	Yes
Markem X40	M295HD High Density Near Edge Wax/Resin	WPL-18107867	2.17	3,609	55.0	1100	IN	12	14	Yes
Microplex Printer	R300 General Purpose Resin	WPL-18106894	4.33	1,476	110.0	450	OUT	12	10	No
Microplex Printer	R300 General Purpose Resin	WPL-18106895	6.50	1,476	165.1	450	OUT	12	15	No
Microplex Printer	R300 General Purpose Resin	WPL-18106896	8.66	1,476	220.0	450	OUT	12	20	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Microplex Printer	R510C Red (185) Durable Resin	WPL-18106897	4.33	1,476	110.0	450	OUT	12	14	No
Microplex Printer	R510C Red (185) Durable Resin	WPL-18106898	6.50	1,476	165.1	450	OUT	12	21	No
Microplex Printer	R510C Red (185) Durable Resin	WPL-PL12126	6.50	1,476	165.1	450	OUT	12	22	No
Microplex Printer	R510C Red (185) Durable Resin	WPL-18106899	8.66	1,476	220.0	450	OUT	12	28	No
Monarch 9401	R395 Textile Resin	WPL-18107587	1.50	328	38.0	100	OUT	24	2	No
Monarch 9401	TR4085plus Resin Enhanced Wax	WPL-18100590	1.49	328	38.0	100	OUT	72	7	No
Monarch 9401	TR4085plus Resin Enhanced Wax	WPL-18100591	2.08	328	53.0	100	OUT	36	5	No
Monarch 9800/20/25/30/50	M260 Ultra Durable Wax/Resin	WPL-18105546	3.26	1,968	83.0	600	OUT	24	24	Yes
Monarch 9800/20/25/30/50	M260 Ultra Durable Wax/Resin	WPL-18105585	4.33	1,968	110.0	600	OUT	24	32	Yes
Monarch 9800/20/25/30/50	MP Mid Wax/Resin	WPL-18107857	4.33	1,968	110.0	600	OUT	24	38	Yes
Monarch 9800/20/25/30/50	MP Wax	WPL-18107912	1.57	1,968	40.0	600	OUT	24	14	Yes
Monarch 9800/20/25/30/50	MP Wax	WPL-18108086	2.17	1,968	55.0	600	OUT	24	19	Yes
Monarch 9800/20/25/30/50	MP Wax	WPL-18107999	4.33	1,968	110.0	600	OUT	24	38	Yes
Monarch 9800/20/25/30/50	R300 General Purpose Resin	WPL-18107888	4.33	1,968	110.0	600	OUT	24	28	Yes
Monarch 9800/20/25/30/50	R395 Textile Resin	WPL-18107423	1.57	1,968	40.0	600	OUT	24	12	Yes
Monarch 9800/20/25/30/50	R395 Textile Resin	WPL-18107424	2.17	1,968	55.0	600	OUT	24	17	Yes
Monarch 9800/20/25/30/50	R395 Textile Resin	WPL-18107791	2.52	1,969	64.0	600	OUT	24	19	Yes

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Monarch 9800/20/25/30/50	R395 Textile Resin	WPL-18107425	3.15	1,968	80.0	600	OUT	24	24	Yes
Monarch 9800/20/25/30/50	R395 Textile Resin	WPL-18107426	3.50	1,968	89.0	600	OUT	24	27	Yes
Monarch 9800/20/25/30/50	R395 Textile Resin	WPL-18107427	4.33	1,968	110.0	600	OUT	24	33	Yes
Monarch 9800/20/25/30/50	TR4085plus Resin Enhanced Wax	WPL-18107413	1.57	1,968	40.0	600	OUT	24	14	Yes
Monarch 9800/20/25/30/50	TR4085plus Resin Enhanced Wax	WPL-18107414	2.17	1,968	55.0	600	OUT	24	19	Yes
Monarch 9800/20/25/30/50	TR4085plus Resin Enhanced Wax	WPL-18106755	2.52	1,968	64.0	600	OUT	24	24	Yes
Monarch 9800/20/25/30/50	TR4085plus Resin Enhanced Wax	WPL-18107415	3.15	1,968	80.0	600	OUT	24	27	Yes
Monarch 9800/20/25/30/50	TR4085plus Resin Enhanced Wax	WPL-18105562	3.26	1,968	83.0	600	OUT	24	29	Yes
Monarch 9800/20/25/30/50	TR4085plus Resin Enhanced Wax	WPL-18107416	3.50	1,968	89.0	600	OUT	24	31	Yes
Monarch 9800/20/25/30/50	TR4085plus Resin Enhanced Wax	WPL-18103905	4.33	1,968	110.0	600	OUT	24	37	Yes
Monarch 9800/20/25/30/50	TR4085plus Resin Enhanced Wax	WPL-18103905-6	4.33	1,968	110.0	600	OUT	6	10	Yes
Monarch 9800/20/25/30/50	TR4085plus Resin Enhanced Wax	WPL-PL10835	4.33	1,968	110.0	600	OUT	24	37	Yes
Monarch 9800/20/25/30/50	TRX-50 General Purpose Wax/Resin	WPL-18107398	4.33	1,968	110.0	600	OUT	24	38	Yes
Monarch 9800/20/25/30/50	TRX-55 Premium Wax/Resin	WPL-18106423	4.33	1,968	110.0	600	OUT	12	17	Yes
NBS Printer	R510HF Ultra Durable Resin	WPL-18105782	2.08	984	53.0	300	IN	36	12	No
NORWOOD ALLEN	TR4500 Near Edge Premium Wax/Resin	WPL-18105056	8.66	1,476	220.0	450	IN	6	14	No
Norwood flat head	R316 Specialty Resin	WPL-18105648	4.33	1,968	110.0	600	OUT	24	31	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Norwood Jaguar 106i	M295HD High Density Near Edge Wax/Resin	WPL-18107617	4.00	1,968	101.6	600	OUT	24	29	No
Norwood Jaguar 106i	R396 High Speed Durable Near Edge Resin	WPL-18105977	4.00	1,968	101.6	600	OUT	24	26	No
Norwood Jaguar 106i	TR4500 Near Edge Premium Wax/Resin	WPL-18107080	2.09	1,640	53.0	500	OUT	36	22	No
Norwood Jaguar 106i	TR4500 Near Edge Premium Wax/Resin	WPL-18104451	4.00	1,968	101.6	600	OUT	24	33	No
Norwood Jaguar 52i	M295C Bright White Specialty Near Edge Wax/Resin	WPL-18106221	4.00	1,968	101.6	600	OUT	24	31	No
Norwood Jaguar 52i	M295HD High Density Near Edge Wax/Resin	WPL-18107444	2.09	1,968	53.0	600	OUT	36	23	No
Norwood Jaguar 52i	R390 Near Edge Resin	WPL-18105727	2.08	1,968	53.0	600	OUT	36	19	No
Norwood Jaguar 52i	R396 High Speed Durable Near Edge Resin	WPL-18105765	1.18	1,968	30.0	600	OUT	24	8	No
Norwood Jaguar 52i	R396 High Speed Durable Near Edge Resin	WPL-18106327	2.08	1,968	53.0	600	OUT	24	14	No
Norwood Jaguar 52i	TR4500 Near Edge Premium Wax/Resin	WPL-18105691	1.00	1,968	25.4	600	OUT	24	8	No
Norwood Jaguar 52i	TR4500 Near Edge Premium Wax/Resin	WPL-18104456	2.08	1,968	53.0	600	OUT	36	26	No
NOVEXX 64-X SERIES	M295HD High Density Near Edge Wax/Resin	WPL-18107990	3.74	1,476	95.0	450	IN	24	21	No
NOVEXX 64-X SERIES	M295HD High Density Near Edge Wax/Resin	WPL-18107634	5.00	1,312	127.0	400	IN	24	25	No
NOVEXX 64-X SERIES	M295HD High Density Near Edge Wax/Resin	WPL-18107647	5.12	1,312	130.0	400	IN	24	25	No
NOVEXX 64-X SERIES	R396 High Speed Durable Near Edge Resin	WPL-18107872	4.00	1,968	101.6	600	IN	24	29	No
NOVEXX 64-X SERIES	TR4500 Near Edge Premium Wax/Resin	WPL-18106011	5.11	1,312	130.0	400	IN	24	29	No
Novexx Chess 4/5/6/Puma/Li	M295HD High Density Near Edge Wax/Resin	WPL-18108107	8.66	1,968	220.0	600	IN	6	16	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Novexx Chess 4/5/6/Puma/Li	R390 Near Edge Resin	WPL-18106768	3.00	1,968	76.2	600	IN	24	18	No
Novexx Chess 4/5/6/Puma/Li	R390 Near Edge Resin	WPL-18107920	3.27	1,968	83.0	600	IN	24	21	No
Novexx Chess 4/5/6/Puma/Li	R390 Near Edge Resin	WPL-18106868	4.33	1,968	110.0	600	IN	24	26	No
Novexx Chess 4/5/6/Puma/Li	R396 High Speed Durable Near Edge Resin	WPL-18107695	5.12	1,968	130.0	600	IN	12	18	No
Novexx Chess 4/5/6/Puma/Li	R396 High Speed Durable Near Edge Resin	WPL-18107507	8.00	1,968	203.2	600	IN	6	14	No
Novexx Chess 4/5/6/Puma/Li	TR4500 Near Edge Premium Wax/Resin	WPL-18103524	2.08	1,968	53.0	600	IN	36	26	No
Novexx Chess 4/5/6/Puma/Li	TR4500 Near Edge Premium Wax/Resin	WPL-18103525	2.52	1,968	64.0	600	IN	36	31	No
Novexx Chess 4/5/6/Puma/Li	TR4500 Near Edge Premium Wax/Resin	WPL-18105743	3.00	1,968	76.2	600	IN	24	25	No
Novexx Chess 4/5/6/Puma/Li	TR4500 Near Edge Premium Wax/Resin	WPL-18103526	3.14	1,968	80.0	600	IN	24	26	No
Novexx Chess 4/5/6/Puma/Li	TR4500 Near Edge Premium Wax/Resin	WPL-18103527	3.50	1,968	89.0	600	IN	24	29	No
Novexx Chess 4/5/6/Puma/Li	TR4500 Near Edge Premium Wax/Resin	WPL-18104459	4.09	1,968	104.0	600	IN	24	37	No
Novexx Chess 4/5/6/Puma/Li	TR4500 Near Edge Premium Wax/Resin	WPL-18103529	4.33	1,968	110.0	600	IN	24	36	No
Novexx Chess 4/5/6/Puma/Li	TR4500 Near Edge Premium Wax/Resin	WPL-PL10897	4.33	1,968	110.0	600	IN	24	36	No
Novexx Chess 4/5/6/Puma/Li	TR4500 Near Edge Premium Wax/Resin	WPL-18103531	5.11	1,968	130.0	600	IN	24	42	No
Novexx Chess 4/5/6/Puma/Li	TR4500 Near Edge Premium Wax/Resin	WPL-PL10818	5.11	1,968	130.0	600	IN	24	44	No
Novexx Chess 4/5/6/Puma/Li	TR4500 Near Edge Premium Wax/Resin	WPL-18105970	6.00	1,968	152.4	600	IN	12	25	No
Novexx Chess 4/5/6/Puma/Li	TR4500 Near Edge Premium Wax/Resin	WPL-18107882	6.50	1,968	165.1	600	IN	12	29	No

Whitehouse Printing Labeling

Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Open Date	R390 Near Edge Resin	WPL-18107175	2.09	1,001	53.0	305	IN	36	11	No
Open Date	R390 Near Edge Resin	WPL-18107137	2.09	1,148	53.0	350	IN	36	12	No
Open Date	R390 Near Edge Resin	WPL-18107693	2.17	984	55.0	300	IN	36	11	Yes
Open Date	TR4500 Near Edge Premium Wax/Resin	WPL-18103774	2.08	1,148	53.0	350	IN	36	16	No
Paxar	R300 General Purpose Resin	WPL-18106716	1.49	1,640	38.0	500	OUT	48	15	Yes
Paxar	R300 General Purpose Resin	WPL-18105386	2.52	1,640	64.0	500	OUT	36	19	Yes
Paxar	R300 General Purpose Resin	WPL-18106815	3.00	1,640	76.2	500	OUT	24	15	Yes
Paxar	R395 Textile Resin	WPL-18107588	0.98	1,640	25.0	500	OUT	24	6	Yes
Paxar	R395 Textile Resin	WPL-18107510	1.50	1,640	38.0	500	OUT	36	15	Yes
Paxar	R395 Textile Resin	WPL-18107871	1.75	1,640	44.5	500	OUT	36	17	Yes
Paxar	R395 Textile Resin	WPL-18107390	2.00	1,640	50.8	500	OUT	36	19	Yes
Paxar	R395 Textile Resin	WPL-18107820	2.00	1,640	50.8	500	OUT	36	19	Yes
Paxar	R395 Textile Resin	WPL-18107391	2.52	1,640	64.0	500	OUT	36	24	Yes
Paxar	R395 Textile Resin	WPL-18107392	3.00	1,640	76.2	500	OUT	24	19	Yes
Paxar	R395 Textile Resin	WPL-18107393	3.50	1,640	89.0	500	OUT	24	23	Yes
Paxar	R510W White Durable Resin	WPL-18107399	1.50	1,640	38.0	500	OUT	48	25	Yes
Paxar	TR4085plus Resin Enhanced Wax	WPL-18105713	1.49	1,640	38.0	500	OUT	48	20	Yes

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Paxar	TR4085plus Resin Enhanced Wax	WPL-17163129	2.00	1,640	50.8	500	OUT	36	20	Yes
Paxar	TR4085plus Resin Enhanced Wax	WPL-17163130	2.52	1,640	64.0	500	OUT	36	26	Yes
Paxar	TR4085plus Resin Enhanced Wax	WPL-17163130-6	2.52	1,640	64.0	500	OUT	6	5	Yes
Paxar	TR4085plus Resin Enhanced Wax	WPL-17163141	3.00	1,640	76.2	500	OUT	24	20	Yes
Paxar	TR4085plus Resin Enhanced Wax	WPL-17163152	3.50	1,640	89.0	500	OUT	24	24	Yes
Paxar	TR4085plus Resin Enhanced Wax	WPL-17163163	4.00	1,640	101.6	500	OUT	24	27	Yes
Paxar	TR4085plus Resin Enhanced Wax	WPL-18106295	4.25	1,640	108.0	500	OUT	24	29	Yes
Paxar	TR4085plus Resin Enhanced Wax	WPL-18104392	4.50	1,640	114.3	500	OUT	24	31	Yes
Paxar	TR4085plus Resin Enhanced Wax	WPL-17168168	5.00	1,640	127.0	500	OUT	24	34	Yes
Paxar	TRX-55 Premium Wax/Resin	WPL-18107291	1.50	1,640	38.0	500	OUT	36	18	Yes
Paxar	TRX-55 Premium Wax/Resin	WPL-18106671	2.00	1,640	50.8	500	OUT	36	20	Yes
Paxar	TRX-55 Premium Wax/Resin	WPL-18104756	3.50	1,640	89.0	500	OUT	24	23	Yes
Paxar 688	TR4500 Near Edge Premium Wax/Resin	WPL-18104911	2.00	1,640	50.8	500	OUT	36	22	Yes
Paxar 688	TR4500 Near Edge Premium Wax/Resin	WPL-18106169	2.52	1,640	64.0	500	OUT	24	17	Yes
Paxar 688	TR4500 Near Edge Premium Wax/Resin	WPL-18105599	3.50	1,640	89.0	500	OUT	24	24	Yes
Paxar 688	TR4500 Near Edge Premium Wax/Resin	WPL-18106477	4.00	1,640	101.6	500	OUT	24	28	Yes
Paxar 688	TR4500 Near Edge Premium Wax/Resin	WPL-18107123	4.33	1,640	110.0	500	OUT	24	32	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Printress	M295HD High Density Near Edge Wax/Resin	WPL-18107973	6.14	1,640	156.0	500	IN	12	19	No
Printronix 2204	M260 Ultra Durable Wax/Resin	WPL-18106861	1.37	984	35.0	300	OUT	48	11	No
Printronix 2204	TR4085plus Resin Enhanced Wax	WPL-18106760	2.36	984	60.0	300	OUT	36	15	No
Printronix 2204	TR4085plus Resin Enhanced Wax	WPL-18105600	3.26	1,312	83.0	400	OUT	24	18	No
Printronix 2204	TR4085plus Resin Enhanced Wax	WPL-18105628	4.33	1,181	110.0	360	OUT	24	22	No
Printronix 2204	TRX-50 General Purpose Wax/Resin	WPL-18103321	2.52	984	64.0	300	OUT	36	17	No
Printronix 2204	TRX-55 Premium Wax/Resin	WPL-18107148	1.38	984	35.0	300	OUT	48	12	No
Printronix 2204	TRX-55 Premium Wax/Resin	WPL-18107117	1.57	984	40.0	300	OUT	48	13	No
Printronix 2204	TRX-55 Premium Wax/Resin	WPL-18106704	2.52	984	64.0	300	OUT	36	16	No
Printronix T5000	M260 Ultra Durable Wax/Resin	WPL-18105421	4.33	2,050	110.0	625	OUT	24	34	No
Printronix T5000	M260 Ultra Durable Wax/Resin	WPL-18105548	6.50	2,050	165.1	625	OUT	12	25	No
Printronix T5000	M260 Ultra Durable Wax/Resin	WPL-18106321	6.73	2,050	171.0	625	OUT	6	13	No
Printronix T5000	M260 Ultra Durable Wax/Resin	WPL-18107293	7.24	2,051	184.0	625	OUT	12	30	No
Printronix T5000	M260 Ultra Durable Wax/Resin	WPL-18105422	8.66	2,050	220.0	625	OUT	6	17	No
Printronix T5000	MP Mid Wax/Resin	WPL-18108022	4.33	2,050	110.0	625	OUT	24	39	No
Printronix T5000	MP Mid Wax/Resin	WPL-18107899	6.73	2,051	171.0	625	OUT	12	31	No
Printronix T5000	MP Wax	WPL-18107139	3.74	2,051	95.0	625	OUT	24	34	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Printronix T5000	MP Wax	WPL-18107114	4.33	2,051	110.0	625	OUT	24	39	No
Printronix T5000	MP Wax	WPL-18107441	5.12	2,051	130.0	625	OUT	6	12	No
Printronix T5000	MP Wax	WPL-18107994	6.50	2,051	165.1	625	OUT	12	29	No
Printronix T5000	MP Wax	WPL-18107660	6.73	1,476	171.0	450	OUT	12	22	No
Printronix T5000	MP Wax	WPL-18107603	8.66	2,051	220.0	625	OUT	6	20	No
Printronix T5000	R300 General Purpose Resin	WPL-18105051	2.36	2,050	60.0	625	OUT	24	15	No
Printronix T5000	R300 General Purpose Resin	WPL-PL11398	2.36	2,050	60.0	625	OUT	24	15	No
Printronix T5000	R300 General Purpose Resin	WPL-18108117	3.00	2,051	76.2	625	OUT	24	20	No
Printronix T5000	R300 General Purpose Resin	WPL-18107371	4.00	2,050	101.6	625	OUT	24	27	No
Printronix T5000	R300 General Purpose Resin	WPL-18107503	4.33	1,476	110.0	450	OUT	6	5	No
Printronix T5000	R300 General Purpose Resin	WPL-18107776	5.12	2,050	130.0	625	OUT	6	9	No
Printronix T5000	R300 General Purpose Resin	WPL-18105949	6.50	2,050	165.1	625	OUT	12	20	No
Printronix T5000	R316 Specialty Resin	WPL-18106463	3.15	2,050	80.0	625	OUT	24	23	No
Printronix T5000	R316 Specialty Resin	WPL-18106132	4.33	2,050	110.0	625	OUT	24	32	No
Printronix T5000	R316 Specialty Resin	WPL-18106814	5.11	2,050	130.0	625	OUT	12	19	No
Printronix T5000	R316 Specialty Resin	WPL-18107358	8.66	2,051	220.0	625	OUT	6	16	No
Printronix T5000	R510HF Ultra Durable Resin	WPL-18107488	2.52	2,051	64.0	625	OUT	6	5	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Printronix T5000	R510HF Ultra Durable Resin	WPL-18105645	4.33	2,050	110.0	625	OUT	24	34	No
Printronix T5000	R510HF Ultra Durable Resin	WPL-18107272	6.73	2,051	171.0	625	OUT	6	14	No
Printronix T5000	R510HF Ultra Durable Resin	WPL-18107174	8.66	2,051	220.0	625	OUT	6	18	No
Printronix T5000	R600 Resin	WPL-18107919	7.24	1,476	184.0	450	OUT	12	18	No
Printronix T5000	R600 Resin	WPL-18107819	8.66	1,476	220.0	450	OUT	12	22	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18105080	2.36	2,050	60.0	625	OUT	36	32	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-PL11302	2.36	2,050	60.0	625	OUT	36	32	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18105906	3.26	2,050	83.0	625	OUT	36	41	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18105750	4.00	1,476	101.6	450	OUT	24	25	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18105134	4.00	2,050	101.6	625	OUT	24	34	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18107910	4.17	2,051	106.0	625	OUT	24	38	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18105128	4.33	1,476	110.0	450	OUT	24	27	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18106420	4.33	1,476	110.0	450	OUT	24	27	Yes
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18107493	4.33	1,476	110.0	450	OUT	6	7	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18104005	4.33	2,050	110.0	625	OUT	6	10	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18104968	4.33	2,050	110.0	625	OUT	24	38	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18106803	4.33	2,050	110.0	625	OUT	12	18	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-PL11247	4.33	2,050	110.0	625	OUT	24	38	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18107331	4.50	1,476	114.3	450	OUT	24	30	Yes
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18105094	5.11	2,050	130.0	625	OUT	6	11	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18104936	6.00	2,050	152.4	625	OUT	12	27	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18104668	6.50	2,050	165.1	625	OUT	12	29	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18107276	6.73	2,051	171.0	625	OUT	6	15	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18105643	6.85	2,050	174.0	625	OUT	12	29	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18106325	7.50	2,050	190.5	625	OUT	6	16	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18107145	8.66	1,476	220.0	450	OUT	12	29	No
Printronix T5000	TR4085plus Resin Enhanced Wax	WPL-18103981	8.66	2,050	220.0	625	OUT	6	19	No
Printronix T5000	TRX-50 General Purpose Wax/Resin	WPL-18106745	4.33	2,051	110.0	625	OUT	24	36	No
Printronix T5000	TRX-50 General Purpose Wax/Resin	WPL-18106745-6	4.33	2,050	110.0	625	OUT	6	10	No
Printronix T5000	TRX-50 General Purpose Wax/Resin	WPL-18107422	6.00	2,050	152.4	625	OUT	6	13	No
Printronix T5000	TRX-50 General Purpose Wax/Resin	WPL-18107591	6.73	2,050	171.0	625	OUT	6	15	No
Printronix T5000	TRX-50 General Purpose Wax/Resin	WPL-18104679	8.50	2,050	216.0	625	OUT	6	18	No
Printronix T5000	TRX-50 General Purpose Wax/Resin	WPL-18105785	8.66	2,050	220.0	625	OUT	6	18	No
Printronix T5000	TRX-55 Premium Wax/Resin	WPL-18107181	2.00	2,051	50.8	625	OUT	24	18	No

Whitehouse Printing Labeling Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Printronix T5000	TRX-55 Premium Wax/Resin	WPL-18107303	2.52	984	64.0	300	OUT	36	17	No
Printronix T5000	TRX-55 Premium Wax/Resin	WPL-18107329	3.00	2,051	76.2	625	OUT	24	27	No
Printronix T5000	TRX-55 Premium Wax/Resin	WPL-18108067	4.33	1,476	110.0	450	OUT	6	8	No
Printronix T5000	TRX-55 Premium Wax/Resin	WPL-18104782	4.33	2,050	110.0	625	OUT	6	11	No
Printronix T5000	TRX-55 Premium Wax/Resin	WPL-18105734	4.33	2,050	110.0	625	OUT	12	18	No
Printronix T5000	TRX-55 Premium Wax/Resin	WPL-18107008	5.12	2,051	130.0	625	OUT	12	21	No
Printronix T5000	TRX-55 Premium Wax/Resin	WPL-18107008-6	5.12	2,051	130.0	625	OUT	6	13	No
Printronix T5000	TRX-55 Premium Wax/Resin	WPL-18107495	6.00	1,476	152.4	450	OUT	12	22	No
Printronix T5000	TRX-55 Premium Wax/Resin	WPL-18106965	6.00	2,050	152.4	625	OUT	12	25	No
Printronix T5000	TRX-55 Premium Wax/Resin	WPL-18106783	6.50	2,050	165.1	625	OUT	6	13	No
Printronix T5000	TRX-55 Premium Wax/Resin	WPL-18106319	8.66	2,050	220.0	625	OUT	6	18	No
RJS	R510HF Ultra Durable Resin	WPL-18107143	4.33	984	110.0	300	OUT	24	18	No
RJS	TR4085plus Resin Enhanced Wax	WPL-17149440	4.33	984	110.0	300	OUT	24	18	No
RJS	TR4085plus Resin Enhanced Wax	WPL-17148911	4.50	1,476	114.3	450	OUT	24	28	No
RJS	TR4085plus Resin Enhanced Wax	WPL-17148793	6.00	1,476	152.4	450	OUT	12	18	No
RJS	TR4085plus Resin Enhanced Wax	WPL-17149495	6.50	1,476	165.1	450	OUT	12	22	No
RJS	TRX-55 Premium Wax/Resin	WPL-18104135	5.11	1,476	130.0	450	OUT	24	31	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
S84 SERIES	TR4085plus Resin Enhanced Wax	WPL-18107741	1.50	1,968	38.0	600	IN	24	13	Yes
S84 SERIES	TR4085plus Resin Enhanced Wax	WPL-18106124	1.49	3,280	38.0	1000	IN	18	16	No
S84 SERIES	TR4085plus Resin Enhanced Wax	WPL-18107875	1.73	3,281	44.0	1000	IN	18	19	No
S84 SERIES	TR4085plus Resin Enhanced Wax	WPL-18106889	2.00	3,280	50.8	1000	IN	12	13	No
S84 SERIES	TR4085plus Resin Enhanced Wax	WPL-18105207	3.26	3,280	83.0	1000	IN	12	22	No
S84 SERIES	TR4085plus Resin Enhanced Wax	WPL-18106367	4.17	3,280	106.0	1000	IN	6	14	No
Sato	M260 Ultra Durable Wax/Resin	WPL-18105423	3.26	1,345	83.0	410	IN	24	19	No
Sato	M260 Ultra Durable Wax/Resin	WPL-18105644	4.00	1,345	101.6	410	IN	24	21	No
Sato	M260 Ultra Durable Wax/Resin	WPL-18105424	4.17	688	106.0	210	IN	24	12	No
Sato	M260 Ultra Durable Wax/Resin	WPL-18105887	4.17	1,345	106.0	410	IN	24	24	No
Sato	M260 Ultra Durable Wax/Resin	WPL-18105725	4.33	1,345	110.0	410	IN	24	23	No
Sato	M260 Ultra Durable Wax/Resin	WPL-18107487	4.33	1,968	110.0	600	OUT	24	35	No
Sato	M260 Ultra Durable Wax/Resin	WPL-18106907	6.00	1,345	152.4	410	IN	12	16	No
Sato	MP Mid Wax/Resin	WPL-18107884	1.00	1,345	25.4	410	IN	60	15	No
Sato	MP Mid Wax/Resin	WPL-18107801	2.36	1,345	60.0	410	IN	36	22	No
Sato	MP Mid Wax/Resin	WPL-18107804	2.52	1,345	64.0	410	IN	36	23	No
Sato	MP Mid Wax/Resin	WPL-18108073	3.00	1,345	76.2	410	IN	24	18	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Sato	MP Mid Wax/Resin	WPL-18108119	3.27	984	83.0	300	IN	24	15	No
Sato	MP Mid Wax/Resin	WPL-18107769	4.33	1,345	110.0	410	IN	24	26	No
Sato	MP Mid Wax/Resin	WPL-18108064	5.12	1,345	130.0	410	IN	12	16	No
Sato	MP Wax	WPL-18107127	1.57	1,345	40.0	410	IN	24	10	No
Sato	MP Wax	WPL-18107128	2.09	1,345	53.0	410	IN	24	13	No
Sato	MP Wax	WPL-18106946	2.52	1,345	64.0	410	IN	24	15	No
Sato	MP Wax	WPL-18106947	3.00	1,345	76.2	410	IN	24	18	No
Sato	MP Wax	WPL-18108085	3.15	1,345	80.0	410	IN	24	19	No
Sato	MP Wax	WPL-18107786	3.27	3,281	83.0	1000	IN	12	23	No
Sato	MP Wax	WPL-18106948	3.50	1,345	89.0	410	IN	24	21	No
Sato	MP Wax	WPL-18106949	4.00	1,345	101.6	410	IN	24	24	No
Sato	MP Wax	WPL-18106950	4.33	1,345	110.0	410	IN	24	26	No
Sato	MP Wax	WPL-18106951	5.12	1,345	130.0	410	IN	24	31	No
Sato	MP Wax	WPL-18106952	6.00	1,345	152.4	410	IN	12	18	No
Sato	MP Wax	WPL-18106953	6.50	1,345	165.1	410	IN	12	20	No
Sato	R300 General Purpose Resin	WPL-18105377	1.18	1,345	30.0	410	IN	48	10	No
Sato	R300 General Purpose Resin	WPL-18100922	1.49	1,345	38.0	410	IN	48	13	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Sato	R300 General Purpose Resin	WPL-18106805-12	1.57	1,345	40.0	410	IN	12	3	No
Sato	R300 General Purpose Resin	WPL-18106805-6	1.57	1,345	40.0	410	IN	6	2	No
Sato	R300 General Purpose Resin	WPL-18105826	2.00	1,345	50.8	410	IN	36	13	No
Sato	R300 General Purpose Resin	WPL-17167433	2.52	1,345	64.0	410	IN	36	16	No
Sato	R300 General Purpose Resin	WPL-17167433-12	2.52	1,345	64.0	410	IN	12	5	No
Sato	R300 General Purpose Resin	WPL-17167433-6	2.52	1,345	64.0	410	IN	6	3	No
Sato	R300 General Purpose Resin	WPL-18104797	3.14	1,345	80.0	410	IN	24	13	No
Sato	R300 General Purpose Resin	WPL-18104797-12	3.14	1,345	80.0	410	IN	12	10	No
Sato	R300 General Purpose Resin	WPL-18104797-6	3.14	1,345	80.0	410	IN	6	3	No
Sato	R300 General Purpose Resin	WPL-PL11598	3.14	1,345	80.0	410	IN	6	3	No
Sato	R300 General Purpose Resin	WPL-18105543	3.50	1,345	89.0	410	IN	24	15	No
Sato	R300 General Purpose Resin	WPL-18105383	4.00	1,345	101.6	410	IN	24	17	No
Sato	R300 General Purpose Resin	WPL-18104974	4.33	688	110.0	210	IN	24	10	No
Sato	R300 General Purpose Resin	WPL-18105531	4.33	1,345	110.0	410	IN	24	21	No
Sato	R300 General Purpose Resin	WPL-18105531-12	4.33	1,345	110.0	410	IN	12	9	No
Sato	R300 General Purpose Resin	WPL-18105531-6	4.33	1,345	110.0	410	IN	6	5	No
Sato	R300 General Purpose Resin	WPL-PL11221	4.33	1,345	110.0	410	IN	6	5	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Sato	R300 General Purpose Resin	WPL-PL11464	4.33	1,345	110.0	410	IN	24	21	No
Sato	R300 General Purpose Resin	WPL-18104796	4.50	1,345	114.3	410	IN	24	19	No
Sato	R300 General Purpose Resin	WPL-18104737	5.11	1,345	130.0	410	IN	24	21	No
Sato	R316 Specialty Resin	WPL-18105784	1.77	1,345	45.0	410	IN	48	18	No
Sato	R316 Specialty Resin	WPL-18104624	2.52	1,345	64.0	410	IN	36	19	No
Sato	R316 Specialty Resin	WPL-18105403	3.50	1,345	89.0	410	IN	24	17	No
Sato	R316 Specialty Resin	WPL-18105505	3.77	1,345	96.0	410	IN	24	19	No
Sato	R316 Specialty Resin	WPL-18106963	4.17	1,345	106.0	410	IN	24	21	No
Sato	R316 Specialty Resin	WPL-18105581	4.33	1,345	110.0	410	IN	24	24	No
Sato	R316 Specialty Resin	WPL-18105401	5.00	1,345	127.0	410	IN	24	27	No
Sato	R316 Specialty Resin	WPL-18104661	5.11	1,345	130.0	410	IN	24	25	No
Sato	R316 Specialty Resin	WPL-18107852	6.50	1,345	165.1	410	IN	12	17	No
Sato	R510C Blue (2935) Durable Resin	WPL-18107343	4.33	1,345	110.0	410	IN	24	26	No
Sato	R510C Red (185) Durable Resin	WPL-18106623	4.33	1,345	110.0	410	IN	24	26	No
Sato	R510HF Ultra Durable Resin	WPL-18107716	1.57	984	40.0	300	IN	24	7	No
Sato	R510HF Ultra Durable Resin	WPL-18106808-12	1.57	1,345	40.0	410	IN	12	4	No
Sato	R510HF Ultra Durable Resin	WPL-18106808-6	1.57	1,345	40.0	410	IN	6	2	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Sato	R510HF Ultra Durable Resin	WPL-18105700	2.00	1,345	50.8	410	IN	36	15	No
Sato	R510HF Ultra Durable Resin	WPL-PL11754	2.00	1,345	50.8	410	IN	36	15	No
Sato	R510HF Ultra Durable Resin	WPL-18106983	2.20	1,345	56.0	410	IN	24	12	No
Sato	R510HF Ultra Durable Resin	WPL-18105762	2.52	1,345	64.0	410	IN	36	20	No
Sato	R510HF Ultra Durable Resin	WPL-18106810-12	2.52	1,345	64.0	410	IN	12	7	No
Sato	R510HF Ultra Durable Resin	WPL-18106810-6	2.52	1,345	64.0	410	IN	6	3	No
Sato	R510HF Ultra Durable Resin	WPL-18106937	3.00	688	76.2	210	IN	24	8	No
Sato	R510HF Ultra Durable Resin	WPL-18106812-12	3.26	1,345	83.0	410	IN	12	8	No
Sato	R510HF Ultra Durable Resin	WPL-18106812-6	3.26	1,345	83.0	410	IN	6	4	No
Sato	R510HF Ultra Durable Resin	WPL-18105877	3.50	1,345	89.0	410	IN	24	18	No
Sato	R510HF Ultra Durable Resin	WPL-18101072	4.00	1,345	101.6	410	IN	24	21	No
Sato	R510HF Ultra Durable Resin	WPL-18105297	4.33	1,345	110.0	410	IN	24	23	No
Sato	R510HF Ultra Durable Resin	WPL-18105297-12	4.33	1,345	110.0	410	IN	12	11	No
Sato	R510HF Ultra Durable Resin	WPL-18105297-6	4.33	1,345	110.0	410	IN	6	7	No
Sato	R510HF Ultra Durable Resin	WPL-18106505	5.11	1,345	130.0	410	IN	24	26	No
Sato	R510W White Durable Resin	WPL-18107481	2.00	1,345	50.8	410	IN	36	21	No
Sato	R510W White Durable Resin	WPL-18106140	4.00	1,345	101.6	410	IN	24	29	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Sato	R510W White Durable Resin	WPL-18107421	4.33	1,345	110.0	410	IN	24	30	No
Sato	R510W White Durable Resin	WPL-18107164	6.00	1,345	152.4	410	IN	12	22	No
Sato	R550 Extreme Durable Resin	WPL-18107859	1.57	1,345	40.0	410	IN	24	8	No
Sato	R550 Extreme Durable Resin	WPL-18107777	2.00	1,345	50.8	410	IN	36	16	No
Sato	R550 Extreme Durable Resin	WPL-18107907	4.50	1,345	114.3	410	IN	24	24	No
Sato	R550 Extreme Durable Resin	WPL-18107904	5.12	1,345	130.0	410	IN	24	27	No
Sato	TR3021 Red (1787C) General Purpose Wax	WPL-18103942	4.00	688	101.6	210	IN	24	13	No
Sato	TR3021 Red (1787C) General Purpose Wax	WPL-18103942-6	4.00	688	101.6	210	IN	6	3	No
Sato	TR3021 Red (1787C) General Purpose Wax	WPL-18107126	4.00	1,345	101.6	410	IN	24	25	No
Sato	TR3021 Red (1787C) General Purpose Wax	WPL-17166959	4.33	689	110.0	210	IN	24	14	No
Sato	TR3021 Red (1787C) General Purpose Wax	WPL-17166959-6	4.33	689	110.0	210	IN	6	3	No
Sato	TR3021 Red (1787C) General Purpose Wax	WPL-18107144	6.00	1,345	152.4	410	IN	24	38	No
Sato	TR3022 Blue (286C) General Purpose Wax	WPL-18107726	2.00	689	50.8	210	IN	36	10	No
Sato	TR3022 Blue (286C) General Purpose Wax	WPL-17166993	3.00	688	76.2	210	IN	24	10	No
Sato	TR3022 Blue (286C) General Purpose Wax	WPL-17167008	4.33	688	110.0	210	IN	24	14	No
Sato	TR3022 Blue (286C) General Purpose Wax	WPL-17167008-6	4.33	688	110.0	210	IN	6	3	No
Sato	TR3022 Blue (286C) General Purpose Wax	WPL-18107995	4.33	1,345	110.0	410	IN	24	28	No

Whitehouse Printing Labeling Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Sato	TR3023 Green (3405C) General Purpose Wax	WPL-18103972	4.33	688	110.0	210	IN	24	14	No
Sato	TR3023 Green (3405C) General Purpose Wax	WPL-18103972-6	4.33	688	110.0	210	IN	6	3	No
Sato	TR3023 Green (3405C) General Purpose Wax	WPL-18108128	4.33	1,345	110.0	410	IN	24	28	No
Sato	TR3023 Green (3405C) General Purpose Wax	WPL-18106777	6.50	1,345	165.1	410	IN	12	19	No
Sato	TR3370 High Opacity White Resin	WPL-18100139-6	4.33	1,345	110.0	410	IN	6	6	No
Sato	TR4070 Classic Resin	WPL-17167374	2.00	1,345	50.8	410	IN	36	15	No
Sato	TR4070 Classic Resin	WPL-18100088	2.52	1,345	64.0	410	IN	36	18	No
Sato	TR4070 Classic Resin	WPL-17167385	3.00	1,345	76.2	410	IN	36	22	No
Sato	TR4070 Classic Resin	WPL-17167396	4.00	1,345	101.6	410	IN	24	19	No
Sato	TR4070 Classic Resin	WPL-17167341	4.33	688	110.0	210	IN	24	11	No
Sato	TR4070 Classic Resin	WPL-17167400	4.33	1,345	110.0	410	IN	24	21	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166775	1.00	1,345	25.4	410	IN	60	14	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166786	1.49	1,345	38.0	410	IN	48	17	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166638	1.57	689	40.0	210	IN	48	11	No
Sato	TR4085plus Resin Enhanced Wax	WPL-18103783	1.57	1,345	40.0	410	IN	48	18	No
Sato	TR4085plus Resin Enhanced Wax	WPL-18103783-6	1.57	1,345	40.0	410	IN	6	2	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166650	2.00	688	50.8	210	IN	36	9	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Sato	TR4085plus Resin Enhanced Wax	WPL-17166801	2.00	1,345	50.8	410	IN	36	19	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166801-6	2.00	1,345	50.8	410	IN	6	3	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166661	2.09	689	53.0	210	IN	36	10	No
Sato	TR4085plus Resin Enhanced Wax	WPL-18103784	2.09	1,345	53.0	410	IN	36	18	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166812	2.20	1,345	56.0	410	IN	36	19	No
Sato	TR4085plus Resin Enhanced Wax	WPL-18103809	2.36	1,345	60.0	410	IN	36	22	No
Sato	TR4085plus Resin Enhanced Wax	WPL-18103809-6	2.36	1,345	60.0	410	IN	6	4	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166672	2.52	688	64.0	210	IN	36	12	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166672-6	2.52	688	64.0	210	IN	6	2	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166823	2.52	1,345	64.0	410	IN	36	21	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166823-6	2.52	1,345	64.0	410	IN	6	4	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17164821	2.80	1,345	71.0	410	IN	36	24	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166694	3.00	688	76.2	210	IN	24	9	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166694-6	3.00	688	76.2	210	IN	6	2	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166834	3.00	1,345	76.2	410	IN	24	18	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166834-6	3.00	1,345	76.2	410	IN	6	5	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166708	3.14	688	80.0	210	IN	24	10	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Sato	TR4085plus Resin Enhanced Wax	WPL-18103810	3.15	1,345	80.0	410	IN	24	19	No
Sato	TR4085plus Resin Enhanced Wax	WPL-18103810-6	3.15	1,345	80.0	410	IN	6	4	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166845	3.26	1,345	83.0	410	IN	24	20	No
Sato	TR4085plus Resin Enhanced Wax	WPL-18103804	3.50	688	89.0	210	IN	24	11	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166856	3.50	1,345	89.0	410	IN	24	22	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166856-6	3.50	1,345	89.0	410	IN	6	5	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166867	3.58	1,345	91.0	410	IN	24	22	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166878	3.74	1,345	95.0	410	IN	24	23	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166731	4.00	688	101.6	210	IN	24	12	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166731-6	4.00	688	101.6	210	IN	6	3	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166889	4.00	1,345	101.6	410	IN	24	24	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166889-6	4.00	1,345	101.6	410	IN	6	6	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166742	4.17	688	106.0	210	IN	24	13	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17173823	4.17	1,345	106.0	410	IN	24	25	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17173823-6	4.17	1,345	106.0	410	IN	6	6	No
Sato	TR4085plus Resin Enhanced Wax	WPL-PL10237	4.17	1,345	106.0	410	IN	24	25	No
Sato	TR4085plus Resin Enhanced Wax	WPL-18105627	4.25	1,066	108.0	325	IN	24	19	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Sato	TR4085plus Resin Enhanced Wax	WPL-18105818	4.25	1,345	108.0	410	IN	24	24	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166753	4.33	688	110.0	210	IN	24	14	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166753-6	4.33	688	110.0	210	IN	6	3	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166890	4.33	1,345	110.0	410	IN	24	26	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166890-6	4.33	1,345	110.0	410	IN	6	7	No
Sato	TR4085plus Resin Enhanced Wax	WPL-18106711	4.33	1,345	110.0	410	IN	24	26	Yes
Sato	TR4085plus Resin Enhanced Wax	WPL-PL10133	4.33	1,345	110.0	410	IN	24	27	No
Sato	TR4085plus Resin Enhanced Wax	WPL-PL10899	4.33	1,345	110.0	410	IN	6	7	No
Sato	TR4085plus Resin Enhanced Wax	WPL-18100535	4.50	1,345	114.3	410	IN	24	26	No
Sato	TR4085plus Resin Enhanced Wax	WPL-18105075	4.72	1,345	120.0	410	IN	24	27	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166904	5.00	1,345	127.0	410	IN	24	28	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17166904-6	5.00	1,345	127.0	410	IN	6	7	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17152929	5.12	1,345	130.0	410	IN	24	31	No
Sato	TR4085plus Resin Enhanced Wax	WPL-17152929-6	5.12	1,345	130.0	410	IN	6	7	No
Sato	TR4085plus Resin Enhanced Wax	WPL-PL10749	5.11	1,345	130.0	410	IN	24	29	No
Sato	TRX-50 General Purpose Wax/Resin	WPL-18108108	2.36	1,345	60.0	410	IN	36	22	No
Sato	TRX-50 General Purpose Wax/Resin	WPL-18101745	2.52	1,345	64.0	410	IN	36	23	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Sato	TRX-50 General Purpose Wax/Resin	WPL-18100246	3.00	1,345	76.2	410	IN	24	19	No
Sato	TRX-50 General Purpose Wax/Resin	WPL-18105408	3.14	1,345	80.0	410	IN	24	18	No
Sato	TRX-50 General Purpose Wax/Resin	WPL-18104872	3.50	1,345	89.0	410	IN	24	21	No
Sato	TRX-50 General Purpose Wax/Resin	WPL-18100247	4.00	1,345	101.6	410	IN	24	23	No
Sato	TRX-50 General Purpose Wax/Resin	WPL-18100248	4.33	1,345	110.0	410	IN	24	24	No
Sato	TRX-50 General Purpose Wax/Resin	WPL-PL10148	4.33	1,345	110.0	410	IN	24	24	No
Sato	TRX-50 General Purpose Wax/Resin	WPL-18105407	4.50	1,345	114.3	410	IN	24	25	No
Sato	TRX-50 General Purpose Wax/Resin	WPL-18107300	4.72	1,968	120.0	600	IN	24	41	No
Sato	TRX-50 General Purpose Wax/Resin	WPL-18100269	5.00	1,345	127.0	410	IN	24	30	No
Sato	TRX-50 General Purpose Wax/Resin	WPL-18107593	5.12	1,345	130.0	410	IN	24	31	No
Sato	TRX-50 General Purpose Wax/Resin	WPL-18107601	5.51	1,345	140.0	410	IN	24	34	No
Sato	TRX-55 Premium Wax/Resin	WPL-18104824	1.00	1,345	25.4	410	IN	60	15	No
Sato	TRX-55 Premium Wax/Resin	WPL-18104992	1.49	1,345	38.0	410	IN	48	16	No
Sato	TRX-55 Premium Wax/Resin	WPL-18104337	2.00	1,345	50.8	410	IN	36	16	No
Sato	TRX-55 Premium Wax/Resin	WPL-18104338	2.36	1,345	60.0	410	IN	36	19	No
Sato	TRX-55 Premium Wax/Resin	WPL-18104064	2.52	1,345	64.0	410	IN	36	21	No
Sato	TRX-55 Premium Wax/Resin	WPL-18104064-6	2.52	1,345	64.0	410	IN	6	3	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Sato	TRX-55 Premium Wax/Resin	WPL-18104339	3.00	1,345	76.2	410	IN	24	19	No
Sato	TRX-55 Premium Wax/Resin	WPL-18104065	3.14	1,345	80.0	410	IN	24	17	No
Sato	TRX-55 Premium Wax/Resin	WPL-18104065-6	3.14	1,345	80.0	410	IN	6	4	No
Sato	TRX-55 Premium Wax/Resin	WPL-18107706	3.27	1,345	83.0	410	IN	24	22	No
Sato	TRX-55 Premium Wax/Resin	WPL-18107724	3.50	1,345	89.0	410	IN	24	24	No
Sato	TRX-55 Premium Wax/Resin	WPL-18104695	3.74	1,345	95.0	410	IN	24	21	No
Sato	TRX-55 Premium Wax/Resin	WPL-18104342	4.00	1,345	101.6	410	IN	24	22	No
Sato	TRX-55 Premium Wax/Resin	WPL-18104343	4.17	688	106.0	210	IN	24	12	No
Sato	TRX-55 Premium Wax/Resin	WPL-18104344	4.17	1,345	106.0	410	IN	24	26	No
Sato	TRX-55 Premium Wax/Resin	WPL-18104066	4.33	1,345	110.0	410	IN	24	27	No
Sato	TRX-55 Premium Wax/Resin	WPL-18104066-6	4.33	1,345	110.0	410	IN	6	6	No
Sato	TRX-55 Premium Wax/Resin	WPL-18104067	5.12	1,345	130.0	410	IN	24	28	No
Sato	TRX-55 Premium Wax/Resin	WPL-18104067-6	5.11	1,345	130.0	410	IN	6	8	No
Sato	V300 Versatility Defined Resin	WPL-18108045	1.50	1,345	38.0	410	IN	48	14	No
Sato	V300 Versatility Defined Resin	WPL-18108078	2.36	1,345	60.0	410	IN	12	5	No
Sato	V300 Versatility Defined Resin	WPL-18108036	3.50	1,345	89.0	410	IN	24	16	No
Sato	V300 Versatility Defined Resin	WPL-18107988	4.33	1,345	110.0	410	IN	12	10	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Sato	VR301 Durable Metallic Gold Resin	WPL-18106855	2.28	1,345	58.0	410	IN	12	7	No
Sato 1/2" CG4xx	Half Inch Wax	WPL-18107964	3.50	361	89.0	110	OUT	24	7	Yes
Sato 1/2" CG4xx	Half Inch Wax	WPL-18106978	4.33	361	110.0	110	OUT	24	8	Yes
Sato 1/2" CG4xx	R300 General Purpose Resin	WPL-18107747	4.33	361	110.0	110	OUT	24	6	Yes
SATO CL412E	R510C Silver Durable Resin	WPL-18106680	4.33	1,345	110.0	410	IN	24	26	No
SATO CL412E	R510C Silver Durable Resin	WPL-18106680-6	4.33	1,345	110.0	410	IN	6	7	No
Sato CL-608	M260 Ultra Durable Wax/Resin	WPL-18105801	6.50	1,345	165.1	410	IN	12	17	No
Sato CL-608	MP Mid Wax/Resin	WPL-18107926	6.50	1,345	165.1	410	IN	12	20	No
Sato CL-608	R300 General Purpose Resin	WPL-18107707	6.00	1,345	152.4	410	IN	12	14	No
Sato CL-608	R300 General Purpose Resin	WPL-18107740	6.50	1,345	165.1	410	IN	12	15	No
Sato CL-608	R510HF Ultra Durable Resin	WPL-18105233	6.00	1,345	152.4	410	IN	12	15	No
Sato CL-608	R510HF Ultra Durable Resin	WPL-18105732	6.50	1,345	165.1	410	IN	12	17	No
Sato CL-608	TR3370 High Opacity White Resin	WPL-18100140-6	6.50	1,345	165.1	410	IN	6	10	No
Sato CL-608	TR4070 Classic Resin	WPL-18100004	6.00	1,345	152.4	410	IN	12	15	No
Sato CL-608	TR4085plus Resin Enhanced Wax	WPL-18103807	6.00	688	152.4	210	IN	12	9	No
Sato CL-608	TR4085plus Resin Enhanced Wax	WPL-17168135	6.00	1,345	152.4	410	IN	12	18	No
Sato CL-608	TR4085plus Resin Enhanced Wax	WPL-17168135-6	6.00	1,345	152.4	410	IN	6	9	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Sato CL-608	TR4085plus Resin Enhanced Wax	WPL-PL10068	6.00	1,345	152.4	410	IN	12	18	No
Sato CL-608	TR4085plus Resin Enhanced Wax	WPL-PL11087	6.00	1,345	152.4	410	IN	6	9	No
Sato CL-608	TR4085plus Resin Enhanced Wax	WPL-18105491	6.14	1,345	156.0	410	IN	12	17	No
Sato CL-608	TR4085plus Resin Enhanced Wax	WPL-18100089	6.50	1,345	165.1	410	IN	12	19	No
Sato CL-608	TR4085plus Resin Enhanced Wax	WPL-18100089-6	6.50	1,345	165.1	410	IN	6	9	No
Sato CL-608	TR4085plus Resin Enhanced Wax	WPL-18106403	6.50	1,345	165.1	410	IN	12	18	Yes
Sato CL-608	TR4085plus Resin Enhanced Wax	WPL-PL10085	6.50	1,345	165.1	410	IN	12	19	No
Sato CL-608	TRX-50 General Purpose Wax/Resin	WPL-18100468	6.50	1,345	165.1	410	IN	12	18	No
Sato CL-608	TRX-55 Premium Wax/Resin	WPL-18104662	5.51	1,345	140.0	410	IN	24	30	No
Sato CL-608	TRX-55 Premium Wax/Resin	WPL-18104345	6.00	1,345	152.4	410	IN	12	16	No
Sato CL-608	TRX-55 Premium Wax/Resin	WPL-18104720	6.50	1,345	165.1	410	IN	12	20	No
Sato CL-612	TR4085plus Resin Enhanced Wax	WPL-18103985	6.73	1,345	171.0	410	IN	12	19	No
Sato CX-200	Half Inch Wax	WPL-18106753	3.28	459	83.5	140	OUT	36	11	No
Sato CX-200	Half Inch Wax	WPL-18104201	4.25	459	108.0	140	OUT	24	9	No
Sato CX-200	Half Inch Wax	WPL-18104201-12	4.25	459	108.0	140	OUT	12	5	No
Sato CX-200	R510HF Ultra Durable Resin	WPL-18106187	4.25	459	108.0	140	OUT	36	13	No
Sato CX-200	TRX-50 General Purpose Wax/Resin	WPL-18104244	4.25	459	108.0	140	OUT	36	14	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Sato M10E	M260 Ultra Durable Wax/Resin	WPL-18105425	10.74	1,181	273.0	360	IN	6	12	No
Sato M10E	MP Mid Wax/Resin	WPL-18107993	10.75	984	273.0	300	IN	6	12	No
Sato M10E	R300 General Purpose Resin	WPL-18107827	6.50	984	165.1	300	IN	12	11	No
Sato M10E	R300 General Purpose Resin	WPL-18107828	8.66	984	220.0	300	IN	12	15	No
Sato M10E	R300 General Purpose Resin	WPL-18106833	10.74	984	273.0	300	IN	12	17	No
Sato M10E	R316 Specialty Resin	WPL-18106128	10.74	1,181	273.0	360	IN	6	12	No
Sato M10E	TR4070 Classic Resin	WPL-18107961	6.50	984	165.1	300	IN	12	13	No
Sato M10E	TR4085plus Resin Enhanced Wax	WPL-18106784	6.50	984	165.1	300	IN	12	14	No
Sato M10E	TR4085plus Resin Enhanced Wax	WPL-18105636	8.66	984	220.0	300	IN	6	9	No
Sato M10E	TR4085plus Resin Enhanced Wax	WPL-18105101	10.74	984	273.0	300	IN	6	13	No
Sato M10E	TRX-50 General Purpose Wax/Resin	WPL-18107962	6.50	984	165.1	300	IN	12	15	No
Sato M10E	TRX-50 General Purpose Wax/Resin	WPL-18106193	10.74	984	273.0	300	IN	6	11	No
Sato M10E	TRX-55 Premium Wax/Resin	WPL-18105105	6.50	984	165.1	300	IN	6	7	No
Sato M8485S / M8490S / M8	R300 General Purpose Resin	WPL-18106065	1.00	1,968	25.4	600	IN	24	8	No
Sato M8485S / M8490S / M8	R300 General Purpose Resin	WPL-18105975	4.33	1,968	110.0	600	IN	24	26	No
Sato M8485S / M8490S / M8	R316 Specialty Resin	WPL-18105137	1.00	1,968	25.4	600	IN	60	21	No
Sato M8485S / M8490S / M8	R316 Specialty Resin	WPL-18104632	4.33	1,968	110.0	600	IN	24	31	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-18106356	1.49	1,968	38.0	600	IN	36	18	No
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-PL11696	1.49	1,968	38.0	600	IN	36	18	No
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-18107874	1.73	1,968	44.0	600	IN	24	15	No
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-18104666	2.08	1,968	53.0	600	IN	36	25	No
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-18107709	2.52	1,968	64.0	600	IN	24	22	No
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-18104957	3.22	1,968	82.0	600	IN	24	28	No
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-18104390	3.26	1,968	83.0	600	IN	24	28	No
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-18104819	3.54	1,640	90.0	500	IN	24	24	No
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-18105572	4.17	1,968	106.0	600	IN	24	35	No
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-18104818	4.33	1,640	110.0	500	IN	24	29	No
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-18104817	4.33	1,968	110.0	600	IN	24	35	No
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-18104817-12	4.33	1,968	110.0	600	IN	12	17	No
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-18104277	5.11	1,968	130.0	600	IN	24	43	No
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-18107366	5.51	1,345	140.0	410	IN	24	34	No
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-18105122	5.51	1,968	140.0	600	IN	24	44	No
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-18106729	6.00	1,968	152.4	600	IN	12	24	No
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-PL11829	6.00	1,968	152.4	600	IN	12	24	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Sato M8485S / M8490S / M8	TR4085plus Resin Enhanced Wax	WPL-18107898	6.50	1,968	165.1	600	IN	12	28	No
Sato M8485S / M8490S / M8	TRX-55 Premium Wax/Resin	WPL-18106449	2.00	1,968	50.8	600	IN	36	24	No
Sato M8485S / M8490S / M8	TRX-55 Premium Wax/Resin	WPL-18107923	2.36	1,968	60.0	600	IN	24	23	No
Sato M8485S / M8490S / M8	TRX-55 Premium Wax/Resin	WPL-18104570	3.50	1,476	89.0	450	IN	24	21	No
Sato M8485S / M8490S / M8	TRX-55 Premium Wax/Resin	WPL-18107119	4.33	1,968	110.0	600	IN	24	38	No
Sato M8485S / M8490S / M8	V300 Versatility Defined Resin	WPL-18108068	1.00	1,968	25.4	600	IN	24	6	No
Sato TG3	MP Wax	WPL-18107432	4.09	1,476	104.0	450	OUT	24	27	No
Sato TG3	TR4085plus Resin Enhanced Wax	WPL-18107118	1.00	1,476	25.4	450	OUT	60	15	No
Sato TG3	TR4085plus Resin Enhanced Wax	WPL-18106836	4.09	1,476	104.0	450	OUT	24	25	No
Sato TG3	TR4085plus Resin Enhanced Wax	WPL-18107140	8.50	1,476	216.0	450	OUT	12	28	No
Sato TG3	TRX-50 General Purpose Wax/Resin	WPL-18106985	4.09	1,476	104.0	450	OUT	24	25	No
Sharp Auto Pack	MP Wax	WPL-18107501	4.72	2,001	120.0	610	IN	24	42	No
Sharp Auto Pack	TR4085plus Resin Enhanced Wax	WPL-18104218	4.17	2,001	106.0	610	IN	24	37	No
Sharp Auto Pack	TR4085plus Resin Enhanced Wax	WPL-18103860	4.72	2,001	120.0	610	IN	24	40	No
Swing	M295HD High Density Near Edge Wax/Resin	WPL-18107686	3.00	1,640	76.2	500	IN	24	18	No
Swing	M295HD High Density Near Edge Wax/Resin	WPL-18107491	4.33	2,625	110.0	800	IN	12	21	No
Swing	M295HD High Density Near Edge Wax/Resin	WPL-18107583	5.12	3,281	130.0	1000	IN	12	30	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Swing	M295HD High Density Near Edge Wax/Resin	WPL-18107774	6.14	2,625	156.0	800	IN	12	29	No
Swing	M295HD High Density Near Edge Wax/Resin	WPL-18107840	8.66	1,476	220.0	450	IN	12	24	No
Swing	R396 High Speed Durable Near Edge Resin	WPL-18108011	2.17	1,968	55.0	600	IN	24	15	Yes
Tec B-452	M260 Ultra Durable Wax/Resin	WPL-18105733	4.33	984	110.0	300	OUT	18	17	No
Tec B-452	R316 Specialty Resin	WPL-18105583	4.33	984	110.0	300	OUT	18	16	No
Tec B-452	TR4070 Classic Resin	WPL-18106973	4.33	984	110.0	300	OUT	18	12	No
Tec B-452	TR4085plus Resin Enhanced Wax	WPL-18104709	3.14	984	80.0	300	OUT	18	14	No
Tec B-452	TR4085plus Resin Enhanced Wax	WPL-18102597	4.33	984	110.0	300	OUT	18	17	No
Tec B-472/B-572/SX4/EX4T1	M295C Bright White Specialty Near Edge Wax/Resin	WPL-18105717	2.00	1,968	50.8	600	OUT	24	16	No
Tec B-472/B-572/SX4/EX4T1	M295HD High Density Near Edge Wax/Resin	WPL-18107661	2.52	1,968	64.0	600	OUT	24	18	No
Tec B-472/B-572/SX4/EX4T1	M295HD High Density Near Edge Wax/Resin	WPL-18107649	4.17	1,968	106.0	600	OUT	24	30	No
Tec B-472/B-572/SX4/EX4T1	M295HD High Density Near Edge Wax/Resin	WPL-18107630	4.33	1,968	110.0	600	OUT	24	31	No
Tec B-472/B-572/SX4/EX4T1	R390 Near Edge Resin	WPL-18105869	2.08	1,968	53.0	600	OUT	24	12	No
Tec B-472/B-572/SX4/EX4T1	R390 Near Edge Resin	WPL-18106181	2.52	1,968	64.0	600	OUT	36	22	No
Tec B-472/B-572/SX4/EX4T1	R390 Near Edge Resin	WPL-18105514	4.17	1,968	106.0	600	OUT	24	31	No
Tec B-472/B-572/SX4/EX4T1	TR4500 Near Edge Premium Wax/Resin	WPL-18100231	2.09	1,968	53.0	600	OUT	36	28	No
Tec B-472/B-572/SX4/EX4T1	TR4500 Near Edge Premium Wax/Resin	WPL-18100232	2.52	1,968	64.0	600	OUT	36	31	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Tec B-472/B-572/SX4/EX4T1	TR4500 Near Edge Premium Wax/Resin	WPL-18103551	2.52	1,968	64.0	600	OUT	24	23	No
Tec B-472/B-572/SX4/EX4T1	TR4500 Near Edge Premium Wax/Resin	WPL-17176457	3.00	1,968	76.2	600	OUT	18	20	No
Tec B-472/B-572/SX4/EX4T1	TR4500 Near Edge Premium Wax/Resin	WPL-18105918	3.26	1,968	83.0	600	OUT	24	27	No
Tec B-472/B-572/SX4/EX4T1	TR4500 Near Edge Premium Wax/Resin	WPL-18100007	3.50	1,968	89.0	600	OUT	12	16	No
Tec B-472/B-572/SX4/EX4T1	TR4500 Near Edge Premium Wax/Resin	WPL-18100809	4.00	1,968	101.6	600	OUT	24	33	No
Tec B-472/B-572/SX4/EX4T1	TR4500 Near Edge Premium Wax/Resin	WPL-17176446	4.17	1,968	106.0	600	OUT	24	35	No
Tec B-472/B-572/SX4/EX4T1	TR4500 Near Edge Premium Wax/Resin	WPL-17176446-6	4.17	1,968	106.0	600	OUT	6	10	No
Tec B-472/B-572/SX4/EX4T1	TR4500 Near Edge Premium Wax/Resin	WPL-PL10079	4.17	1,968	106.0	600	OUT	24	35	No
Tec B-472/B-572/SX4/EX4T1	TR4500 Near Edge Premium Wax/Resin	WPL-18105879	4.33	1,968	110.0	600	OUT	24	39	No
Tec B-472/B-572/SX4/EX4T1	TR4500 Near Edge Premium Wax/Resin	WPL-18100008	4.50	1,968	114.3	600	OUT	12	20	No
Tec B-472/B-572/SX4/EX4T1	TR4500 Near Edge Premium Wax/Resin	WPL-18107817	6.00	1,968	152.4	600	OUT	12	27	No
Tec B-572/TEC SX5	R390 Near Edge Resin	WPL-18106251	2.16	1,968	55.0	600	OUT	24	13	No
Tec B-572/TEC SX5	R390 Near Edge Resin	WPL-18105592	5.11	1,968	130.0	600	OUT	12	18	No
Tec B-572/TEC SX5	TR4500 Near Edge Premium Wax/Resin	WPL-18100009	5.11	1,968	130.0	600	OUT	12	23	No
Tec B-872	R390 Near Edge Resin	WPL-18106472	6.50	984	165.1	300	OUT	6	5	No
Tec B-872	R390 Near Edge Resin	WPL-18105705	8.66	984	220.0	300	OUT	6	7	No
Tec B-872	TR4500 Near Edge Premium Wax/Resin	WPL-18100227	5.11	984	130.0	300	OUT	6	6	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Tec B-872	TR4500 Near Edge Premium Wax/Resin	WPL-18100228	6.00	984	152.4	300	OUT	6	6	No
Tec B-872	TR4500 Near Edge Premium Wax/Resin	WPL-18100229	6.50	984	165.1	300	OUT	6	7	No
Tec B-872	TR4500 Near Edge Premium Wax/Resin	WPL-18105848	6.85	984	174.0	300	OUT	6	7	No
Tec B-872	TR4500 Near Edge Premium Wax/Resin	WPL-18104741	7.00	984	177.8	300	OUT	6	8	No
Tec B-872	TR4500 Near Edge Premium Wax/Resin	WPL-18100230	8.66	984	220.0	300	OUT	6	9	No
Tec B-EV4T 1/2"	Half Inch Wax	WPL-18107116	2.50	328	63.5	100	OUT	24	4	Yes
TEC B-EX4T1	R390 Near Edge Resin	WPL-18107489	3.27	1,968	83.0	600	OUT	24	21	No
TEC B-EX4T2	R300 General Purpose Resin	WPL-18107508	2.36	1,968	60.0	600	OUT	12	8	No
TEC B-EX4T2	R300 General Purpose Resin	WPL-18107763	4.33	1,968	110.0	600	OUT	12	14	No
TEC B-EX4T2	R510C Silver Durable Resin	WPL-18106980	2.00	1,968	50.8	600	OUT	36	24	No
TEC B-EX4T2	TR4085plus Resin Enhanced Wax	WPL-18107465	4.50	1,968	114.3	600	OUT	12	20	No
TEC B-SA4	R510C Silver Durable Resin	WPL-18107574	2.36	984	60.0	300	OUT	10	4	No
TEC-852	TR4085plus Resin Enhanced Wax	WPL-18104981	6.50	984	165.1	300	OUT	6	7	No
TEC-852	TR4085plus Resin Enhanced Wax	WPL-18104980	8.66	984	220.0	300	OUT	6	12	No
Toro	R300 General Purpose Resin	WPL-18107902	4.33	361	110.0	110	OUT	24	6	Yes
TSC TTP225	TRX-50 General Purpose Wax/Resin	WPL-18107609	2.20	243	56.0	74	OUT	36	5	Yes
TSC TTP225	TRX-55 Premium Wax/Resin	WPL-18107710	2.20	243	56.0	74	OUT	36	5	Yes

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
TSC TTP2410M PRO SERIE	R395 Textile Resin	WPL-18107344	1.18	820	30.0	250	OUT	24	23	No
TSC TTP384M Series	MP Wax	WPL-18107997	4.33	984	110.0	300	OUT	12	10	No
TSC TTP384M Series	TR4085plus Resin Enhanced Wax	WPL-18108070	4.33	984	110.0	300	OUT	12	10	No
UBI 301/501/601	TR4085plus Resin Enhanced Wax	WPL-18105768	2.00	1,476	50.8	450	IN	36	18	No
UBI 301/501/601	TR4085plus Resin Enhanced Wax	WPL-18106097	3.00	1,476	76.2	450	IN	24	18	No
UBI 301/501/601	TR4085plus Resin Enhanced Wax	WPL-18105775	4.00	1,476	101.6	450	IN	24	25	No
UNKNOWN PRINTER	TR4085plus Resin Enhanced Wax	WPL-18105852	2.79	1,312	71.0	400	OUT	36	23	No
UNKNOWN PRINTER	TRX-50 General Purpose Wax/Resin	WPL-18105974	2.79	1,312	71.0	400	OUT	36	23	No
UNKNOWN PRINTER	TRX-55 Premium Wax/Resin	WPL-18106618	5.11	3,937	130.0	1200	OUT	5	16	No
UNKNOWN PRINTER	TRX-55 Premium Wax/Resin	WPL-18108055	5.12	4,265	130.0	1300	OUT	5	22	No
Videojet	M295C Bright White Specialty Near Edge Wax/Re:	WPL-18107794	1.00	1,968	25.4	600	OUT	24	9	Yes
Videojet	M295C Bright White Specialty Near Edge Wax/Re:	WPL-18105482	1.18	2,460	30.0	750	OUT	24	12	No
Videojet	M295C Bright White Specialty Near Edge Wax/Re:	WPL-18105529	1.18	2,460	30.0	750	OUT	24	12	Yes
Videojet	M295C Bright White Specialty Near Edge Wax/Re:	WPL-18108013	1.30	1,968	33.0	600	OUT	24	11	Yes
Videojet	M295C Bright White Specialty Near Edge Wax/Re:	WPL-18107955	2.17	1,968	55.0	600	OUT	12	9	Yes
Videojet	M295C Bright White Specialty Near Edge Wax/Re:	WPL-18105642	2.16	2,460	55.0	750	OUT	24	21	Yes
Videojet	M295C Bright White Specialty Near Edge Wax/Re:	WPL-18106873	4.33	1,476	110.0	450	OUT	24	26	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Videojet	M295C Silver Specialty Near Edge Wax/Resin	WPL-18105485	1.18	3,280	30.0	1000	OUT	12	6	No
Videojet	M295C Silver Specialty Near Edge Wax/Resin	WPL-18105527	1.18	3,280	30.0	1000	OUT	12	6	Yes
Videojet	M295C Silver Specialty Near Edge Wax/Resin	WPL-18105598	1.18	3,280	30.0	1000	OUT	36	18	Yes
Videojet	M295C Silver Specialty Near Edge Wax/Resin	WPL-18105712	2.16	2,460	55.0	750	OUT	24	17	Yes
Videojet	M295C Silver Specialty Near Edge Wax/Resin	WPL-18107581	2.17	3,281	55.0	1000	OUT	12	12	Yes
Videojet	M295C Silver Specialty Near Edge Wax/Resin	WPL-18107975	4.33	1,968	110.0	600	OUT	24	29	No
Videojet	M295C Silver Specialty Near Edge Wax/Resin	WPL-18108016	4.33	1,968	110.0	600	OUT	24	29	Yes
Videojet	M295HD High Density Near Edge Wax/Resin	WPL-18107793	1.00	1,968	25.4	600	OUT	24	7	Yes
Videojet	M295HD High Density Near Edge Wax/Resin	WPL-18107629	1.18	1,968	30.0	600	OUT	12	4	Yes
Videojet	M295HD High Density Near Edge Wax/Resin	WPL-18107599	1.18	3,281	30.0	1000	OUT	12	7	Yes
Videojet	M295HD High Density Near Edge Wax/Resin	WPL-18107505	1.30	1,968	33.0	600	OUT	24	9	Yes
Videojet	M295HD High Density Near Edge Wax/Resin	WPL-18107694	1.30	3,281	33.0	1000	OUT	12	8	No
Videojet	M295HD High Density Near Edge Wax/Resin	WPL-18108096	1.30	3,281	33.0	1000	OUT	12	8	Yes
Videojet	M295HD High Density Near Edge Wax/Resin	WPL-18107954	1.57	1,968	40.0	600	OUT	12	6	Yes
Videojet	M295HD High Density Near Edge Wax/Resin	WPL-18107916	2.17	1,968	55.0	600	OUT	24	16	No
Videojet	M295HD High Density Near Edge Wax/Resin	WPL-18107600	2.17	2,297	55.0	700	OUT	12	9	Yes
Videojet	M295HD High Density Near Edge Wax/Resin	WPL-18107430	2.17	3,281	55.0	1000	OUT	12	11	Yes

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Videojet	M295HD High Density Near Edge Wax/Resin	WPL-18107638	2.17	3,281	55.0	1000	OUT	12	13	No
Videojet	M295HD High Density Near Edge Wax/Resin	WPL-18108035	2.17	3,957	55.0	1200	OUT	12	15	Yes
Videojet	M295HD High Density Near Edge Wax/Resin	WPL-18108080	4.33	1,476	110.0	450	OUT	24	24	Yes
Videojet	M295HD High Density Near Edge Wax/Resin	WPL-18107418	4.33	1,968	110.0	600	OUT	24	27	Yes
Videojet	M295HD High Density Near Edge Wax/Resin	WPL-18107442	4.33	1,968	110.0	600	OUT	24	31	No
Videojet	M295HD High Density Near Edge Wax/Resin	WPL-18107631	4.33	1,968	110.0	600	OUT	24	31	No
Videojet	M295HD High Density Near Edge Wax/Resin	WPL-18107897	4.33	3,281	110.0	1000	OUT	12	26	Yes
Videojet	R390 Near Edge Resin	WPL-18107738	4.33	984	110.0	300	OUT	12	7	No
Videojet	R396 High Speed Durable Near Edge Resin	WPL-18106614	1.18	1,968	30.0	600	OUT	24	8	Yes
Videojet	R396 High Speed Durable Near Edge Resin	WPL-18105718	1.18	3,280	30.0	1000	OUT	12	6	Yes
Videojet	R396 High Speed Durable Near Edge Resin	WPL-18107917	1.30	1,968	33.0	600	OUT	24	9	No
Videojet	R396 High Speed Durable Near Edge Resin	WPL-18105711	2.16	3,280	55.0	1000	OUT	12	12	Yes
Videojet	R396 High Speed Durable Near Edge Resin	WPL-18106869	4.33	1,968	110.0	600	OUT	12	14	Yes
Videojet	TR4500 Near Edge Premium Wax/Resin	WPL-18104896	2.16	3,280	55.0	1000	OUT	12	16	No
Videojet	TR4500 Near Edge Premium Wax/Resin	WPL-18105039	3.00	1,968	76.2	600	OUT	12	12	No
Videojet	TR4500 Near Edge Premium Wax/Resin	WPL-18107307	4.33	2,297	110.0	700	OUT	12	22	Yes
Videojet 9550	M295HD High Density Near Edge Wax/Resin	WPL-18107943	2.17	2,723	55.0	830	IN	12	11	Yes

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Videojet 9550	M295HD High Density Near Edge Wax/Resin	WPL-18108030	3.00	2,723	76.2	830	IN	12	15	No
Videojet 9550	M295HD High Density Near Edge Wax/Resin	WPL-18107648	4.33	2,625	110.0	800	IN	12	21	Yes
Videojet 9550	R396 High Speed Durable Near Edge Resin	WPL-18107933	4.33	2,723	110.0	830	IN	12	21	No
Videojet 9550	TR4085plus Resin Enhanced Wax	WPL-18107971	2.17	2,723	55.0	830	IN	12	13	No
Videojet 9550	TR4085plus Resin Enhanced Wax	WPL-18107506	4.33	1,968	110.0	600	IN	12	19	No
Videojet 9550	TR4085plus Resin Enhanced Wax	WPL-18107339	4.33	2,625	110.0	800	IN	12	25	No
Videojet 9550	TR4085plus Resin Enhanced Wax	WPL-18108125	4.33	2,625	110.0	800	IN	12	25	Yes
Videojet 9550	TR4500 Near Edge Premium Wax/Resin	WPL-18107132	1.57	1,968	40.0	600	IN	24	14	No
Videojet 9550	TR4500 Near Edge Premium Wax/Resin	WPL-18107350	3.00	2,723	76.2	830	IN	12	18	No
Videojet 9550	TR4500 Near Edge Premium Wax/Resin	WPL-18106882	4.33	2,723	110.0	830	IN	12	26	Yes
Zebra	M260 Ultra Durable Wax/Resin	WPL-18106068	1.57	984	40.0	300	OUT	48	12	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105239	1.57	1,476	40.0	450	OUT	48	18	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18107460	2.00	1,476	50.8	450	OUT	24	12	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105426	2.36	1,476	60.0	450	OUT	36	23	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18106817	2.52	984	64.0	300	OUT	36	15	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18107326	2.52	1,968	64.0	600	OUT	24	20	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105587	3.14	984	80.0	300	OUT	36	19	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105587-12	3.15	984	80.0	300	OUT	12	6	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18106516	3.14	1,476	80.0	450	OUT	24	20	Yes
Zebra	M260 Ultra Durable Wax/Resin	WPL-18107448	3.15	1,476	80.0	450	OUT	24	19	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105427	3.26	1,476	83.0	450	OUT	24	21	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105427-6	3.27	1,476	83.0	450	OUT	6	5	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105497	3.50	984	89.0	300	OUT	24	14	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105429	3.50	1,476	89.0	450	OUT	24	20	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105430	4.00	984	101.6	300	OUT	24	16	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105244	4.00	1,476	101.6	450	OUT	24	25	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105445	4.17	1,476	106.0	450	OUT	24	24	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105431	4.33	984	110.0	300	OUT	24	19	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105245	4.33	1,476	110.0	450	OUT	24	25	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18106871	4.33	1,476	110.0	450	OUT	24	25	Yes
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105433	5.11	1,476	130.0	450	OUT	24	32	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18106491	5.51	1,476	140.0	450	OUT	24	31	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105443	6.00	1,476	152.4	450	OUT	12	18	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105434	6.50	1,476	165.1	450	OUT	12	21	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	M260 Ultra Durable Wax/Resin	WPL-PL11350	6.50	1,476	165.1	450	OUT	12	21	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18106146	6.85	984	174.0	300	OUT	12	13	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18106331	6.85	1,476	174.0	450	OUT	12	22	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18107345	7.00	1,476	177.8	450	OUT	12	22	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105435	7.24	1,476	184.0	450	OUT	12	21	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105674	8.50	1,476	216.0	450	OUT	12	24	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18105436	8.66	1,476	220.0	450	OUT	12	25	No
Zebra	M260 Ultra Durable Wax/Resin	WPL-18108046	8.66	1,476	220.0	450	OUT	12	27	Yes
Zebra	M260 Ultra Durable Wax/Resin	WPL-PL11492	8.66	1,476	220.0	450	OUT	12	25	No
Zebra	MP Mid Wax/Resin	WPL-18107925	1.57	1,476	40.0	450	OUT	24	10	No
Zebra	MP Mid Wax/Resin	WPL-18107930	2.00	1,476	50.8	450	OUT	36	20	No
Zebra	MP Mid Wax/Resin	WPL-18107807	2.36	984	60.0	300	OUT	36	16	No
Zebra	MP Mid Wax/Resin	WPL-18107810	2.36	1,476	60.0	450	OUT	36	24	No
Zebra	MP Mid Wax/Resin	WPL-18107792	3.15	984	80.0	300	OUT	24	14	No
Zebra	MP Mid Wax/Resin	WPL-18107792-6	3.15	984	80.0	300	OUT	6	4	No
Zebra	MP Mid Wax/Resin	WPL-18107814	3.15	1,476	80.0	450	OUT	24	21	No
Zebra	MP Mid Wax/Resin	WPL-18108040	3.27	1,476	83.0	450	OUT	24	22	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	MP Mid Wax/Resin	WPL-18108040-6	3.27	1,476	83.0	450	OUT	6	5	No
Zebra	MP Mid Wax/Resin	WPL-18107772	3.50	1,476	89.0	450	OUT	24	23	No
Zebra	MP Mid Wax/Resin	WPL-18107816	3.74	984	95.0	300	OUT	24	17	No
Zebra	MP Mid Wax/Resin	WPL-18107958	4.00	984	101.6	300	OUT	24	18	No
Zebra	MP Mid Wax/Resin	WPL-18107868	4.00	1,476	101.6	450	OUT	24	27	No
Zebra	MP Mid Wax/Resin	WPL-18107768	4.33	984	110.0	300	OUT	24	20	No
Zebra	MP Mid Wax/Resin	WPL-18107927	4.33	984	110.0	300	OUT	24	20	Yes
Zebra	MP Mid Wax/Resin	WPL-18107767	4.33	1,476	110.0	450	OUT	24	29	No
Zebra	MP Mid Wax/Resin	WPL-18107767-6	4.33	1,476	110.0	450	OUT	6	7	No
Zebra	MP Mid Wax/Resin	WPL-18108041	4.72	1,476	120.0	450	OUT	24	31	No
Zebra	MP Mid Wax/Resin	WPL-18107802	5.12	1,476	130.0	450	OUT	24	34	No
Zebra	MP Mid Wax/Resin	WPL-18107805	6.00	1,476	152.4	450	OUT	12	20	No
Zebra	MP Mid Wax/Resin	WPL-18107808	6.50	984	165.1	300	OUT	12	15	No
Zebra	MP Mid Wax/Resin	WPL-18107812	6.50	1,476	165.1	450	OUT	12	22	No
Zebra	MP Mid Wax/Resin	WPL-18107771	6.73	1,476	171.0	450	OUT	12	22	No
Zebra	MP Mid Wax/Resin	WPL-18107932	8.66	984	220.0	300	OUT	12	20	No
Zebra	MP Mid Wax/Resin	WPL-18107931	8.66	1,476	220.0	450	OUT	12	29	No

Whitehouse Printing Labeling Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	MP Wax	WPL-18107075	1.57	1,476	40.0	450	OUT	48	21	No
Zebra	MP Wax	WPL-18107075-24	1.57	1,476	40.0	450	OUT	24	10	No
Zebra	MP Wax	WPL-18107125	2.09	1,476	53.0	450	OUT	24	14	No
Zebra	MP Wax	WPL-18106935	2.36	1,476	60.0	450	OUT	24	16	No
Zebra	MP Wax	WPL-18107690	2.52	984	64.0	300	OUT	24	11	No
Zebra	MP Wax	WPL-18107620	3.00	984	76.2	300	OUT	36	20	No
Zebra	MP Wax	WPL-18107571	3.15	984	80.0	300	OUT	24	14	No
Zebra	MP Wax	WPL-18107280	3.15	1,476	80.0	450	OUT	24	21	No
Zebra	MP Wax	WPL-18106936	3.26	1,476	83.0	450	OUT	24	22	No
Zebra	MP Wax	WPL-18107509	3.50	1,476	89.0	450	OUT	24	23	No
Zebra	MP Wax	WPL-18107369	4.00	984	101.6	300	OUT	24	18	No
Zebra	MP Wax	WPL-18106938	4.00	1,476	101.6	450	OUT	24	26	No
Zebra	MP Wax	WPL-18107512	4.17	984	106.0	300	OUT	24	19	No
Zebra	MP Wax	WPL-18107121	4.17	1,476	106.0	450	OUT	24	28	No
Zebra	MP Wax	WPL-18106939	4.33	984	110.0	300	OUT	24	20	No
Zebra	MP Wax	WPL-18106940	4.33	1,476	110.0	450	OUT	24	28	No
Zebra	MP Wax	WPL-18107575	4.33	1,476	110.0	450	OUT	6	7	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	MP Wax	WPL-18107950	4.33	1,968	110.0	600	OUT	12	19	No
Zebra	MP Wax	WPL-18107604	4.50	984	114.3	300	OUT	24	20	No
Zebra	MP Wax	WPL-18107275	4.50	1,476	114.3	450	OUT	24	30	No
Zebra	MP Wax	WPL-18108123	5.12	984	130.0	300	OUT	24	23	No
Zebra	MP Wax	WPL-18106941	5.11	1,476	130.0	450	OUT	24	34	No
Zebra	MP Wax	WPL-18107670	5.51	984	140.0	300	OUT	24	25	No
Zebra	MP Wax	WPL-18107949	6.00	984	152.4	300	OUT	12	14	No
Zebra	MP Wax	WPL-18106943	6.00	1,476	152.4	450	OUT	12	20	No
Zebra	MP Wax	WPL-18107449	6.14	1,476	156.0	450	OUT	12	20	No
Zebra	MP Wax	WPL-18108129	6.50	984	165.1	300	OUT	12	15	No
Zebra	MP Wax	WPL-18106944	6.50	1,476	165.1	450	OUT	12	22	No
Zebra	MP Wax	WPL-18107434	7.00	1,476	177.8	450	OUT	12	23	No
Zebra	MP Wax	WPL-18106945	8.66	1,476	220.0	450	OUT	12	29	No
Zebra	R300 General Purpose Resin	WPL-18108038	1.00	1,476	25.4	450	OUT	24	5	No
Zebra	R300 General Purpose Resin	WPL-18102415	1.57	984	40.0	300	OUT	48	12	No
Zebra	R300 General Purpose Resin	WPL-18105515	1.57	984	40.0	300	OUT	36	9	No
Zebra	R300 General Purpose Resin	WPL-18105217	1.57	1,476	40.0	450	OUT	48	14	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	R300 General Purpose Resin	WPL-18105217-12	1.57	1,476	40.0	450	OUT	12	4	No
Zebra	R300 General Purpose Resin	WPL-18105217-6	1.57	1,476	40.0	450	OUT	6	3	No
Zebra	R300 General Purpose Resin	WPL-18105769	2.00	984	50.8	300	OUT	36	9	No
Zebra	R300 General Purpose Resin	WPL-17156820	2.00	1,476	50.8	450	OUT	36	17	No
Zebra	R300 General Purpose Resin	WPL-18105223	2.36	984	60.0	300	OUT	36	14	No
Zebra	R300 General Purpose Resin	WPL-18107249	2.36	984	60.0	300	OUT	6	3	No
Zebra	R300 General Purpose Resin	WPL-18105218	2.36	1,476	60.0	450	OUT	36	19	No
Zebra	R300 General Purpose Resin	WPL-18105218-12	2.36	1,476	60.0	450	OUT	12	8	No
Zebra	R300 General Purpose Resin	WPL-18105218-6	2.36	1,476	60.0	450	OUT	6	3	No
Zebra	R300 General Purpose Resin	WPL-18106279	2.36	1,476	60.0	450	OUT	36	16	Yes
Zebra	R300 General Purpose Resin	WPL-17163093-12	2.52	1,476	64.0	450	OUT	12	9	No
Zebra	R300 General Purpose Resin	WPL-17163093-6	2.52	1,476	64.0	450	OUT	6	3	No
Zebra	R300 General Purpose Resin	WPL-18105225	2.52	1,476	64.0	450	OUT	36	20	No
Zebra	R300 General Purpose Resin	WPL-PL11111	2.51	1,476	64.0	450	OUT	6	3	No
Zebra	R300 General Purpose Resin	WPL-18105378	2.79	984	71.0	300	OUT	36	13	No
Zebra	R300 General Purpose Resin	WPL-18105706	2.79	1,476	71.0	450	OUT	36	19	No
Zebra	R300 General Purpose Resin	WPL-18106712	3.00	984	76.2	300	OUT	24	9	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	R300 General Purpose Resin	WPL-18105214	3.14	984	80.0	300	OUT	24	12	No
Zebra	R300 General Purpose Resin	WPL-18105222	3.15	1,476	80.0	450	OUT	24	14	No
Zebra	R300 General Purpose Resin	WPL-18105222-12	3.15	1,476	80.0	450	OUT	12	7	No
Zebra	R300 General Purpose Resin	WPL-18105222-6	3.15	1,476	80.0	450	OUT	6	5	No
Zebra	R300 General Purpose Resin	WPL-18106513	3.15	1,476	80.0	450	OUT	24	17	Yes
Zebra	R300 General Purpose Resin	WPL-18105724	3.27	984	83.0	300	OUT	24	13	No
Zebra	R300 General Purpose Resin	WPL-18105368	3.27	1,476	83.0	450	OUT	24	18	No
Zebra	R300 General Purpose Resin	WPL-18105368-12	3.27	1,476	83.0	450	OUT	12	11	No
Zebra	R300 General Purpose Resin	WPL-18105368-6	3.27	1,476	83.0	450	OUT	6	5	No
Zebra	R300 General Purpose Resin	WPL-PL11860	3.26	1,476	83.0	450	OUT	6	5	No
Zebra	R300 General Purpose Resin	WPL-18106715	3.50	984	89.0	300	OUT	24	11	No
Zebra	R300 General Purpose Resin	WPL-18107743	3.50	1,148	89.0	350	OUT	24	14	No
Zebra	R300 General Purpose Resin	WPL-18103651	3.50	1,476	89.0	450	OUT	24	19	No
Zebra	R300 General Purpose Resin	WPL-PL11387	3.50	1,476	89.0	450	OUT	24	19	No
Zebra	R300 General Purpose Resin	WPL-18105922	3.74	1,476	95.0	450	OUT	36	26	No
Zebra	R300 General Purpose Resin	WPL-18105922-12	3.74	1,476	95.0	450	OUT	12	9	No
Zebra	R300 General Purpose Resin	WPL-18105795	4.00	984	101.6	300	OUT	24	13	No

Whitehouse Printing Labeling

Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	R300 General Purpose Resin	WPL-18105795-6	4.00	984	101.6	300	OUT	6	3	No
Zebra	R300 General Purpose Resin	WPL-18105557	4.00	1,476	101.6	450	OUT	24	21	No
Zebra	R300 General Purpose Resin	WPL-18107315	4.17	1,476	106.0	450	OUT	24	21	No
Zebra	R300 General Purpose Resin	WPL-18105215	4.33	984	110.0	300	OUT	24	16	No
Zebra	R300 General Purpose Resin	WPL-18105215-12	4.33	984	110.0	300	OUT	12	7	No
Zebra	R300 General Purpose Resin	WPL-18105901	4.33	984	110.0	300	OUT	24	14	Yes
Zebra	R300 General Purpose Resin	WPL-18105901-6	4.33	984	110.0	300	OUT	6	4	Yes
Zebra	R300 General Purpose Resin	WPL-18105216	4.33	1,476	110.0	450	OUT	24	23	No
Zebra	R300 General Purpose Resin	WPL-18105216-12	4.33	1,476	110.0	450	OUT	12	13	No
Zebra	R300 General Purpose Resin	WPL-18105216-6	4.33	1,476	110.0	450	OUT	6	6	No
Zebra	R300 General Purpose Resin	WPL-18106278	4.33	1,476	110.0	450	OUT	24	20	Yes
Zebra	R300 General Purpose Resin	WPL-PL11179	4.33	1,476	110.0	450	OUT	6	6	No
Zebra	R300 General Purpose Resin	WPL-18105568	4.50	1,476	114.3	450	OUT	24	23	No
Zebra	R300 General Purpose Resin	WPL-18105372	5.12	984	130.0	300	OUT	24	16	No
Zebra	R300 General Purpose Resin	WPL-18105369	5.12	1,476	130.0	450	OUT	24	27	No
Zebra	R300 General Purpose Resin	WPL-18106616	5.51	984	140.0	300	OUT	24	17	No
Zebra	R300 General Purpose Resin	WPL-18105802	5.51	1,476	140.0	450	OUT	12	13	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	R300 General Purpose Resin	WPL-18107728	6.00	984	152.4	300	OUT	24	20	No
Zebra	R300 General Purpose Resin	WPL-18105556	6.00	1,476	152.4	450	OUT	12	16	No
Zebra	R300 General Purpose Resin	WPL-PL11547	6.00	1,476	152.4	450	OUT	12	16	No
Zebra	R300 General Purpose Resin	WPL-18107691	6.14	1,476	156.0	450	OUT	24	30	No
Zebra	R300 General Purpose Resin	WPL-18108000	6.14	1,476	156.0	450	OUT	6	8	No
Zebra	R300 General Purpose Resin	WPL-18107729	6.50	984	165.1	300	OUT	24	22	No
Zebra	R300 General Purpose Resin	WPL-18105371	6.50	1,476	165.1	450	OUT	12	18	No
Zebra	R300 General Purpose Resin	WPL-PL10637	6.50	1,476	165.1	450	OUT	12	18	No
Zebra	R300 General Purpose Resin	WPL-18105373	6.73	984	171.0	300	OUT	12	13	No
Zebra	R300 General Purpose Resin	WPL-18104714	6.73	1,476	171.0	450	OUT	12	15	No
Zebra	R300 General Purpose Resin	WPL-18107839	7.00	1,476	177.8	450	OUT	12	17	No
Zebra	R300 General Purpose Resin	WPL-18107908	8.66	984	220.0	300	OUT	12	15	No
Zebra	R300 General Purpose Resin	WPL-18105498	8.66	1,476	220.0	450	OUT	12	23	No
Zebra	R316 Specialty Resin	WPL-18106661	1.57	1,476	40.0	450	OUT	36	13	No
Zebra	R316 Specialty Resin	WPL-18104635	2.00	1,476	50.8	450	OUT	36	19	No
Zebra	R316 Specialty Resin	WPL-18105567	2.36	1,476	60.0	450	OUT	36	21	No
Zebra	R316 Specialty Resin	WPL-18104612	2.52	984	64.0	300	OUT	36	14	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	R316 Specialty Resin	WPL-18105579	2.79	984	71.0	300	OUT	36	16	No
Zebra	R316 Specialty Resin	WPL-18105547	2.79	1,476	71.0	450	OUT	24	15	No
Zebra	R316 Specialty Resin	WPL-18104639	3.14	1,476	80.0	450	OUT	24	17	No
Zebra	R316 Specialty Resin	WPL-18104614	3.26	984	83.0	300	OUT	24	12	No
Zebra	R316 Specialty Resin	WPL-18105392	3.26	1,476	83.0	450	OUT	24	18	No
Zebra	R316 Specialty Resin	WPL-18104615	3.50	1,476	89.0	450	OUT	24	19	No
Zebra	R316 Specialty Resin	WPL-18105632	4.00	1,476	101.6	450	OUT	24	24	No
Zebra	R316 Specialty Resin	WPL-18105092	4.17	1,476	106.0	450	OUT	24	23	No
Zebra	R316 Specialty Resin	WPL-18105690	4.33	984	110.0	300	OUT	24	16	No
Zebra	R316 Specialty Resin	WPL-18105389	4.33	1,476	110.0	450	OUT	24	26	No
Zebra	R316 Specialty Resin	WPL-18105389-6	4.33	1,476	110.0	450	OUT	6	7	No
Zebra	R316 Specialty Resin	WPL-PL11354	4.33	1,476	110.0	450	OUT	24	26	No
Zebra	R316 Specialty Resin	WPL-18105624	5.11	984	130.0	300	OUT	24	19	No
Zebra	R316 Specialty Resin	WPL-18105402	6.00	1,476	152.4	450	OUT	12	16	No
Zebra	R316 Specialty Resin	WPL-18105393	6.50	1,476	165.1	450	OUT	12	18	No
Zebra	R316 Specialty Resin	WPL-18107306	8.66	1,476	220.0	450	OUT	12	25	No
Zebra	R395 Textile Resin	WPL-18107671	1.18	1,476	30.0	450	OUT	24	7	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	R395 Textile Resin	WPL-18107378	1.50	984	38.0	300	OUT	48	12	No
Zebra	R395 Textile Resin	WPL-18108001	2.00	984	50.8	300	OUT	24	8	No
Zebra	R395 Textile Resin	WPL-18107594	2.36	1,476	60.0	450	OUT	24	14	No
Zebra	R395 Textile Resin	WPL-18107385	2.80	984	71.0	300	OUT	36	17	No
Zebra	R395 Textile Resin	WPL-18107865	3.00	1,476	76.2	450	OUT	24	18	No
Zebra	R395 Textile Resin	WPL-18107386	3.50	984	89.0	300	OUT	24	14	No
Zebra	R395 Textile Resin	WPL-18107387	4.00	984	101.6	300	OUT	24	16	No
Zebra	R395 Textile Resin	WPL-18107753	4.33	984	110.0	300	OUT	24	17	No
Zebra	R395 Textile Resin	WPL-18107388	4.33	1,476	110.0	450	OUT	24	25	No
Zebra	R395 Textile Resin	WPL-18107572	35.83	1,476	910.0	450	OUT	10	87	No
Zebra	R510C Blue (2935) Durable Resin	WPL-18106891	1.49	984	38.0	300	OUT	12	3	No
Zebra	R510C Blue (2935) Durable Resin	WPL-18106459	2.52	984	64.0	300	OUT	36	16	No
Zebra	R510C Blue (2935) Durable Resin	WPL-18106459-12	2.52	984	64.0	300	OUT	12	6	No
Zebra	R510C Blue (2935) Durable Resin	WPL-18106346	3.00	984	76.2	300	OUT	36	20	No
Zebra	R510C Blue (2935) Durable Resin	WPL-18106215	4.33	984	110.0	300	OUT	24	19	No
Zebra	R510C Blue (2935) Durable Resin	WPL-18106215-6	4.33	984	110.0	300	OUT	6	5	No
Zebra	R510C Blue (2935) Durable Resin	WPL-18106266	4.33	1,476	110.0	450	OUT	24	28	No

Whitehouse Printing Labeling

Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	R510C Blue (2935) Durable Resin	WPL-18106981	6.00	984	152.4	300	OUT	6	6	No
Zebra	R510C Blue (2935) Durable Resin	WPL-18107301	6.85	984	174.0	300	OUT	12	16	No
Zebra	R510C Blue (2935) Durable Resin	WPL-PL12127	6.85	984	174.0	300	OUT	12	16	No
Zebra	R510C Blue (2935) Durable Resin	WPL-18107668	8.66	984	220.0	300	OUT	12	20	No
Zebra	R510C Blue (2935) Durable Resin	WPL-18106191	8.66	1,476	220.0	450	OUT	12	28	No
Zebra	R510C Green (347) Durable Resin	WPL-18106892	1.49	984	38.0	300	OUT	12	3	No
Zebra	R510C Green (347) Durable Resin	WPL-18106261	2.52	984	64.0	300	OUT	36	17	No
Zebra	R510C Green (347) Durable Resin	WPL-18106261-12	2.52	984	64.0	300	OUT	12	6	No
Zebra	R510C Green (347) Durable Resin	WPL-18107305	3.27	984	83.0	300	OUT	6	4	No
Zebra	R510C Green (347) Durable Resin	WPL-18106375	4.33	984	110.0	300	OUT	24	2	No
Zebra	R510C Green (347) Durable Resin	WPL-18106375-6	4.33	984	110.0	300	OUT	6	5	No
Zebra	R510C Green (347) Durable Resin	WPL-18106275	4.33	1,476	110.0	450	OUT	24	28	No
Zebra	R510C Red (185) Durable Resin	WPL-18107304	1.50	984	38.0	300	OUT	12	3	No
Zebra	R510C Red (185) Durable Resin	WPL-18106336	2.52	984	64.0	300	OUT	36	17	No
Zebra	R510C Red (185) Durable Resin	WPL-18106336-12	2.52	984	64.0	300	OUT	12	6	No
Zebra	R510C Red (185) Durable Resin	WPL-18106182	3.26	984	83.0	300	OUT	36	22	No
Zebra	R510C Red (185) Durable Resin	WPL-18106931	3.50	1,476	89.0	450	OUT	24	23	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	R510C Red (185) Durable Resin	WPL-18106210	4.33	984	110.0	300	OUT	24	19	No
Zebra	R510C Red (185) Durable Resin	WPL-18106210-6	4.33	984	110.0	300	OUT	6	5	No
Zebra	R510C Red (185) Durable Resin	WPL-18106865	6.00	984	152.4	300	OUT	12	13	No
Zebra	R510C Red (185) Durable Resin	WPL-18107669	8.66	984	220.0	300	OUT	12	20	No
Zebra	R510C Silver Durable Resin	WPL-18106238	2.36	984	60.0	300	OUT	36	16	No
Zebra	R510C Silver Durable Resin	WPL-18108006	3.15	1,476	80.0	450	OUT	24	21	No
Zebra	R510C Silver Durable Resin	WPL-18106407	4.33	984	110.0	300	OUT	24	19	No
Zebra	R510C Silver Durable Resin	WPL-18106407-6	4.33	984	110.0	300	OUT	6	5	No
Zebra	R510C Silver Durable Resin	WPL-18106240	5.11	984	130.0	300	OUT	24	23	No
Zebra	R510HF Ultra Durable Resin	WPL-18105894	1.00	984	25.4	300	OUT	72	12	No
Zebra	R510HF Ultra Durable Resin	WPL-PL11788	1.00	984	25.4	300	OUT	72	12	No
Zebra	R510HF Ultra Durable Resin	WPL-18106719	1.00	1,968	25.4	600	OUT	36	11	No
Zebra	R510HF Ultra Durable Resin	WPL-18105291	1.57	984	40.0	300	OUT	48	13	No
Zebra	R510HF Ultra Durable Resin	WPL-18106706	1.57	984	40.0	300	OUT	24	6	Yes
Zebra	R510HF Ultra Durable Resin	WPL-18105220	1.57	1,476	40.0	450	OUT	48	18	No
Zebra	R510HF Ultra Durable Resin	WPL-18105220-12	1.57	1,476	40.0	450	OUT	12	4	No
Zebra	R510HF Ultra Durable Resin	WPL-18105220-6	1.57	1,476	40.0	450	OUT	6	2	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	R510HF Ultra Durable Resin	WPL-18105777	1.57	1,476	40.0	450	OUT	48	18	Yes
Zebra	R510HF Ultra Durable Resin	WPL-PL11335	1.57	1,476	40.0	450	OUT	48	18	No
Zebra	R510HF Ultra Durable Resin	WPL-18105293	1.77	1,476	45.0	450	OUT	48	20	No
Zebra	R510HF Ultra Durable Resin	WPL-18105287	2.00	1,476	50.8	450	OUT	36	18	No
Zebra	R510HF Ultra Durable Resin	WPL-18105897	2.16	984	55.0	300	OUT	36	13	No
Zebra	R510HF Ultra Durable Resin	WPL-18106863	2.17	1,476	55.0	450	OUT	36	18	Yes
Zebra	R510HF Ultra Durable Resin	WPL-18105234	2.36	984	60.0	300	OUT	36	15	No
Zebra	R510HF Ultra Durable Resin	WPL-PL11233	2.36	984	60.0	300	OUT	36	15	No
Zebra	R510HF Ultra Durable Resin	WPL-18105284	2.36	1,476	60.0	450	OUT	36	21	No
Zebra	R510HF Ultra Durable Resin	WPL-18105284-12	2.36	1,476	60.0	450	OUT	12	9	No
Zebra	R510HF Ultra Durable Resin	WPL-18105284-6	2.36	1,476	60.0	450	OUT	6	3	No
Zebra	R510HF Ultra Durable Resin	WPL-18105773	2.52	984	64.0	300	OUT	24	10	No
Zebra	R510HF Ultra Durable Resin	WPL-18105243	2.52	1,476	64.0	450	OUT	36	23	No
Zebra	R510HF Ultra Durable Resin	WPL-18105243-12	2.52	1,476	64.0	450	OUT	12	10	No
Zebra	R510HF Ultra Durable Resin	WPL-18105243-6	2.52	1,476	64.0	450	OUT	6	4	No
Zebra	R510HF Ultra Durable Resin	WPL-18105078	2.80	1,476	71.0	450	OUT	24	16	No
Zebra	R510HF Ultra Durable Resin	WPL-18103030	3.14	984	80.0	300	OUT	24	12	Yes

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	R510HF Ultra Durable Resin	WPL-18105289	3.26	984	83.0	300	OUT	24	13	No
Zebra	R510HF Ultra Durable Resin	WPL-18105286	3.27	1,476	83.0	450	OUT	24	19	No
Zebra	R510HF Ultra Durable Resin	WPL-18105286-12	3.26	1,476	83.0	450	OUT	12	9	No
Zebra	R510HF Ultra Durable Resin	WPL-18105286-6	3.26	1,476	83.0	450	OUT	6	5	No
Zebra	R510HF Ultra Durable Resin	WPL-PL11310	3.27	1,476	83.0	450	OUT	24	19	No
Zebra	R510HF Ultra Durable Resin	WPL-18105290	3.50	1,476	89.0	450	OUT	24	21	No
Zebra	R510HF Ultra Durable Resin	WPL-18105789	3.74	1,476	95.0	450	OUT	24	21	No
Zebra	R510HF Ultra Durable Resin	WPL-18105943	4.00	984	101.6	300	OUT	24	16	No
Zebra	R510HF Ultra Durable Resin	WPL-18105235	4.33	984	110.0	300	OUT	24	18	No
Zebra	R510HF Ultra Durable Resin	WPL-18105235-6	4.33	984	110.0	300	OUT	6	5	No
Zebra	R510HF Ultra Durable Resin	WPL-18106447-6	4.33	984	110.0	300	OUT	6	4	No
Zebra	R510HF Ultra Durable Resin	WPL-18107718	4.33	984	110.0	300	OUT	24	18	Yes
Zebra	R510HF Ultra Durable Resin	WPL-PL11359	4.33	984	110.0	300	OUT	24	18	No
Zebra	R510HF Ultra Durable Resin	WPL-PL11723	4.33	984	110.0	300	OUT	6	4	No
Zebra	R510HF Ultra Durable Resin	WPL-18105285	4.33	1,476	110.0	450	OUT	24	25	No
Zebra	R510HF Ultra Durable Resin	WPL-18105285-12	4.33	1,476	110.0	450	OUT	12	14	No
Zebra	R510HF Ultra Durable Resin	WPL-18105285-6	4.33	1,476	110.0	450	OUT	6	7	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	R510HF Ultra Durable Resin	WPL-PL11325	4.33	1,476	110.0	450	OUT	24	25	No
Zebra	R510HF Ultra Durable Resin	WPL-18105827	5.11	984	130.0	300	OUT	24	20	No
Zebra	R510HF Ultra Durable Resin	WPL-18105647	5.12	1,476	130.0	450	OUT	24	29	No
Zebra	R510HF Ultra Durable Resin	WPL-18107582	5.12	1,476	130.0	450	OUT	24	31	Yes
Zebra	R510HF Ultra Durable Resin	WPL-18105499	6.00	984	152.4	300	OUT	12	12	No
Zebra	R510HF Ultra Durable Resin	WPL-18105722	6.00	1,476	152.4	450	OUT	12	17	No
Zebra	R510HF Ultra Durable Resin	WPL-18105602	6.50	984	165.1	300	OUT	12	14	No
Zebra	R510HF Ultra Durable Resin	WPL-18105492	6.50	1,476	165.1	450	OUT	12	19	No
Zebra	R510HF Ultra Durable Resin	WPL-PL11418	6.50	1,476	165.1	450	OUT	12	19	No
Zebra	R510HF Ultra Durable Resin	WPL-18107664	6.73	984	171.0	300	OUT	12	14	No
Zebra	R510HF Ultra Durable Resin	WPL-18105292	7.24	1,476	184.0	450	OUT	12	20	No
Zebra	R510HF Ultra Durable Resin	WPL-18102039	8.66	984	220.0	300	OUT	12	17	No
Zebra	R510HF Ultra Durable Resin	WPL-18105288	8.66	1,476	220.0	450	OUT	12	24	No
Zebra	R510HF Ultra Durable Resin	WPL-18106698	8.66	1,476	220.0	450	OUT	6	12	No
Zebra	R510W White Durable Resin	WPL-18105474	1.49	1,476	38.0	450	OUT	48	25	No
Zebra	R510W White Durable Resin	WPL-18106867	1.57	984	40.0	300	OUT	48	15	No
Zebra	R510W White Durable Resin	WPL-18105473	1.77	1,476	45.0	450	OUT	48	25	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	R510W White Durable Resin	WPL-18107208	2.00	984	50.8	300	OUT	36	15	No
Zebra	R510W White Durable Resin	WPL-18107208-6	2.00	984	50.8	300	OUT	6	3	No
Zebra	R510W White Durable Resin	WPL-18106168	2.52	984	64.0	300	OUT	36	18	No
Zebra	R510W White Durable Resin	WPL-18105794	3.27	984	83.0	300	OUT	24	17	No
Zebra	R510W White Durable Resin	WPL-18105794-6	3.27	984	83.0	300	OUT	6	4	No
Zebra	R510W White Durable Resin	WPL-18105804	3.26	1,476	83.0	450	OUT	24	23	No
Zebra	R510W White Durable Resin	WPL-18106930	3.50	1,476	89.0	450	OUT	24	24	No
Zebra	R510W White Durable Resin	WPL-18105899	4.00	1,476	101.6	450	OUT	24	28	No
Zebra	R510W White Durable Resin	WPL-18105899-6	4.00	1,476	101.6	450	OUT	6	9	No
Zebra	R510W White Durable Resin	WPL-18105516	4.33	984	110.0	300	OUT	24	24	No
Zebra	R510W White Durable Resin	WPL-18106425	4.33	1,476	110.0	450	OUT	24	30	No
Zebra	R510W White Durable Resin	WPL-18106137	5.51	984	140.0	300	OUT	24	26	No
Zebra	R510W White Durable Resin	WPL-18105927	6.00	1,476	152.4	450	OUT	12	21	No
Zebra	R510W White Durable Resin	WPL-18106424	6.14	1,476	156.0	450	OUT	12	21	No
Zebra	R510W White Durable Resin	WPL-18107622	6.73	1,476	171.0	450	OUT	12	25	No
Zebra	R510W White Durable Resin	WPL-18106194	8.66	984	220.0	300	OUT	12	21	No
Zebra	R510W White Durable Resin	WPL-18106189	8.66	1,476	220.0	450	OUT	12	30	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	R550 Extreme Durable Resin	WPL-18107759	2.36	984	60.0	300	OUT	24	9	No
Zebra	R550 Extreme Durable Resin	WPL-18107698	3.15	1,476	80.0	450	OUT	24	18	No
Zebra	R550 Extreme Durable Resin	WPL-18107698-6	3.15	1,476	80.0	450	OUT	6	5	No
Zebra	R550 Extreme Durable Resin	WPL-18107989	3.50	1,476	89.0	450	OUT	24	20	No
Zebra	R550 Extreme Durable Resin	WPL-18107685	4.33	984	110.0	300	OUT	12	9	No
Zebra	R600 Resin	WPL-18107722	2.36	1,476	60.0	450	OUT	24	12	No
Zebra	R600 Resin	WPL-18107843	2.80	1,476	71.0	450	OUT	24	14	No
Zebra	R600 Resin	WPL-18107883	3.50	984	89.0	300	OUT	6	3	No
Zebra	R600 Resin	WPL-18107696	3.50	1,476	89.0	450	OUT	24	18	No
Zebra	R600 Resin	WPL-18107689	4.33	1,476	110.0	450	OUT	6	5	No
Zebra	R600 Resin	WPL-18107721	5.51	1,476	140.0	450	OUT	24	28	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-18103937-12	2.00	984	50.8	300	OUT	12	4	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-18103939	3.00	984	76.2	300	OUT	24	13	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-18103939-6	3.00	984	76.2	300	OUT	6	3	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-18106747	3.14	984	80.0	300	OUT	24	14	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-17168353	3.50	984	89.0	300	OUT	24	15	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-17168353-6	3.50	984	89.0	300	OUT	6	4	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-18103941	4.00	984	101.6	300	OUT	24	18	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-18103941-6	4.00	984	101.6	300	OUT	6	4	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-PL11428	4.00	984	101.6	300	OUT	6	4	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-17110109	4.33	984	110.0	300	OUT	24	19	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-17110109-6	4.33	984	110.0	300	OUT	6	5	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-PL10004	4.33	984	110.0	300	OUT	24	19	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-PL10398	4.33	984	110.0	300	OUT	6	5	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-18100299	4.33	1,476	110.0	450	OUT	24	28	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-17110121	5.11	984	130.0	300	OUT	24	23	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-17110121-6	5.11	984	130.0	300	OUT	6	6	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-18100077-6	6.73	984	171.0	300	OUT	6	7	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-PL10248	6.73	984	171.0	300	OUT	6	7	No
Zebra	TR3021 Red (1787C) General Purpose Wax	WPL-18107821	8.66	984	220.0	300	OUT	6	10	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-18103951-12	2.00	984	50.8	300	OUT	12	5	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-18103953	3.00	984	76.2	300	OUT	24	13	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-18103953-6	3.00	984	76.2	300	OUT	6	4	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-18100527	3.50	984	89.0	300	OUT	24	15	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-18100527-6	3.50	984	89.0	300	OUT	6	4	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-18103955	4.00	984	101.6	300	OUT	24	18	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-18103955-6	4.00	984	101.6	300	OUT	6	4	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-PL11681	4.00	984	101.6	300	OUT	6	4	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-17110154	4.33	984	110.0	300	OUT	24	21	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-17110154-6	4.33	984	110.0	300	OUT	6	5	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-PL10111	4.33	984	110.0	300	OUT	24	21	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-PL10169	4.33	984	110.0	300	OUT	6	5	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-17110165	5.11	984	130.0	300	OUT	24	23	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-17110165-6	5.11	984	130.0	300	OUT	6	6	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-18107592	6.00	984	152.4	300	OUT	6	7	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-18100081-6	6.73	984	171.0	300	OUT	6	7	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-PL10254	6.73	984	171.0	300	OUT	6	7	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-18106860	8.50	984	216.0	300	OUT	6	9	No
Zebra	TR3022 Blue (286C) General Purpose Wax	WPL-18107099	8.66	984	220.0	300	OUT	12	19	No
Zebra	TR3023 Green (3405C) General Purpose Wax	WPL-18107159	1.73	1,476	44.0	450	OUT	24	12	No
Zebra	TR3023 Green (3405C) General Purpose Wax	WPL-17156956	3.50	984	89.0	300	OUT	24	15	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TR3023 Green (3405C) General Purpose Wax	WPL-17156956-6	3.50	984	89.0	300	OUT	6	4	No
Zebra	TR3023 Green (3405C) General Purpose Wax	WPL-17110213	4.33	984	110.0	300	OUT	24	21	No
Zebra	TR3023 Green (3405C) General Purpose Wax	WPL-17110213-6	4.33	984	110.0	300	OUT	6	5	No
Zebra	TR3023 Green (3405C) General Purpose Wax	WPL-PL10513	4.33	984	110.0	300	OUT	6	5	No
Zebra	TR3023 Green (3405C) General Purpose Wax	WPL-18107748	4.33	1,476	110.0	450	OUT	24	30	No
Zebra	TR3023 Green (3405C) General Purpose Wax	WPL-17110327	5.11	984	130.0	300	OUT	24	23	No
Zebra	TR3023 Green (3405C) General Purpose Wax	WPL-17110327-6	5.11	984	130.0	300	OUT	6	6	No
Zebra	TR3023 Green (3405C) General Purpose Wax	WPL-18100197-6	6.73	984	171.0	300	OUT	6	7	No
Zebra	TR3370 High Opacity White Resin	WPL-18106613	1.57	984	40.0	300	OUT	48	14	No
Zebra	TR3370 High Opacity White Resin	WPL-PL11755	1.57	984	40.0	300	OUT	48	14	No
Zebra	TR3370 High Opacity White Resin	WPL-18106835	1.57	1,476	40.0	450	OUT	24	10	No
Zebra	TR3370 High Opacity White Resin	WPL-18107141	1.73	984	44.0	300	OUT	24	8	No
Zebra	TR3370 High Opacity White Resin	WPL-18106866	2.00	1,476	50.8	450	OUT	36	19	No
Zebra	TR3370 High Opacity White Resin	WPL-18100141-12	2.36	984	60.0	300	OUT	12	8	No
Zebra	TR3370 High Opacity White Resin	WPL-18106262	2.36	1,246	60.0	380	OUT	24	13	No
Zebra	TR3370 High Opacity White Resin	WPL-18103901	2.36	1,476	60.0	450	OUT	36	23	No
Zebra	TR3370 High Opacity White Resin	WPL-18105406	2.52	1,476	64.0	450	OUT	24	16	No

Whitehouse Printing Labeling Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TR3370 High Opacity White Resin	WPL-18107406	2.80	984	71.0	300	OUT	36	20	No
Zebra	TR3370 High Opacity White Resin	WPL-18107406-6	2.80	984	71.0	300	OUT	6	3	No
Zebra	TR3370 High Opacity White Resin	WPL-18104787-6	3.15	984	80.0	300	OUT	6	5	No
Zebra	TR3370 High Opacity White Resin	WPL-18100142	3.26	984	83.0	300	OUT	24	14	No
Zebra	TR3370 High Opacity White Resin	WPL-18100142-6	3.26	984	83.0	300	OUT	6	6	No
Zebra	TR3370 High Opacity White Resin	WPL-PL10964	3.26	984	83.0	300	OUT	6	6	No
Zebra	TR3370 High Opacity White Resin	WPL-18107903	3.27	1,476	83.0	450	OUT	24	23	No
Zebra	TR3370 High Opacity White Resin	WPL-18106167	3.50	984	89.0	300	OUT	24	15	No
Zebra	TR3370 High Opacity White Resin	WPL-18107407	3.74	984	95.0	300	OUT	24	18	No
Zebra	TR3370 High Opacity White Resin	WPL-18100143	4.33	984	110.0	300	OUT	24	19	No
Zebra	TR3370 High Opacity White Resin	WPL-18100143-6	4.33	984	110.0	300	OUT	6	7	No
Zebra	TR3370 High Opacity White Resin	WPL-18106826	4.33	984	110.0	300	OUT	24	19	Yes
Zebra	TR3370 High Opacity White Resin	WPL-18106722	4.33	1,476	110.0	450	OUT	24	28	No
Zebra	TR3370 High Opacity White Resin	WPL-18100144-6	5.11	984	130.0	300	OUT	6	6	No
Zebra	TR3370 High Opacity White Resin	WPL-18104784	5.51	1,476	140.0	450	OUT	24	35	No
Zebra	TR3370 High Opacity White Resin	WPL-18105989	6.50	984	165.1	300	OUT	6	7	No
Zebra	TR3370 High Opacity White Resin	WPL-18106402	7.00	1,476	177.8	450	OUT	12	23	No

Whitehouse Printing Labeling

Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TR4070 Classic Resin	WPL-18103058	1.57	1,476	40.0	450	OUT	48	17	No
Zebra	TR4070 Classic Resin	WPL-17150248	2.00	1,476	50.8	450	OUT	36	16	No
Zebra	TR4070 Classic Resin	WPL-17149200	2.36	984	60.0	300	OUT	36	14	No
Zebra	TR4070 Classic Resin	WPL-17149200-12	2.36	984	60.0	300	OUT	12	5	No
Zebra	TR4070 Classic Resin	WPL-17168010	2.36	1,476	60.0	450	OUT	36	20	No
Zebra	TR4070 Classic Resin	WPL-17152480	2.52	1,476	64.0	450	OUT	36	20	No
Zebra	TR4070 Classic Resin	WPL-18100062	3.00	1,476	76.2	450	OUT	36	24	No
Zebra	TR4070 Classic Resin	WPL-17149211	3.15	984	80.0	300	OUT	24	11	No
Zebra	TR4070 Classic Resin	WPL-18100103-6	3.27	984	83.0	300	OUT	6	3	No
Zebra	TR4070 Classic Resin	WPL-18102809	3.26	984	83.0	300	OUT	24	13	No
Zebra	TR4070 Classic Resin	WPL-17150592	3.26	1,476	83.0	450	OUT	24	18	No
Zebra	TR4070 Classic Resin	WPL-18105883	3.50	984	89.0	300	OUT	24	13	No
Zebra	TR4070 Classic Resin	WPL-17172693	3.50	1,476	89.0	450	OUT	24	18	No
Zebra	TR4070 Classic Resin	WPL-17172693-6	3.50	1,476	89.0	450	OUT	6	5	No
Zebra	TR4070 Classic Resin	WPL-17164119	3.74	984	95.0	300	OUT	24	14	No
Zebra	TR4070 Classic Resin	WPL-18107913	4.00	984	101.6	300	OUT	24	16	Yes
Zebra	TR4070 Classic Resin	WPL-17173834	4.00	1,476	101.6	450	OUT	24	21	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TR4070 Classic Resin	WPL-17149222	4.33	984	110.0	300	OUT	24	17	No
Zebra	TR4070 Classic Resin	WPL-17149222-6	4.33	984	110.0	300	OUT	6	5	No
Zebra	TR4070 Classic Resin	WPL-17176309	4.33	1,476	110.0	450	OUT	24	25	No
Zebra	TR4070 Classic Resin	WPL-17176309-6	4.33	1,476	110.0	450	OUT	6	6	No
Zebra	TR4070 Classic Resin	WPL-17149233	5.11	984	130.0	300	OUT	24	20	No
Zebra	TR4070 Classic Resin	WPL-17172637	5.12	1,476	130.0	450	OUT	24	27	No
Zebra	TR4070 Classic Resin	WPL-17172637-6	5.11	1,476	130.0	450	OUT	6	7	No
Zebra	TR4070 Classic Resin	WPL-17167938	6.00	984	152.4	300	OUT	12	11	No
Zebra	TR4070 Classic Resin	WPL-18103039	6.00	1,476	152.4	450	OUT	12	17	No
Zebra	TR4070 Classic Resin	WPL-18103552	6.50	1,476	165.1	450	OUT	12	17	No
Zebra	TR4070 Classic Resin	WPL-17174798	6.73	984	171.0	300	OUT	12	12	No
Zebra	TR4070 Classic Resin	WPL-17174798-6	6.73	984	171.0	300	OUT	6	6	No
Zebra	TR4070 Classic Resin	WPL-18100259	7.24	984	184.0	300	OUT	12	13	No
Zebra	TR4070 Classic Resin	WPL-18100405	8.66	1,476	220.0	450	OUT	12	23	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17152457	1.00	1,476	25.4	450	OUT	60	17	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17152457-36	1.00	1,476	25.4	450	OUT	36	10	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17154459	1.57	984	40.0	300	OUT	48	13	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TR4085plus Resin Enhanced Wax	WPL-17152860	1.57	1,476	40.0	450	OUT	48	21	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17152860-6	1.57	1,476	40.0	450	OUT	6	3	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10033	1.57	1,476	40.0	450	OUT	48	21	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10953	1.57	1,476	40.0	450	OUT	6	3	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17159731	2.00	984	50.8	300	OUT	36	14	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18107667	2.00	984	50.8	300	OUT	24	9	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100808	2.00	1,476	50.8	450	OUT	36	21	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10440	2.00	1,476	50.8	450	OUT	36	21	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17154460	2.36	984	60.0	300	OUT	36	15	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17152871	2.36	1,476	60.0	450	OUT	36	23	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17152871-6	2.36	1,476	60.0	450	OUT	6	4	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10228	2.36	1,476	60.0	450	OUT	36	23	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10882	2.36	1,476	60.0	450	OUT	6	4	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100611	2.52	984	64.0	300	OUT	36	16	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10715	2.51	984	64.0	300	OUT	36	16	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100467	2.52	1,476	64.0	450	OUT	36	25	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18107085	2.52	1,476	64.0	450	OUT	12	8	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TR4085plus Resin Enhanced Wax	WPL-17154563	2.80	1,476	71.0	450	OUT	36	26	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100612	3.00	984	76.2	300	OUT	36	20	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100617	3.00	1,476	76.2	450	OUT	24	20	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10718	3.00	1,476	76.2	450	OUT	24	20	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18107653	3.00	1,968	76.2	600	OUT	24	26	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17154471	3.15	984	80.0	300	OUT	36	21	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17154471-6	3.14	984	80.0	300	OUT	6	4	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10122	3.14	984	80.0	300	OUT	36	21	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17152468	3.15	1,476	80.0	450	OUT	24	20	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17152468-6	3.15	1,476	80.0	450	OUT	6	5	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10003	3.15	1,476	80.0	450	OUT	24	20	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL11355	3.15	1,476	80.0	450	OUT	6	5	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17159753	3.26	984	83.0	300	OUT	36	23	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17150949	3.27	1,476	83.0	450	OUT	24	21	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17150949-6	3.27	1,476	83.0	450	OUT	6	6	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18106825	3.27	1,476	83.0	450	OUT	24	20	Yes
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10026	3.26	1,476	83.0	450	OUT	24	22	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100613	3.50	984	89.0	300	OUT	24	21	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100613-6	3.50	984	89.0	300	OUT	6	4	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17157717	3.50	1,476	89.0	450	OUT	24	23	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17157717-6	3.50	1,476	89.0	450	OUT	6	6	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100614	3.74	984	95.0	300	OUT	24	16	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17152882	3.74	1,476	95.0	450	OUT	24	24	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100615	4.00	984	101.6	300	OUT	24	18	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100615-12	4.00	984	101.6	300	OUT	12	9	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18105736	4.00	984	101.6	300	OUT	24	17	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100618	4.00	1,476	101.6	450	OUT	24	25	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100618-6	4.00	1,476	101.6	450	OUT	6	7	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10104	4.00	1,476	101.6	450	OUT	24	26	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10926	4.00	1,476	101.6	450	OUT	6	7	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18107723	4.00	1,837	101.6	560	OUT	24	33	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100619	4.09	1,476	104.0	450	OUT	24	27	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10105	4.09	1,476	104.0	450	OUT	24	27	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18103790	4.17	984	106.0	300	OUT	24	19	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10716	4.17	984	106.0	300	OUT	24	19	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18103449	4.17	1,115	106.0	340	OUT	24	21	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18103791	4.17	1,476	106.0	450	OUT	24	28	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18103791-6	4.17	1,476	106.0	450	OUT	6	7	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10719	4.17	1,476	106.0	450	OUT	24	27	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10940	4.17	1,476	106.0	450	OUT	6	7	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17154482	4.33	984	110.0	300	OUT	24	20	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17154482-6	4.33	984	110.0	300	OUT	6	5	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10002	4.33	984	110.0	300	OUT	24	20	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17152479	4.33	1,476	110.0	450	OUT	24	28	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17152479-12	4.33	1,476	110.0	450	OUT	12	14	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17152479-6	4.33	1,476	110.0	450	OUT	6	7	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18104081	4.33	1,476	110.0	450	OUT	24	27	Yes
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10032	4.33	1,476	110.0	450	OUT	24	28	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10922	4.33	1,476	110.0	450	OUT	6	7	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL11237	4.33	1,476	110.0	450	OUT	24	27	Yes
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL11553	4.33	1,476	110.0	450	OUT	12	14	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TR4085plus Resin Enhanced Wax	WPL-18108088	4.33	1,640	110.0	500	OUT	24	32	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100616	4.50	984	114.3	300	OUT	24	20	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100620	4.50	1,476	114.3	450	OUT	24	29	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18103925	4.72	984	120.0	300	OUT	24	20	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100463	4.72	1,476	120.0	450	OUT	24	29	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17154390	5.11	984	130.0	300	OUT	24	23	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17154390-6	5.11	984	130.0	300	OUT	6	6	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10001	5.11	984	130.0	300	OUT	24	23	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17152893	5.12	1,476	130.0	450	OUT	24	33	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17152893-6	5.12	1,476	130.0	450	OUT	6	9	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10034	5.12	1,476	130.0	450	OUT	24	33	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10923	5.11	1,476	130.0	450	OUT	6	9	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100790	5.51	1,476	140.0	450	OUT	24	36	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17148885	6.00	984	152.4	300	OUT	12	14	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17165028	6.00	1,476	152.4	450	OUT	12	20	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17165028-6	6.00	1,476	152.4	450	OUT	6	10	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10053	6.00	1,476	152.4	450	OUT	12	20	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TR4085plus Resin Enhanced Wax	WPL-18105668	6.14	984	156.0	300	OUT	12	14	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18105428	6.14	1,476	156.0	450	OUT	12	20	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18105428-6	6.14	1,476	156.0	450	OUT	6	10	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17149196	6.50	984	165.1	300	OUT	12	15	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18100500	6.50	1,148	165.1	350	OUT	12	16	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17175788	6.50	1,476	165.1	450	OUT	12	21	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17175788-6	6.50	1,476	165.1	450	OUT	6	11	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18106178	6.50	1,476	165.1	450	OUT	12	20	Yes
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10167	6.50	1,476	165.1	450	OUT	12	21	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10957	6.50	1,476	165.1	450	OUT	6	11	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17176343	6.73	984	171.0	300	OUT	12	15	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17176332	6.73	1,476	171.0	450	OUT	12	22	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18106224	6.85	984	174.0	300	OUT	12	14	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18105610	6.85	1,476	174.0	450	OUT	12	22	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18103776	7.00	1,476	177.8	450	OUT	12	23	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17149185	7.24	984	184.0	300	OUT	12	15	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18101166	7.24	1,476	184.0	450	OUT	12	24	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TR4085plus Resin Enhanced Wax	WPL-18106142	7.50	1,476	190.5	450	OUT	12	24	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18101275	8.50	1,476	216.0	450	OUT	12	28	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17149174	8.66	984	220.0	300	OUT	12	18	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17168113	8.66	1,476	220.0	450	OUT	12	27	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-17168113-6	8.66	1,476	220.0	450	OUT	6	14	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-PL10235	8.66	1,476	220.0	450	OUT	12	28	No
Zebra	TR4085plus Resin Enhanced Wax	WPL-18106974	8.66	1,968	220.0	600	OUT	6	17	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100448	1.57	984	40.0	300	OUT	48	13	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100453	1.57	1,476	40.0	450	OUT	48	19	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100325	2.00	984	50.8	300	OUT	36	13	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100449	2.36	984	60.0	300	OUT	36	15	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100242	2.36	1,476	60.0	450	OUT	36	22	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18107654	2.52	984	64.0	300	OUT	24	11	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18107538	2.52	1,476	64.0	450	OUT	12	8	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100056	3.00	1,476	76.2	450	OUT	24	18	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100450	3.14	984	80.0	300	OUT	36	22	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18101190	3.15	1,476	80.0	450	OUT	24	21	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100243	3.27	1,476	83.0	450	OUT	24	22	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100243-6	3.27	1,476	83.0	450	OUT	6	5	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18105117	3.27	1,476	83.0	450	OUT	24	20	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100528	3.50	984	89.0	300	OUT	24	16	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100057	3.50	1,476	89.0	450	OUT	24	22	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18157050	3.74	984	95.0	300	OUT	24	16	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-PL11077	3.74	984	95.0	300	OUT	24	16	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18104676	4.00	1,476	101.6	450	OUT	24	25	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18107535	4.00	1,476	101.6	450	OUT	12	13	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18102456	4.17	984	106.0	300	OUT	24	18	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18103986	4.17	1,476	106.0	450	OUT	24	26	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18103986-6	4.17	1,476	106.0	450	OUT	6	7	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100240	4.33	984	110.0	300	OUT	24	20	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100035	4.33	1,476	110.0	450	OUT	24	27	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100035-6	4.33	1,476	110.0	450	OUT	6	7	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18106260	4.33	1,476	110.0	450	OUT	24	29	Yes
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18107534	4.33	1,476	110.0	450	OUT	12	14	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TRX-50 General Purpose Wax/Resin	WPL-PL10636	4.33	1,476	110.0	450	OUT	24	27	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-PL10971	4.33	1,476	110.0	450	OUT	6	8	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100241	5.11	984	130.0	300	OUT	24	22	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100059	5.11	1,476	130.0	450	OUT	24	33	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100059-6	5.12	1,476	130.0	450	OUT	6	8	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100424	5.51	1,476	140.0	450	OUT	24	34	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100451	6.00	984	152.4	300	OUT	12	13	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100454	6.00	1,476	152.4	450	OUT	12	21	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18107338	6.00	1,476	152.4	450	OUT	12	20	Yes
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100455	6.50	1,476	165.1	450	OUT	12	20	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18102469	6.57	984	167.0	300	OUT	12	14	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100456	6.73	1,476	171.0	450	OUT	12	21	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18105093	6.85	1,476	174.0	450	OUT	12	21	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18106326	8.00	1,476	203.2	450	OUT	12	25	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100452	8.66	984	220.0	300	OUT	12	18	No
Zebra	TRX-50 General Purpose Wax/Resin	WPL-18100457	8.66	1,476	220.0	450	OUT	12	27	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18105111	1.00	1,476	25.4	450	OUT	60	15	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TRX-55 Premium Wax/Resin	WPL-18104305	1.57	1,476	40.0	450	OUT	48	22	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104305-12	1.57	1,476	40.0	450	OUT	12	6	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18107570	1.73	1,476	44.0	450	OUT	48	26	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104319	2.00	984	50.8	300	OUT	36	12	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104320	2.00	1,476	50.8	450	OUT	36	18	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104321	2.36	984	60.0	300	OUT	36	17	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104322	2.36	1,476	60.0	450	OUT	36	24	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104044	2.52	984	64.0	300	OUT	36	16	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104048	2.52	1,476	64.0	450	OUT	36	23	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104048-6	2.52	1,476	64.0	450	OUT	6	5	No
Zebra	TRX-55 Premium Wax/Resin	WPL-PL11190	2.51	1,476	64.0	450	OUT	6	5	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104323	3.00	984	76.2	300	OUT	36	21	No
Zebra	TRX-55 Premium Wax/Resin	WPL-PL11588	3.00	984	76.2	300	OUT	36	21	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104045	3.15	984	80.0	300	OUT	36	19	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104045-6	3.15	984	80.0	300	OUT	6	4	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104049	3.15	1,476	80.0	450	OUT	24	22	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104049-6	3.15	1,476	80.0	450	OUT	6	6	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TRX-55 Premium Wax/Resin	WPL-18107879	3.15	1,476	80.0	450	OUT	24	23	Yes
Zebra	TRX-55 Premium Wax/Resin	WPL-18104325	3.26	984	83.0	300	OUT	36	20	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104326	3.26	1,476	83.0	450	OUT	24	23	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104327	3.50	984	89.0	300	OUT	24	14	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104328	3.50	1,476	89.0	450	OUT	24	24	No
Zebra	TRX-55 Premium Wax/Resin	WPL-PL10999	3.50	1,476	89.0	450	OUT	24	21	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18105014	3.74	984	95.0	300	OUT	24	18	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104329	4.00	984	101.6	300	OUT	24	16	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104330	4.00	1,476	101.6	450	OUT	24	27	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104331	4.17	984	106.0	300	OUT	24	17	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104247	4.17	1,476	106.0	450	OUT	24	29	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104046	4.33	984	110.0	300	OUT	24	20	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104046-6	4.33	984	110.0	300	OUT	6	5	No
Zebra	TRX-55 Premium Wax/Resin	WPL-PL11214	4.33	984	110.0	300	OUT	6	5	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104050	4.33	1,476	110.0	450	OUT	24	29	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104050-6	4.33	1,476	110.0	450	OUT	6	8	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104898	4.33	1,476	110.0	450	OUT	24	26	Yes

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TRX-55 Premium Wax/Resin	WPL-PL10938	4.33	1,476	110.0	450	OUT	6	8	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104332	4.50	984	114.3	300	OUT	24	19	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104333	4.50	1,476	114.3	450	OUT	24	27	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104047	5.12	984	130.0	300	OUT	24	24	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104047-6	5.12	984	130.0	300	OUT	6	5	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104051	5.12	1,476	130.0	450	OUT	24	38	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104051-6	5.12	1,476	130.0	450	OUT	6	9	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18106977	5.51	984	140.0	300	OUT	24	23	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104976	5.51	1,476	140.0	450	OUT	12	19	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18106994	5.51	1,476	140.0	450	OUT	12	17	Yes
Zebra	TRX-55 Premium Wax/Resin	WPL-18104334	6.00	984	152.4	300	OUT	12	12	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104266	6.00	1,476	152.4	450	OUT	12	21	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104335	6.50	984	165.1	300	OUT	12	13	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104202	6.50	1,476	165.1	450	OUT	12	23	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104427	6.73	1,476	171.0	450	OUT	12	23	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104701	6.85	1,476	174.0	450	OUT	12	21	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18108031	6.85	1,476	174.0	450	OUT	12	25	Yes

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	TRX-55 Premium Wax/Resin	WPL-18104702	8.00	1,476	203.2	450	OUT	12	24	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104336	8.66	984	220.0	300	OUT	12	18	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18104145	8.66	1,476	220.0	450	OUT	12	29	No
Zebra	TRX-55 Premium Wax/Resin	WPL-18107915	8.66	1,476	220.0	450	OUT	12	32	Yes
Zebra	V300 Versatility Defined Resin	WPL-18108118	1.57	1,476	40.0	450	OUT	24	8	No
Zebra	V300 Versatility Defined Resin	WPL-18108099	2.17	984	55.0	300	OUT	24	7	No
Zebra	V300 Versatility Defined Resin	WPL-18107979	2.36	1,476	60.0	450	OUT	12	6	No
Zebra	V300 Versatility Defined Resin	WPL-18107976	3.15	1,476	80.0	450	OUT	12	8	No
Zebra	V300 Versatility Defined Resin	WPL-18107976-6	3.15	1,476	80.0	450	OUT	6	4	No
Zebra	V300 Versatility Defined Resin	WPL-18107982	3.27	1,476	83.0	450	OUT	12	8	No
Zebra	V300 Versatility Defined Resin	WPL-18107986	3.50	1,476	89.0	450	OUT	12	9	No
Zebra	V300 Versatility Defined Resin	WPL-18107978	4.00	1,476	101.6	450	OUT	12	10	No
Zebra	V300 Versatility Defined Resin	WPL-18107985	4.33	984	110.0	300	OUT	12	7	No
Zebra	V300 Versatility Defined Resin	WPL-18107985-6	4.33	984	110.0	300	OUT	6	4	No
Zebra	V300 Versatility Defined Resin	WPL-18107987	4.33	1,476	110.0	450	OUT	12	11	No
Zebra	V300 Versatility Defined Resin	WPL-18108032	4.33	1,476	110.0	450	OUT	6	5	No
Zebra	V300 Versatility Defined Resin	WPL-18107980	6.50	1,476	165.1	450	OUT	12	16	No

Whitehouse Printing Labeling

Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra	VR301 Durable Metallic Gold Resin	WPL-18106874	2.36	984	60.0	300	OUT	12	5	No
Zebra	VR301 Durable Metallic Gold Resin	WPL-18107974	2.36	984	60.0	300	OUT	1	0	No
Zebra	VR301 Durable Metallic Gold Resin	WPL-18107841	3.00	984	76.2	300	OUT	1	1	No
Zebra	VR301 Durable Metallic Gold Resin	WPL-18106396	4.33	984	110.0	300	OUT	15	12	No
Zebra	VR301 Durable Metallic Gold Resin	WPL-18106396-6	4.33	984	110.0	300	OUT	6	5	No
Zebra	VR301 Durable Metallic Gold Resin	WPL-18107845	4.33	984	110.0	300	OUT	1	1	No
Zebra	VR301 Durable Metallic Silver Resin	WPL-18106659	1.00	984	25.4	300	OUT	36	6	No
Zebra	VR301 Durable Metallic Silver Resin	WPL-18106875	2.36	984	60.0	300	OUT	12	5	No
Zebra	VR301 Durable Metallic Silver Resin	WPL-18106875-6	2.36	984	60.0	300	OUT	6	3	No
Zebra	VR301 Durable Metallic Silver Resin	WPL-18107848	3.00	984	76.2	300	OUT	1	1	No
Zebra	VR301 Durable Metallic Silver Resin	WPL-18106258	3.50	984	89.0	300	OUT	12	7	No
Zebra	VR301 Durable Metallic Silver Resin	WPL-18106515	4.33	984	110.0	300	OUT	24	18	No
Zebra	VR301 Durable Metallic Silver Resin	WPL-18106515-6	4.33	984	110.0	300	OUT	6	5	No
Zebra	VR301 Durable Metallic Silver Resin	WPL-18107849	4.33	984	110.0	300	OUT	1	1	No
Zebra 170/172PAX	M260 Ultra Durable Wax/Resin	WPL-18105904	2.36	2,952	60.0	900	OUT	24	26	No
Zebra 170/172PAX	MP Mid Wax/Resin	WPL-18107878	2.00	2,953	50.8	900	OUT	12	13	No
Zebra 170/172PAX	MP Wax	WPL-18107900	3.50	1,968	89.0	600	OUT	24	31	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra 170/172PAX	MP Wax	WPL-18107458	4.00	1,968	101.6	600	OUT	24	35	No
Zebra 170/172PAX	MP Wax	WPL-18107457	4.17	2,953	106.0	900	OUT	12	27	No
Zebra 170/172PAX	MP Wax	WPL-18107436	4.33	2,953	110.0	900	OUT	12	28	No
Zebra 170/172PAX	MP Wax	WPL-18107598	6.50	2,953	165.1	900	OUT	6	21	No
Zebra 170/172PAX	R300 General Purpose Resin	WPL-18106150	2.36	2,952	60.0	900	OUT	24	21	No
Zebra 170/172PAX	R300 General Purpose Resin	WPL-18106834	2.51	1,968	64.0	600	OUT	36	22	No
Zebra 170/172PAX	R300 General Purpose Resin	WPL-18108029	3.50	1,968	89.0	600	OUT	24	23	No
Zebra 170/172PAX	R300 General Purpose Resin	WPL-18108033	3.50	1,968	89.0	600	OUT	6	6	No
Zebra 170/172PAX	R300 General Purpose Resin	WPL-18105068	3.50	2,952	89.0	900	OUT	12	15	No
Zebra 170/172PAX	R300 General Purpose Resin	WPL-18107122	4.33	2,953	110.0	900	OUT	12	19	No
Zebra 170/172PAX	R316 Specialty Resin	WPL-18106394	4.00	1,968	101.6	600	OUT	24	28	No
Zebra 170/172PAX	R510HF Ultra Durable Resin	WPL-18106514	1.57	1,968	40.0	600	OUT	36	17	No
Zebra 170/172PAX	R510HF Ultra Durable Resin	WPL-18106612	2.52	1,968	64.0	600	OUT	36	28	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18104914	1.57	2,952	40.0	900	OUT	24	19	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18105985	2.00	2,952	50.8	900	OUT	12	12	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18106054	2.36	2,952	60.0	900	OUT	24	28	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18106288	2.52	1,968	64.0	600	OUT	24	20	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ ctn	Approx Case Weight lbs.	Plastic Core?
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18106443	2.52	2,952	64.0	900	OUT	24	30	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18103652	3.00	2,952	76.2	900	OUT	12	18	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18104948	3.15	2,953	80.0	900	OUT	12	19	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18104781	3.26	1,968	83.0	600	OUT	24	28	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18105673	3.74	1,968	95.0	600	OUT	24	30	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18104789	3.74	2,952	95.0	900	OUT	12	22	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18105819	4.00	1,706	101.6	520	OUT	24	28	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18107936	4.00	2,001	101.6	610	OUT	24	35	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18105905	4.00	2,952	101.6	900	OUT	12	24	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18101154	4.17	2,952	106.0	900	OUT	12	26	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-PL10620	4.17	2,952	106.0	900	OUT	12	26	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18105133	4.33	1,870	110.0	570	OUT	24	35	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18106172	4.33	1,968	110.0	600	OUT	24	35	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18106172-12	4.33	1,968	110.0	600	OUT	12	17	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18103359	4.33	2,953	110.0	900	OUT	12	26	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18103933	5.11	2,952	130.0	900	OUT	12	32	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-PL11095	5.11	2,952	130.0	900	OUT	12	32	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18104889	5.51	2,952	140.0	900	OUT	12	33	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18103546	6.00	2,953	152.4	900	OUT	6	19	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18106332	6.50	1,968	165.1	600	OUT	12	28	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18103116	6.50	2,952	165.1	900	OUT	6	19	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-PL11074	6.50	2,952	165.1	900	OUT	6	19	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18107168	6.73	1,968	171.0	600	OUT	6	15	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18100553	6.73	2,952	171.0	900	OUT	6	21	No
Zebra 170/172PAX	TR4085plus Resin Enhanced Wax	WPL-18105737	7.00	2,952	177.8	900	OUT	6	21	No
Zebra 170/172PAX	TRX-55 Premium Wax/Resin	WPL-18106450	1.57	2,952	40.0	900	OUT	12	9	No
Zebra 170/172PAX	TRX-55 Premium Wax/Resin	WPL-18105283	2.00	2,296	50.8	700	OUT	18	14	No
Zebra 170/172PAX	TRX-55 Premium Wax/Resin	WPL-18104996	3.14	2,952	80.0	900	OUT	12	18	No
Zebra 170/172PAX	TRX-55 Premium Wax/Resin	WPL-18106486	3.50	1,968	89.0	600	OUT	24	28	No
Zebra GK/GX 1/2"	Half Inch Wax	WPL-18105955	2.50	243	63.5	74	OUT	36	6	Yes
Zebra GK/GX 1/2"	Half Inch Wax	WPL-PL11508	2.50	242	63.5	74	OUT	36	6	Yes
Zebra GK/GX 1/2"	Half Inch Wax	WPL-18105956	3.29	243	83.5	74	OUT	36	7	Yes
Zebra GK/GX 1/2"	Half Inch Wax	WPL-18105957	4.33	243	110.0	74	OUT	24	5	Yes
Zebra GK/GX 1/2"	Half Inch Wax	WPL-18105957-12	4.33	243	110.0	74	OUT	12	3	Yes

Whitehouse Printing Labeling

Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra GK/GX 1/2"	Half Inch Wax	WPL-PL11510	4.33	243	110.0	74	OUT	24	6	Yes
Zebra GK/GX 1/2"	M260 Ultra Durable Wax/Resin	WPL-18106816	2.50	242	63.5	74	OUT	48	8	Yes
Zebra GK/GX 1/2"	MP Mid Wax/Resin	WPL-18107836	2.50	243	63.5	74	OUT	36	5	Yes
Zebra GK/GX 1/2"	MP Mid Wax/Resin	WPL-18107835	3.29	243	83.5	74	OUT	36	7	Yes
Zebra GK/GX 1/2"	MP Mid Wax/Resin	WPL-18107876	4.33	243	110.0	74	OUT	24	6	Yes
Zebra GK/GX 1/2"	MP Mid Wax/Resin	WPL-18107977	4.33	243	110.0	74	OUT	12	3	Yes
Zebra GK/GX 1/2"	R300 General Purpose Resin	WPL-18106127	2.50	242	63.5	74	OUT	36	6	Yes
Zebra GK/GX 1/2"	R300 General Purpose Resin	WPL-18106256	3.28	242	83.5	74	OUT	36	6	Yes
Zebra GK/GX 1/2"	R300 General Purpose Resin	WPL-18106116	4.33	243	110.0	74	OUT	24	5	Yes
Zebra GK/GX 1/2"	R300 General Purpose Resin	WPL-18106116-12	4.33	243	110.0	74	OUT	12	3	Yes
Zebra GK/GX 1/2"	R300 General Purpose Resin	WPL-18107142	4.33	243	110.0	74	OUT	12	2	Yes
Zebra GK/GX 1/2"	R316 Specialty Resin	WPL-18108075	2.50	243	63.5	74	OUT	48	6	Yes
Zebra GK/GX 1/2"	R316 Specialty Resin	WPL-18107623	4.33	243	110.0	74	OUT	24	6	Yes
Zebra GK/GX 1/2"	R395 Textile Resin	WPL-18107383	2.50	243	63.5	74	OUT	36	5	Yes
Zebra GK/GX 1/2"	R395 Textile Resin	WPL-18108120	4.33	243	110.0	74	OUT	36	8	Yes
Zebra GK/GX 1/2"	R510C Blue (2935) Durable Resin	WPL-18107856	3.29	243	83.5	74	OUT	24	5	Yes
Zebra GK/GX 1/2"	R510C Blue (2935) Durable Resin	WPL-18107842	4.33	243	110.0	74	OUT	24	6	Yes

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra GK/GX 1/2"	R510HF Ultra Durable Resin	WPL-18106512	2.50	243	63.5	74	OUT	48	7	Yes
Zebra GK/GX 1/2"	R510HF Ultra Durable Resin	WPL-18106776	3.29	243	83.5	74	OUT	24	4	Yes
Zebra GK/GX 1/2"	R510HF Ultra Durable Resin	WPL-18106149	4.33	243	110.0	74	OUT	24	5	Yes
Zebra GK/GX 1/2"	R510W White Durable Resin	WPL-18106775	3.29	243	83.5	74	OUT	24	4	Yes
Zebra GK/GX 1/2"	TR3021 Red (1787C) General Purpose Wax	WPL-18107133	4.33	243	110.0	74	OUT	24	6	Yes
Zebra GK/GX 1/2"	TR3022 Blue (286C) General Purpose Wax	WPL-18107134	4.33	243	110.0	74	OUT	24	6	Yes
Zebra GK/GX 1/2"	TR3370 High Opacity White Resin	WPL-18106412	4.33	242	110.0	74	OUT	24	6	Yes
Zebra GK/GX 1/2"	TR4070 Classic Resin	WPL-18106770	3.28	242	83.5	74	OUT	12	2	Yes
Zebra GK/GX 1/2"	TRX-50 General Purpose Wax/Resin	WPL-18106932	3.28	242	83.5	74	OUT	36	6	Yes
Zebra GK/GX 1/2"	TRX-50 General Purpose Wax/Resin	WPL-18106660	4.33	243	110.0	74	OUT	24	5	Yes
Zebra GK/GX 1/2"	TRX-55 Premium Wax/Resin	WPL-18106487	2.50	243	63.5	74	OUT	36	6	Yes
Zebra GK/GX 1/2"	TRX-55 Premium Wax/Resin	WPL-18106509	3.29	243	83.5	74	OUT	24	4	Yes
Zebra GK/GX 1/2"	TRX-55 Premium Wax/Resin	WPL-18105958	4.33	243	110.0	74	OUT	24	6	Yes
Zebra GK/GX 1/2"	TRX-55 Premium Wax/Resin	WPL-18105958-12	4.33	243	110.0	74	OUT	12	3	Yes
Zebra GK/GX 1/2"	V300 Versatility Defined Resin	WPL-18108072	2.50	243	63.5	74	OUT	12	1	Yes
Zebra GK/GX 1/2"	V300 Versatility Defined Resin	WPL-18108037	4.33	243	110.0	74	OUT	12	2	Yes
Zebra HT-146	TR4085plus Resin Enhanced Wax	WPL-18104300	4.33	839	110.0	256	OUT	6	4	No

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra TLP 2746e	TR4085plus Resin Enhanced Wax	WPL-18103824	2.08	1,181	53.0	360	OUT	36	16	No
Zebra TLP 2746e	TR4085plus Resin Enhanced Wax	WPL-18104377	4.33	1,181	110.0	360	OUT	24	22	No
ZEBRA TLP2684/Strata	TR4085plus Resin Enhanced Wax	WPL-18102505	8.66	511	220.0	156	OUT	12	10	No
ZEBRA ZE 500	MP Mid Wax/Resin	WPL-18107928	3.15	1,968	80.0	600	OUT	12	14	No
ZEBRA ZE 500	MP Mid Wax/Resin	WPL-18107929	5.12	1,968	130.0	600	OUT	12	22	No
ZEBRA ZE 500	R550 Extreme Durable Resin	WPL-18108015	5.12	1,476	130.0	450	OUT	24	30	No
ZEBRA ZE 500	R600 Resin	WPL-18107818	1.77	1,476	45.0	450	OUT	48	18	No
ZEBRA ZE 500	TR4085plus Resin Enhanced Wax	WPL-18106702	4.17	1,968	106.0	600	OUT	24	34	No
ZEBRA ZE 500	TRX-50 General Purpose Wax/Resin	WPL-18107402	4.33	1,968	110.0	600	OUT	24	38	No
ZEBRA ZE 500	TRX-55 Premium Wax/Resin	WPL-18107082	2.00	1,968	50.8	600	OUT	36	24	No
ZEBRA ZE 500	TRX-55 Premium Wax/Resin	WPL-18107429	4.17	1,968	106.0	600	OUT	12	18	No
Zebra/Eltron 2044/2046/Eclip	M260 Ultra Durable Wax/Resin	WPL-18105496	2.51	984	64.0	300	OUT	36	15	No
Zebra/Eltron 2044/2046/Eclip	R510W White Durable Resin	WPL-18105888	4.33	984	110.0	300	OUT	24	21	No
Zebra/Eltron 2044/2046/Eclip	TR4085plus Resin Enhanced Wax	WPL-18106504	1.57	984	40.0	300	OUT	48	13	No
Zebra/Eltron 2044/2046/Eclip	TR4085plus Resin Enhanced Wax	WPL-18105853	2.36	984	60.0	300	OUT	36	15	No
Zebra/Eltron 2044/2046/Eclip	TR4085plus Resin Enhanced Wax	WPL-18105687	3.14	984	80.0	300	OUT	36	20	No
Zebra/Eltron 2824	Half Inch Wax	WPL-18105493	2.20	242	56.0	74	OUT	36	5	Yes

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra/Eltron 2824	M260 Ultra Durable Wax/Resin	WPL-18105442	2.20	243	56.0	74	OUT	36	4	Yes
Zebra/Eltron 2824	MP Mid Wax/Resin	WPL-18107909	2.20	243	56.0	74	OUT	36	5	Yes
Zebra/Eltron 2824	R300 General Purpose Resin	WPL-18105620	2.20	242	56.0	74	OUT	24	3	Yes
Zebra/Eltron 2824	R316 Specialty Resin	WPL-18106171	2.20	242	56.0	74	OUT	36	4	Yes
Zebra/Eltron 2824	R395 Textile Resin	WPL-18107367	2.20	243	56.0	74	OUT	60	7	Yes
Zebra/Eltron 2824	R510HF Ultra Durable Resin	WPL-18106093	2.20	242	56.0	74	OUT	36	4	Yes
Zebra/Eltron 2824	R510W White Durable Resin	WPL-18106942	2.20	242	56.0	74	OUT	36	4	Yes
Zebra/Eltron 2824	TRX-50 General Purpose Wax/Resin	WPL-18104916	2.20	243	56.0	74	OUT	36	4	Yes
Zebra/Eltron 2824	V300 Versatility Defined Resin	WPL-18108077	2.20	243	56.0	74	OUT	24	3	Yes
Zebra/Eltron 2844	Half Inch Wax	WPL-18104476	2.50	243	63.5	74	OUT	36	6	Yes
Zebra/Eltron 2844	Half Inch Wax	WPL-18104476-12	2.50	243	63.5	74	OUT	12	2	Yes
Zebra/Eltron 2844	Half Inch Wax	WPL-18106000	2.50	243	63.5	74	OUT	96	13	Yes
Zebra/Eltron 2844	Half Inch Wax	WPL-18105495	3.29	243	83.5	74	OUT	36	7	Yes
Zebra/Eltron 2844	Half Inch Wax	WPL-18107944	3.29	243	83.5	74	OUT	96	19	Yes
Zebra/Eltron 2844	Half Inch Wax	WPL-PL11429	3.28	242	83.5	74	OUT	36	7	Yes
Zebra/Eltron 2844	Half Inch Wax	WPL-18105494	4.00	242	101.6	74	OUT	36	8	Yes
Zebra/Eltron 2844	Half Inch Wax	WPL-18103818	4.33	243	110.0	74	OUT	36	9	Yes

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra/Eltron 2844	Half Inch Wax	WPL-18103818-12	4.33	243	110.0	74	OUT	12	3	Yes
Zebra/Eltron 2844	Half Inch Wax	WPL-PL10945	4.33	243	110.0	74	OUT	36	9	Yes
Zebra/Eltron 2844	M260 Ultra Durable Wax/Resin	WPL-18105439	2.50	242	63.5	74	OUT	48	6	Yes
Zebra/Eltron 2844	M260 Ultra Durable Wax/Resin	WPL-18105440	3.29	243	83.5	74	OUT	36	7	Yes
Zebra/Eltron 2844	M260 Ultra Durable Wax/Resin	WPL-18105441	4.33	242	110.0	74	OUT	36	8	Yes
Zebra/Eltron 2844	R300 General Purpose Resin	WPL-18105381	2.50	242	63.5	74	OUT	48	5	Yes
Zebra/Eltron 2844	R300 General Purpose Resin	WPL-18105513	2.50	242	63.5	74	OUT	36	4	Yes
Zebra/Eltron 2844	R300 General Purpose Resin	WPL-18104961	3.29	243	83.5	74	OUT	36	6	Yes
Zebra/Eltron 2844	R300 General Purpose Resin	WPL-18105219	4.33	242	110.0	74	OUT	36	7	Yes
Zebra/Eltron 2844	R316 Specialty Resin	WPL-18105404	3.29	243	83.5	74	OUT	36	6	Yes
Zebra/Eltron 2844	R395 Textile Resin	WPL-18107382	2.50	243	63.5	74	OUT	24	3	Yes
Zebra/Eltron 2844	R395 Textile Resin	WPL-18107826	4.33	243	110.0	74	OUT	36	8	Yes
Zebra/Eltron 2844	R510HF Ultra Durable Resin	WPL-18105306	2.50	242	63.5	74	OUT	48	7	Yes
Zebra/Eltron 2844	R510HF Ultra Durable Resin	WPL-18105309	3.00	242	76.2	74	OUT	48	8	Yes
Zebra/Eltron 2844	R510HF Ultra Durable Resin	WPL-18105232	4.33	242	110.0	74	OUT	36	8	Yes
Zebra/Eltron 2844	R510W White Durable Resin	WPL-18106214	4.33	242	110.0	74	OUT	36	9	Yes
Zebra/Eltron 2844	TR3022 Blue (286C) General Purpose Wax	WPL-18107715	4.33	243	110.0	74	OUT	36	10	Yes

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra/Eltron 2844	TR3023 Green (3405C) General Purpose Wax	WPL-18107624	4.33	243	110.0	74	OUT	24	6	Yes
Zebra/Eltron 2844	TR3370 High Opacity White Resin	WPL-18107708	2.50	243	63.5	74	OUT	48	7	Yes
Zebra/Eltron 2844	TR4070 Classic Resin	WPL-18103881	3.29	243	83.5	74	OUT	36	6	Yes
Zebra/Eltron 2844	TR4070 Classic Resin	WPL-18103881-12	3.29	243	83.5	74	OUT	12	2	Yes
Zebra/Eltron 2844	TR4070 Classic Resin	WPL-18104387	4.33	243	110.0	74	OUT	36	8	Yes
Zebra/Eltron 2844	TRX-50 General Purpose Wax/Resin	WPL-18105100-12	2.50	243	63.5	74	OUT	12	2	Yes
Zebra/Eltron 2844	TRX-50 General Purpose Wax/Resin	WPL-18104388	4.33	242	110.0	74	OUT	36	9	Yes
Zebra/Eltron 2844	TRX-50 General Purpose Wax/Resin	WPL-18104388-12	4.33	242	110.0	74	OUT	12	3	Yes
Zebra/Eltron 2844	TRX-50 General Purpose Wax/Resin	WPL-PL11093	4.33	242	110.0	74	OUT	36	9	Yes
Zebra/Eltron 2844	TRX-55 Premium Wax/Resin	WPL-18107825	4.33	243	110.0	74	OUT	24	7	Yes
Zebra/Eltron 2844	V300 Versatility Defined Resin	WPL-18108027	2.52	243	64.0	74	OUT	12	1	Yes
Zebra/Eltron 2844	V300 Versatility Defined Resin	WPL-18107984	4.33	243	110.0	74	OUT	12	2	Yes
Zebra/Eltron TLP2242	Half Inch Wax	WPL-18100215	2.50	298	63.5	91	OUT	36	7	Yes
Zebra/Eltron TLP2242	Half Inch Wax	WPL-18100215-12	2.50	298	63.5	91	OUT	12	2	Yes
Zebra/Eltron TLP2242	Half Inch Wax	WPL-18105942	2.50	298	63.5	91	OUT	96	15	Yes
Zebra/Eltron TLP2242	Half Inch Wax	WPL-17174802	3.28	298	83.5	91	OUT	36	8	Yes
Zebra/Eltron TLP2242	Half Inch Wax	WPL-17174802-12	3.28	298	83.5	91	OUT	12	3	Yes

Whitehouse Printing Labeling
Thermal Transfer Ribbons

LABEL PRINTER BRAND	RIBBON FORMULATION	WP&L ITEM NUMBER	Width (in)	Length (ft)	Width (mm)	Length (m)	Ink IN/OUT	Rolls/ctn	Approx Case Weight lbs.	Plastic Core?
Zebra/Eltron TLP2242	Half Inch Wax	WPL-17174813	4.33	299	110.0	91	OUT	36	10	Yes
Zebra/Eltron TLP2242	Half Inch Wax	WPL-17174813-12	4.33	298	110.0	91	OUT	12	4	Yes
Zebra/Eltron TLP2242	M260 Ultra Durable Wax/Resin	WPL-18105707	4.33	298	110.0	91	OUT	36	10	Yes
Zebra/Eltron TLP2242	R300 General Purpose Resin	WPL-18102043	4.33	298	110.0	91	OUT	12	3	Yes
Zebra/Eltron TLP2242	R300 General Purpose Resin	WPL-18105708	4.33	298	110.0	91	OUT	24	6	Yes
Zebra/Eltron TLP2242	R316 Specialty Resin	WPL-18105884-12	4.33	298	110.0	91	OUT	12	3	Yes
Zebra/Eltron TLP2242	TR4070 Classic Resin	WPL-18100219	2.50	298	63.5	91	OUT	36	5	Yes
Zebra/Eltron TLP2242	TRX-50 General Purpose Wax/Resin	WPL-18107665	3.29	299	83.5	91	OUT	36	8	Yes
Zebra/Eltron TLP2242	TRX-50 General Purpose Wax/Resin	WPL-18100775	4.33	298	110.0	91	OUT	36	10	Yes
Zebra/Eltron TLP2242	TRX-55 Premium Wax/Resin	WPL-18104984	4.33	298	110.0	91	OUT	36	10	Yes